NICOLAUS Salernitanus.

7467. Antidotarium ; Tractatulus quid pro quo ; Synonyma.

Nicolaus Jenson. Venice. 1471.

Sm. 4°; sigs. [a-h[8] i[6]]; 70 leaves (first and last blank); 27 lines; roman characters; {Venezia, press ii, type 1[A]}; capital-spaces.

2[a]; INCIPIT ANTIDOTARIVM NICOLAI. || [E]GO Nicolaus rogatus aquibus-|| dam ī pratica medicine studere || uolētibus ... 45[b]; FINIT ANTIDOTARIVM NICOLAI IM-||PRESSVM VENETIIS PER NICOlAVM || IENSON GALLICVM. M.CCCC.LXXI. 46[a]; INCIPIT TRACTATVLVS QVID PRO || QVO. 52[a]; INCIPIVNT SINONIMA. 69[b] [Colophon]; FINIS ANTIDOTARII NICOLAI: ET QVO-||RVNDAM ALIORVM TRACTATVVM IM-||PRESSORVM VENETIIS PER NICOLAVM || IENSON GALLICVM. M.CCCC.LXXI.

Hain 11764. Reichling, vi, p. 97. Proctor 4076. B.M. Bodl. Inc. Med. 8.

The 'Synonyma' is in 2 cols. Last leaf wanting. The top left portion of leaf 2 has been cut away, doubtless for the sake of an illuminated capital, and the missing text partly supplied in MS. Capitals added in red and blue.

Inserted: 2 letters from Robert Fletcher. W. O. has also inserted notes of some Bodleian MSS. of the 'Antidotarium', and has inscribed some notes on the dates of early medical incunabula, including that of the 'lost' first part of the 'Practica' of Ferrari da Grado (Inc. Med. 37), two copies of which have since turned up and are in the collections of Mr. Pierpont Morgan and Dr. A. C. Klebs, and the date of which is now assigned to 1472 (before Oct. 29).

A translation of the passage on the 'Spongia somnifera' is given in note *d* to no. 1378.

printing more than the appropriation for the volume will pay for. So we end with the completion of letter N. With another year's margin of time perhaps the lacking seven reprints may be discovered and come to me singing joyously, "O, master! we are seven!"

I should like to meet you in Munich - I have always wished to see the famous old city. I hope it "waved all its banners" to welcome you. I have not picked up much of rarity lately for our library - there is a Nicolaus Praepositus, 1471, so clean, and with such black ink; no pallid Mergenthaler abomination. There is another Nicolaus, N. Salicetus, 1493, also acquired. His book of Meditations is a

solicetus

queer collection of devotional essays all in medical terms. He was a doctor of Arts, of Medicine, and Abbot of a Monastery, beside.

I again venture to express the hope that the quiet of Norham may be helpful to that much needed History of Medicine!

Sincerely yours

Robert Fletcher

Please present my kind remembrances to Mrs. Osler.

ANTIDOTARIVM NICOLAI.

EGO Nicolaus rogatus aquibusdam ĩ pratica medicine studere uolentibus: ut eos recto ordĩe modum conficiendi dispensandiq; docerem: & certam eis traderem doctrinã: ĩ qua de singulis usualium medicinarum unam tantum uel duas aut plures libras conficere scirent: & quantum de unoquoq; genere gemmarum herbarũ seminum & specierum inter omnes medicinas subscriptas acciperent: eis in scriptis redigerẽ: necnon quibus egritudinibus proprie ipse medicine ꝓbate fuerint. Illorũ tandẽ precibus adductus: talem eis tradidi doctrinã. Et primo de speciebus. Tria igitur requirũtur in ipsa dispensatione. Primũ ut omnia equaliter põderẽtᷣ tam ĩ speciebus q̃ in gũmis & herbis secundum ꝓprium pondus uniuscuiusq;. Secũdo ut non sint nimia uetustate cõsũpta. Tertiũ ut radices: herbe: & semina congruis temporibus sint collecta. & in congruis locis reposita. ita ut a fumo precipue & a nimia humectatiõe & humido loco corrũpi non possit. In cõficiendo autẽ tria considerãtᷣ similiter mellis puritas & omne quod sufficiat. & eq̃lis pulueris cribellatio. & syrupi ad aque cõsũptionẽ fiat decoctio. In puritate mellis duo actendunturᷣ. i. ne sit

aquoſũ aut nimis coctũ.ſed q
eſt dicere niſi ut ſpecierum pu
tũ ualeat & cõſeruare. Tribus
mel in medicinis. Prima nam
ẽ.nã pre ceteris liquoribus m
Secunda quia mundificatiuũ
ſua dulcedine ſpecierum ama
Pulueris aũt cribellatio duob
nã in electuariis ſubtiliſſĩe de
uero medicinis groſſior debet
xatiuis. predicte uero doctrĩe magna & multiforis
cõſiſtit utilitas. Nã cũ aliqua ĩdigeremus medicĩa
eã aut totã aut pte oporteret facere: aut certe ab alia
pſõa cariſſimã: aut forte corruptã emere cogerẽur:
aut eã facere totã aut oĩo ĩutilẽ, aut certe eſſet ĩpoſ-
ſibile. neceſſario aũt carere ea: aut aliquod iſtorũ
ĩcõueniẽtiũ nos oporteret ĩcurrere. ſed huius ſci-
ẽtia non ſolũ hec uitabunt̃ ĩcomoda: ue℞ ẽt multa
ĩueniũt̃ comoda. Hac nãq; doctrina bona fiet me-
dicĩa. & demũ pfecte opabit̃ corpori adhibita: nec
nõ leuior erit expẽſa. Scire aũt q̃tũ de unoquoq;
genere gũma℞ & herba℞ ſeminũ & ſpẽ℞ ĩter omẽs
accipiãt medicĩas nõ ẽ ĩutile. phoc. ẽĩ. facilis & certa
erit noticia emptionis: leue precium & moderata
diſpenſatio.

A Aurea quando dat̃ caput a langore leuatur.
Vrea alexãdrĩa dicta eſt ab auro. alexandrĩa

ab Alexādro pitiſſimo phyloſopho īuēta ē. ꝓprie ualet ad ōne capitis uitium ex frītate maxīe: & ad ōēm reūaticā paſſiōē que a capite ad oculos & aures & gīgiuas deſcēdit: & ad grauedīē oīū mēbroꝝ que fit de eodē hūore. dat̃ eūti dormitū cū uīo calido. xviii. ꝑs cōfecta ē libr̃. ii. Recipe aſari carpobalſāi iuſqāi aī. ʒ. ii. & . ſ. gār. opii mirre cipi aī. ʒ. ii. balſāi cīamomi folii zedoare zīziberis coſti coralli caſie lignee euforbii dragagāti turis meu ſtoracis calamite ſaliūce cardamomi ſiſelei napei ſaxifragie aneti āiſi aī. ʒ. i. ligni aloes reubarbari alipte caſtorei ſpice galāge opopōacis anacardi maſtic ſulfuris uiui piōie yrīgi roſe thimi acori pulegii ariſto. lōge gētiāe corticis mādragore camedreos fu baccaꝝ lauri amei dauci macropipis leucopipis xilobalſami karui amomi petroſellini ſemis leuiſtici rute ſemis ſinoni aī. ʒ. i. & . ſ. auri purificati argētimeri albaꝝ margaritaꝝ blacte bizantie oſſis de corde cerui aī ℈. i. & gna. xiiii. eboris limat̃e calami aromatici piretri aī gna. viiii. mellis quod ſufficit. det̃ ī modū auellāe febricitātibus cū aq̄ calida: non febricitātibus cum uino calido.

Curat quartanā ſi ſumit̃ hoc adrianū.

ADrianū dictū eſt ꝙ ab Adriano īpatore rōanoꝝ cōpoſitū fuit. ualet ꝓprie ad ōē uitium capitis ex frītate & ad gūedīē oculoꝝ & obſcuritatē cōtra emigneam: dat̃ cū uino calido: ubi cocta ſit

ſaluia ĩ ſero ĩ modũ auellãe . detᷣ ẽt q̃rtanariis cum
decoctiõe gẽtiãe uel pigami ãte horã acceſſiõis.datᷣ
ẽt accipitri lapidẽ habẽti.Sed ſi homini hñti lapidẽ
detᷣ cũ uĩo ĩ quo cocta ſit ſaxifragia uel miliũ ſolis.
decĩa ps confecta ẽ librᷣ.i .Recipe opii tebaici.ʒ.iii.
caſie lignee iuſqami ãboꝝ añ.ʒ.ii.& g̃na.vi . & ter/
tiã pté unius g̃ni ſiſeleos ſẽĩs apii añ .ʒ.i.&.϶.ſ.&
g̃na.ii.folii origãi drag̃. añ.ʒ.i.opobal.petroſelini
macis ſtoracis calami zĩziberis xilobalſami ciperi
carpobalſãi añ .ʒ. i. muſci g̃na.vi.ſeminis maratri
calãi aromatici añ. ϶ .ii.& g̃na.ii.cĩamõi ſpice cro/
ci coſti reupõtici piretri acori dauci cretici aniſi añ
ʒ .ſ. & g̃na.vi.caſtorei.ʒ.i.&.ſ. ſerapini mirre roſe
cardamomi amomi rute agreſtis ſeminis ameos añ
϶.i.g̃na.iiii . caſefiſ.϶. i .Alii addunt lilifagi.ʒ. ii.
mellis quod ſufficit.

Catarrũ frĩdũ mire ſoluit hoc achariſtũ.

Achariſtũ ſine munere ĩterpretatᷣ.& ꝓprie datᷣ
cõtra catarꝝ & cõtra õẽ uitiũ pectoris ex frĩ/
tate.maxie aſmaticis arteticis tuſſiẽtibus.cõfrt flu/
xũ patiẽtibus flãticũ p os datũ ĩ ſero cũ uino albo
calido.vi.ps ẽ librᷣ.i.Recipe coſti galbãi opii fenicõ
ĩdi yſopi ſemĩs lini añ ; ʒ.i. ſpice cc̃ coralli xilobal/
ſami caſiefiſ.xilocaſſie calami aromatici reupõtici
mirre ſtoracis calamite opopõacis bdelii armõiaci
olibani cicidon celcite abrotani acori aſari blacte
roris ſiriaci ſquille dãpnidon piretri amomi aniſi

psillii ozimi dauci leuistici maratri micōis mellāo pipis macropipis leucopipis floris siriaci añ.ʒ.ii. elēpnii.ʒ.i.&.ʃ.elli.ni. ziziberis añ.ʒ.i.mel quod sufficit.

Dissintiēdos subuenit athanasie.

ATthanasia .i. īmortalis ꝓprie ualet ad fluxū sāguīs mulieris.dat͛ cū succo plātagīs :q suc/cus debet prius duci super lapidē molarē cū lapide emathitis tādiu donec ī saguīeū colorē uertat͛:& cū tali succo distēperata medicīa det͛.& eadē bombice ī tīcta & sepius in uulua missa sāguīē cōstrīgit.hoc qdē facit emothoicis cū tali ordīe distēpata:& nari/bus actracta fluxū sāguīs nariū sistit . Sexta ps cō/fecta ē libr͂.i . Recipe cīāomi casie añ.ʒ.iii . & g͂na vi.c͂c.oriētalis qnāti storacis calidi fu sileris iusqāi apii dauci anisi opii añ.ʒ.i.&.ʃ.& g͂na.iii.spice fo/lii castorei mirre lapidis emathitis sāguīs dracōis coralli rubei mumie costi boli smiphiti lēpnias asa/ri acori corticis mādragore pulegii baccarum lauri meu macropipis leucopipis petroselini añ.ʒ.i.mel/lis quod sufficiat.dosis eius ē.ʒ.iii. cū succo plāta/ginis ꝓpīata liētericis discītericis & ad diariā ualet.

AAlcācalon istud febribus cōfert pacutis.

ALcācalon.i. unctum bonū. dat͛ patientibus. acutas febres cū syru.uio.uel aq͂ fr͂a.dat͛ tertiāariis & duplici tertiane cū duobus.ʒ.aut tribus bōi reu/barbari. & aq͂ tepida distēpatū & bibitū mirabiliter

4

medet᷑.& dat᷑ cõtra caliginē oculoꝝ patientibus ex fumo et calore:uel ex acuta febre epatycis yctericis. dat᷑ cū ſucco ſcariole uel feniculi:aut cū decoctiōe capilloꝝ ue.viii.ps ē libr᷑.ii. Recipe mirabolāorū citrin. kebul . cortic̄ . an̄.ʒ.vii. indoꝝ.ʒ.vii. ſqui/nāti portulace uiolaꝝ ſcariolaꝝ an̄.℥.ſ.bellirici em/blici an̄.ʒ.i & ḡna.vii.maſticis.ʒ.ii.&.Э.i.tamarīdi ℥.iii.floris nenufaris berberis ben rubei reubarbari an̄.ʒ.i & ḡna.iiii.medulle caſiefiſ.℥. iiii. cōficit᷑ ſic ī duabus libr᷑ aque pone ſyrup.uiol .℥.ſ. & bulliat donec aliquantulū coloretur aqua.poſtea ab igne depōat᷑ & colet᷑ de eadē aq̄ accipiat᷑ quod ſufficiat ad abluendū caſīafiſ.& tamarindos cola ꝑ catiam. & cū alia aqua addat᷑ libr᷑ .i. &.ſ.zuchari & bulliat uſq; ad aque cōſumptionē . poſtea addatur lotura caſiefiſ.& tamarindoꝝ. & iterū bulliat ad ſpiſſitu/dinem . Si uis probare ſi coctū ſit : ponatur ſuper marmore : &ſi adhereat quaſi mel coctū eſt:& tūc ab igne deponatur.& aliquantulum in frigidari ꝑ/mittatur . deinde ſupradictarum ſpecierū puluis ſuper ſpargatur . & cum ſpatula agitetur donec in corporetur. doſis eius eſt.ʒ.iii.ut ſuperius dictū ē. ſero et mane cum aqua tepida datur.

Iſtud antidotum confert canis mulierum.

ANtimarō.i.cōtra mortē ꝗ facit cephalargicis litargicis ſtōaticis ſciaticis podagricis & de/matrice laborātibus diſcolaratis nefreticis: & oībus

qui de tenui aut uiscoso flāte affliguntur: & his q̄ cibos nō digerūt flegma & colerā purgat & aquo-
sos hūores cū uētositate. viii. pars confecta ē libř. i.
Recipe aloes .ʒ.v. &.ſ.& ğ.vi.casiefiſ.ʒ.i.& ğ.vi.&
ſ.maratri masticis aň.℈.ii.ğ.v.čč.ʒ.ſ.asari.℈.ii.&
ğ.v.& silobal.℈.ii.& ğ.ii.&.ſ. cīamomi.℈.ii.& ğ.
v.yreos .ʒ .i.aaron dragūtee aň.℈.i. & ğna.ii.&.ſ.
agarici colloqntide nitri euforbii castorei aň.℈.ii.
& ğna.v.alexādrii apii petroselini aň.℈.ii.& ğna.v
ellebori ni.ʒ.ſ.diagridii.℈.ii. &.ğna.v.cocognidii
.℈.ii.ğ.v. mel quod sufficit.

ENtidotum . i . contradatum emagogum.i.
sanguinem menstrualem ducens : ualens ad
multas mulierum passiones .matricem que non
usu purgatur purgat mirabiliter : mēstrua educit .
& fetus in utero occidit : ꝙ postea extrahit .& post
partum que non sunt purgata purgat.& ad salutē
perducit petram in uesica rumpit & purgat.urinā
mouet.stranguiriam sanat. epatis enfrasim curat.
selirosim in splene sanat : & ad omnia interiora
magnum bonum facit & ad stomaci indigestionē.
& eos sanat qui colicam patiūtur.nefreticis ꝓdest.
hoc autem qui biberit sanitatem obtinebit: uel ali-
quādo emoroidas prouocat . uiam totius corporis
aperit: & fetum mortuum & secūdinam educit.&
uesicam purgat.stomacum calidum facit .uento-
sitatem consumit.uomitum compescit.tamen in

mulieribus nihil operatᷣ fortius ad omnia que illis ſunt utilia:propter quod cauendum ē patientibus emoroidas:aut fluxum uētris: aut diſcinteriā. nõa pars confecta eſt libr̃.i. Recipe aſari acori amomi ſemiſ atriplicis maratri añ.℈.i.& g̃na.vi.aniſi.℈.ii ariſtol.lõ. artemiſie caſiefiſ. añ.℈.ii.& g̃na .xiiii. centauree minoris.℈.i.& g̃na.vi.centauree maioris ℈.ii. dauci cretici. ℈.ii.ellĩ ni. ℈.i. foliorum lauri ℈.i.ſ.& g̃na .iii. liq̄ricie.ʒ.i.&.℈.i.lupini.ʒ.ii.melãcii.℈.ii.mirre.℈.ii. & g̃n.xiiii.orobi.℈.i.ſtipteree ℈.ii.macedõici.℈.ii.& g̃na.xiiii.piretri.℈.ii.& g̃na xiiii.piperis.ʒ.i.&.℈.ii.g̃na.vii.ſeminis rute .℈.ii. & g̃na .xiiii.ſpice.℈.ii.& g̃na.xiiii . pulegii.℈ .ii.& g̃na.xiiii.pionie.℈.i.& grana .vii.ciperi.℈.i.ſinoni ℈.ii.ſq̄nāti.℈.i.grana.xiii.gari.℈.ii.radicis caparis cimini zinzeberis añ.℈.i.apii ſaume añ.℈.ii.& g̃na xiii.xilobal.℈.i.grana.xiiii.mel quod ſufficiat.datᷣ in modum auellane maioris cum aqua calida poſt balneum ſi cum febre eſt.ſi uero ſine febre cū uīo aut mulſa dabis:

ELanca dicta eſt.quoniā albos purgat hūores .i.flegmaticos : ualet cephalargicis & oculorū doloribus & ſãguinolētis & tumoribus & lippis. optīe facit cõtra oīa que turbant fantaſiā rationē & memoriā.utilis ē tremuloſis epilēticis & paraliticꝭ. nõa ꝑs cõfecta ē libr̃.i. Recipe terbētine opopõac galbani aſe.ſerapini caſtorei ātīonii ſulfuris bdelii

aſpalti armõiac̃ ſtorac̃ liqde carnis leonis diagridii euforbii agarici interioꝝ colloquintide ellī ni.polipodii tapſie piretri ſquināti paucedani aſari cipipionie betõice camedreos polii amomi leuiſtici ſēinis rute ſanguinis draconis añ.ʒ.i.cinamomi gar̃.mac̃.cardamomi aniſi maratri balſāi añ.℈.i. &.ſ.ambre g̈na.v.mel quod ſufficit. datur cū uino in quo cocta ſit ſaluia aut herba paraliſis : in ſero in modum caſtanee.

BEnedicta dicitur quoniā ab omnibus a qbus ſumitur ē benedicta :ſi detur habentibus infirmitates contra quas inuenta fuit.ualet ad guttā arteticā podagricis ex frigiditate. renes & ueſicam purgat. media pars confecta ē libr̃.ii. Recipe turbit eſule zuchari añ.ʒ.x.diagridii hermodactili ro.añ.ʒ.v.gar̃.ſpice zinziberis c̃c̃. ſaxifragie macropiperis amomi gardamomi petroſelini litoſpmatis ſal̃is gemme galange macis carui feniculi ſparagi bruxi granorū ſolis añ.ʒ.i.mel quod ſufficit. dat̃ in ſero cum uino calido ad modū caſtanee.

COnfectio alipte muſcate alipta .i. mixtura.ualet pueris patientibus aſma & cōſtrictionē pectoris. & etiam non ualentibus lac retinere. fit īde optimum fumigiū & odriferum .quo utuntur apoſtolici & imperatores in cappellis ſuis.& intrat ī precioſiſſimis medicis & electuariis. Recipe laudani puriſſimi.ℨ.iii. ſtoracis cal. optime.ℨ.i. &.ſ.

ſtoracis rubee.i. ligni aloes optimi.ℨ.ii.ambre.ʒ.i.
cāphore.℈.i.&.ſ.muſci.℈.ſ.aque ro.quod ſufficit.
Cōfice ſic ī diebus canicularibus pone ſtoracē calamitam & ſtoracem rubeum & laudanum ī catino ad ſolem coopto cum pāno ſubtiliſſimo ne puluis poſſit attingere.& cum mollificata fuerint ad ſolē pone ī mortario ereo calefacto ad ſolem cū piſtillo ferreo ſimiliter calefacto . & fortiter inſimul conterantur donec ad nigrum deueniāt colorem.poſtea addes puluerem ligni aloes . & inſimul fortiter contere & camphore ſimiliter.poſtea contere muſcum ī tribus.ℨ. aque ro.& de hac aqua aliquātulū madefactū marmor prius bene lotum & calefactū ad ſolem .& accipe .ℨ.i.cum tabula planiſſima de eadem aqua madefacta ſuper marmor diu agitet donec ad ſubtilitatem iunci deueniat : hoc modo facias ſuper marmore madefacto & tabula de eadē aquaſupra dicta .. & cum repoſueris ſuperparge de illa aqua.ualet ut ſupra diximus.

COnfectio gallie muſcate : que intrat in preciosiſſimis medicinis & electuariis . Recipe maſticis.ℨ.ii.gummi.ℨ.i.camphore.℈.i.hec autem bene terantur ſubtiliſſime & cribrentur & trociſci inde fiant cum aqua ro . & ſiccentur ad umbram. & poſtq̄ fuerint deſiccati terantur ſubtiliſſime . & miſceātur cū .iiii.ℨ.olei ſambaci bulliti & colati ad medietatem.deīde miſce cum ſpeciebus iſtis bene

tritis. Recipe cinamomi gar̃ nucis muſcate an̄.ʒ. :ſ. & omnibus iſtis cõmixtis & bene manibus malaxatis fiant trociſci in medio concaui & cũ ſigillo ſigillati ad pondus unius.ʒ.&.ſ.& poſtea ungatur aqua ro.cum muſco.

COnfectio nere ita fit. Recipe ambre oriẽtalis uel occidentalis .ʒ.i. ligni aloes optimi.ʒ. iii.muſci.϶.ſ. camphore g̃na.v.Conficiantur ſic ĩueniatur caciola ad modum cacie qua colatur ſyrupus uel mel tamẽ nõ perforata.& ibi apponat̃ ãbra :& ſuper prunas liqueat.& liquefacta ab igne deponatur. & poſtea lignum aloes pulueriꝫatum ſubtiliſſime admiſceatur. deinde addatur muſcus diligenter malaxando cum manibus.& ad ultimũ camphora tñ unaq̃q; pulueriꝫata. poſtea diligenter malaxando cum manibus extrahat̃ ſuper cõcã eneam cõcauam & ſigillatam extendatur. & cum infrigidatum fuerit. inde extrahatur & fruſtatim incidat̃.ualet dolori matricis ſi ꝑ inferiora fumũ recipiat.& ẽ precioſius ĩcẽſũ quod ĩter cetera repit̃. ualet etiam ſatis ad concipiendum.

DAtolicon ualet epaticis ſpleneticis. datur in acutis & peracutis.qa mollificat.digerit confortat.Recipe ſene mũdate medulle caſiefiſ. tãarĩdoꝝ reubarbari ellĩ an̄.ʒ.iii.polipodii aniſi liqricie ſẽium cõĩum cãdi penidii.ʒ.i.ſyru.quod ſufficit ĩ quo ponãt̃ polipodii.ʒ.viii. fẽiculi.ʒ.iii.ĩ libr̃.iii.

aque & syrupizét cũ.ʒ.ii.zuchari.

DIamargariton dr̃ a duobus margaritaꝝ generibus pforataꝝ & non perforatarũ : que ibi intrãt. ualet cardiacis tristibus ad omnẽ cordis debilitatẽ & stomaci.x. pars cõfecta ẽ libr̃.i. Recipe gar̃ ciãõi spice galãge ligni aloes liqricie trociscoꝝ diarodõ diaui.añ.ʒ.i.&.ſ.nuc̃ mus.mac̃.alipte zedoarie reubarbari storacis cal.añ.ʒ.i.margaritarũ pforataꝝ & non pfo. zĩziberis ossis de corde cerui eboris blacte bizancie añ.ʒ.ſ.musci ãbre cardamõi leuistici basilicõis sẽis añ.ʒ.i.mĩus g̃.ii.camphore g̃na.vi. mel ro.quod sufficit .datur in estate cum rodostomate uel frigida.ĩ hyeme cum uino mane & meridie .ualet ut supius diximus maxĩe ptisicis etiam consumptis.

DIacamerõ.i.ducẽs hominẽ de morte ad uitã. quod facit asmaticis arteriacis tussientibus tipsicis & omnẽ ĩ becillitatẽ stõi emendat . debiles lũbos cõfortat.luxuriã prouocat. & õẽ quod ĩ diarodon iulii laudat̃ adĩplet.x. pars cõfecta ẽ libr̃.ii. Recipe antofoli zĩziberis añ.ʒ.v.&.ʒ.i.& g̃na.xvi. cĩamõi gar̃ añ.ʒ.iiii.&.ʒ.i.& g̃na.xiii.galãge spice zedoare costi piretri coralli rubei drag̃ reupontici saliũce ãacardi ossiũ dactiloꝝ carpoba.ãisi ami fructus.i.iunipi añ.ʒ.i.&.ʒ.ii.& g̃.viii.leucopipis melão pipis macropipis añ.ʒ.i.&.ʒ.ii.&.g̃.viii. lĩat̃e auri puri & argẽti meri ossis de corde cerui añ.ʒ.ii.

&.ʃ. muſci.raſur̃ ebor̃s an̄.℈.i.&g̃.vii.ābre.℈.i.mel quod ſuffic̃.dat̃ de eo.ʒ.iii. māe uel ueſpe cū uīo.

DIamorō a moris celſi dcū a moris rubi baciū. ualet ad ōem cām palati & gutturis.cadētem uuā ſubleuat.& hūorosā deſiccat.medietatis ē libr̃ i. Recipe mororum celſi libr̃.ʃ.moraꝝ bati libr̃.i. mellis libr̃.ʃ. ſape.℥.iii. Confice ſic ſuccū mororū cum melle & ſapa ī uaſe eneo ſtagnato ad prunas ſuauiter decoque.cū autē ſcire uolueris ſi coctū ſit pōe ex eo guttā ſr̃ marmore donec gutta marmori īuiſcata appareat & adhereat.tunc cola . & in uaſe ſtagnato uſui cōſerua.& cū opus fuerit gargarizet̃.

DIantos dicit̃ quia fit de floribus dēdrolibani uiolarum & ro.an̄.ualet triſtibus macilentis cardiacis . multum letificat.& conualeſcentes ex egritudinibus miro modo cōfortat.vi.confecta eſt libr̃.ii.&.ʃ. Recipe florū roris marini.℥.i.ro.uiol. liquiricie an̄.ʒ.vi. gar̃.ſpice nuc̄ muſcate galange ciāōi ziziberis zedoarie macis ligni aloes cardamōi āiſi āeti an̄.℈.iiii.mel quod ſufficit.dat̃ māe &me ridie febricitātibus cū fr̃a:nō febricitātibus cū uīo.

DIaſatiriō dr̃ a ſatirionū radicibus.ſatiriaſis ēī grece erectio uirge latine dr̃.ꝓprie dat̃ illis q debilitatē patiūt̃ renū.& libidinē mirabiliter ꝓuo cat ex aliq̄ occaſiōe predicta ſīe mora reſtaurat.viii. cōfecta ē libr̃ .i.&.ʃ. Recipe ſatirionū teſticuloꝝ uiridiū baucie nuc̄ īdice piſtaceaꝝ ſecacul pineaꝝ

enucleatarum an. ℥ xii. gar. zz anisi eruce seīs ligue auis an. ℥. v. ciaomi caudarum stincorum uiridiū seīs bulbi an. ℥. ii. &. s. musci g̃. vii. Conficit᷑ sic in tātū mellis dispūati quod sufficit. ponāt᷑ testiculi satirionum & baucie & secacul unaq̄q; p se ī supradicto melle pōant᷑ prius bene contrita. & cū spatula bene commisceant᷑. & bulliant deinde aliquātulum. deinde addāt᷑ pinee & pistacee bene trite. & cū aliquātulū bullierit ab igne deponatur. & puluis predictarum specierum cōmiscendo adiūgatur. ad ultimū uero muscū distēperatum cū aqua ro. apponatur. & sic usui reseruet᷑. det᷑ in sero cū uino dulci uel cōdito coclearium unum.

Diaprunis uel diamascenon dicitur a prunis: que ibi ītrāt. dat᷑ acutis & pacutis patiētibus: & maxīe causion & sinoce īpricipio. & in augmēto & statu egritudīs. cōfectio eius ē libr̃. ii. &. s. Recipe prunorum damascēorum uiridiū numero. c. que pōi debent ī stagnato: & tantum aque q̄ bene copiantur ut bulliant quousq; dissolui uideantur. tunc ab igne deponātur. & cum aliquantulum infrigidata fuerint ab aqua extrahantur. & in cribro super catinum posito pruna ponantur: & manibus tam fricentur: ut nihil preter ossa & cortices in cribro rēaneāt. & fiat syrupus. ī aq̄ illa ī q̄ decocta fuerint pruna ponatur. ℥. i. uiolarum. & iterum bullire pmittat᷑

& abstractis uiolis ponat ibi libr.ii.zuchari & libr .i.de pulpis prunorū.& coquantur ad spissitudiē. Incipiente inspissari adde.℥.i tamarindorū & cassiefist. medulle.℥.i.dissolute & colate cū supradcā decoctione prunoꝝ.memēto tamē q̄ ī aq̄ prunoꝝ. bulliat.℥.s.uiolaꝝ.ut dictū est.& cū ad pfectionē decoctionis puenerit sēp agregando cum spatula: postea supsspargat puluis istaꝝ spetieꝝ. Recipe sādaloꝝ alboꝝ &ru.spodii.&reubar.cīnamomi añ .ʒ.iii.ro. uiol. seminis portulace scariole seminis berber succi liqric. drāg.añ.ʒ.ii.sēinū citroli melo: & cucurbi. mūdatoꝝ.añ.ʒ.i.datur ōi hora diei cū fria sine diagridio ad mōū castanee. Si laxatīū facere uolueris pōāt ī ūaq̄q; libr.ʒ.viii.diagridi qñ ab igne depōit.dat ī decliatiōe febriū laxatiuū ad purgationē ī matutinali hora ad modum castanee cū aqua calida.

DIaprassiū dr a prassio uiridi.q̄ ibi plus ītrat q̄ de aliis speciebus.ualet ad ōe pectoris frītatē. & maxīe ad catarrū & ad cerebri frigiditatē. sanat capitis uirtigines & oculoꝝ caliginē: & palatū & artarias.& ad ōēm speciē catarri. que fit ex frigiditate mire ꝓdest dētium dolorē mitigat.octaua decīa ps cōfecta ē.iiii. Recipe prassii uiridis.ʒ.v.&.s. drāg.pineaꝝ mūdataꝝ. amigdolarū pistacearū. carniū dactilorū ficuū pīguiū.passulaꝝ enucleatarū añ.ʒ.iii.&.s.cinaōi gar. nucis.mus.macis ligni

aloes galāge zīziberis zedoarie ſpice liqricie reupō-
tici anacardi ſtoracis cal. maſticis mirre galbani ter-
bētine yreos ariſtol. ro. radicū capar̄ gētiane melāo
piperis aniſi feniculi aneti ſemīs apii macedonici
ſaxifragie añ. ʒ. ii. ermodactiloꝝ origāi paucedani
ſqnāti cardamomi leucopipis carui leuiſtici uīce-
toxici añ. ʒ. i. ſ. et. ǥ. ii. ſ. balſāi pulegii diptāi coſti
piretri ſatiregie baſiliconis pionie macropiperis
amōi ſinōi orobi añ. ʒ. i. ǥ. ii. & terciā ptē alterius
xilobalſami caſief. coralli raſure eboris carpoba.
dauci cretici añ. ʒ. ſ. muſci ābre oſſis decorde cerui
añ. ǥ. xiiii. mellis deſpūati quod ſuficit. Cōficit̄ ſic
ī libr̄. iiii. mellis deſpūati pōe praſſiū ſupra dictū
aliquātulū cōtuſū. ʒ. vi. & quartā ptē pinee recētis
cū reſina ſua & de uino uetuſtiſſīo optīo. ℥. iii. &
bulliat īſimul lēto igne ad uini cōſūptionē uel do-
nec pinea apiat̄ & carice bene purgate ītus & extra
& dactili eodē mō purgati & paſſe ſine granulis ſu-
is pinee & amigdole & piſtacee: oīa iſta bn̄ mūdata
piſtēt̄: tamē unūquodq; pſe piſtet̄ & poſtea īſīul
miſceāt̄ ī mortario & addat̄ ibi t̄bentina: & īſimul
piſtēt̄ & cū predicto melle calido ī eodē mortario
paulatī poſito diſtēperēt̄. & poſt addat̄ puluis ſu-
pradictaꝝ ſpecieꝝ & diu cōficiāt̄. ſtorax uero cum
modico melle liqfacta cōfectioni ſupmiſce ſine in-
termiſſione. ad ultimū balſamū ambrā & muſcū
ſupmitte. & iterū bn̄ cōmiſce & uſui reſerua. datur

ī sero cū uino calido ī quo coctus sit ysopus et drg.

DIalibanū dicit᷑ ab olibano qa olibanū ibi intrat. ualet ad ōes capitis passiones lachrymas potēter strīgit. dolorē emigneū & superciliorū sanat. et squinatiā curat datū cū decoctione tipsane .vi. pars cōfecta ē libr̄. i. Rec. castorei opii iusqāī añ. ʒ. iiii casie lignee. ʒ. ii. ℈. ii. folii t̄c turis masculi añ ʒ. ii. reupō. amomi añ. ʒ. i. ℈. ii. mirre. ʒ. i. ſ. spice piretri euforbii leucopipis añ. ℈. iii. ſ. pionie storacis macropipis añ. ʒ. i. mel quod sufficit dat᷑ sero cū uīo calido ī quo coctū sit olibanū et saluia.

DIarodon abbīs a rosis dicit᷑ que ibi intrant plus q̄ de aliis spēbus. nomē accepit abbatis ab abbate de curia cōpositū. dat᷑ ꝓprie ictericis epaticis ptisicis ethicis et cardiacis q patiūt᷑ ex calore de acutis. et ad calefactionē stomaci pulmoīs et totius corporis. et cōualescētibus ex lōgis et acutis egritudinibus mirabiliter auxiliatur. et ps. vi. cōfēca ē libr̄. ii Rec. sādaloꝝ al. et ru. añ. ʒ. ii. ſ. drag gūmi ara. spodii añ. ℈. ii. asari spice masticis cardamomi croci. xiloaloes gar̄. gallie mus̄. anisi maratri cinamomi succi liqricie reubar. seīnis basilicoīs berberis scariole portulāce papaueris albi citroli melo. cucūe. et cucurbite añ. ℈. i. ossis de corde cerui margaritarū añ. ℈. ſ. zuch. cādi rosarū añ ℥. i. ʒ. iii. cāphore terciā ptē unius. ℈. &. g̃. vii. musci. g̃. iii. ſ. syrupi facti de aqua ro. quod sufficit dat᷑ mane et

10

meridie cũ rodostõate uel cũ farina si opus fuerit.

Diapenidion dr̃ a penidiis q̃ ibi ĩtrant plus q̃ de aliis speciebus. ualet ad omne uitiũ pulmõis et tussis. et raucedinẽ uocis factã ex siccitate. ptisicis subuenit. vi. ps cõfecta ẽ libr̃. i. Rec. pẽidiorũ. ℥. xvi. ſ. pinearũ et amigdolarũ mũdatarũ sẽinis papaueris albi añ. ℥. iii. et. ℈. i. cinamomi gariofoli. zĩziberis succi liqricie dragg. gũmi arabici ãidi sẽĩs citrolo. melo. cucu. cucurbit. pr̃gatarꝝ. añ. ℥. i. ſ. cãphore terciã ptẽ syrupi uiola. quod sufficit Cõficit̃ sic. ĩ una libr̃ aque bulliãt. ℥. iii. uiolarũ donec aliquãtulũ cõficiant̃. postea colet̃. et colature addat̃ libr̃. i. zuchari. et bulliat donec ĩcipiat ĩspissari. tũc addãt̃ pinee et amigdole. et semina mello. citrol. cucũe et cucurmia queq; pse bene contusa cũ spatula sẽp mouẽdo. deĩde addãt̃ penidie subtiliter pulueriz ate. et cũ liquefacte fuerint: illud grossum quod supnatat cũ cacia colãdo ĩ mortario bene iterũ terat̃ et cõmisceat̃ bene agitãdo. deĩde cãphora ãmisceat̃. et ad ultimũ puluis predictarũ spẽꝝ cũ predicto syrupo agitãdo in mortario moueat̃ donec ĩcorporet̃. det̃ mane et sero cũ ptissana calida nõ habẽtibus calorẽ cũ uino calido.

Diaciminum dicit̃ qa plus ibi ẽ de cimĩo q̃ de aliq̃ specie. ualet precipue ad pectoris et stomaci frigiditatẽ et capitis. uẽtositatẽ ĩtestinorũm soluit. quartanariis febriẽtibus mirabiliter ꝓcurat

xii.ps libr.i.Re.cūii pridie ī aceto īfusi et exsiccati .ʒ.viii.϶.i.cinaōi garo.añ.ʒ.ii.ſ.zinzibe.melāo piperis.añ.ʒ.ii.g̃.v.galāge tibre calamenti.añ.ʒ.i. .϶.ii ameos leuiſtici.añ.ʒ.i.g̃.xviii.macropipis .ʒ.i.nardi carui maſtic.añ.϶.ii.ſ.mel quod ſuffici at.doſis.ʒ.iii.dat poſt cōmeſtionē cū uino.

DIacaſtoreū a caſtoreo dr quod ibi recipit.ua let cōtra g̃uiſſiā cphalicā epiletic uertigīoſis. auxiliat emig̃nicis & monopagicis.pdeſt dolori bus.paliſī oīum mēbro⁊ emēdat: et maxie capīs. enfraxī ſplenis et epīs et rēū ſoluit.et oībus egri tudinibus ſecundum frm nocētibus obſtat.xvi.ps libr.ii. Rec.caſtorei mirab.añ.ʒ.iii.minus g̃.i ſ.aſe.mirre euforbii añ.ʒ.i.et g̃na.xvii.aloes. ʒ.i.ſ.minus g̃.i.folii antimomii piretri liquiricie drag̃.calami aromatici nitri galbāi ſqnāti opopa naē ſpice ſerapini nuciſ.muſ.caſief.piperis lon gi albi et ni.xilob.carpob.coloqntide reupōtici ſtoracis calami.zīzibr.cinamomi añ.ʒ.i.et.g̃.ii. ſtaxifragie dauci maratri petroſelini apii ſeminis ſileris dāpno cocti.ſinoni petrolei ſtoracis ru.ſan guinis dracōis cardamōi turis maioris et mīoris agarici maſticis ſal.armōaci zedoarie aniſi añ.϶. .i.g̃.viiii.ſaturegie yſopi camedreos pulegii origāi balſamite.ocimi brance urſine diptāi rute ſemīis ariſtol.lō.et.ro.aarō.mabathematicō aſari ſaluie roſe bdelii añ.g̃.xvii.epithimi polipodii opob.

añ.g̃.xiii.elípiados caparis.añ:grana.xi. paucedãi absĩthii .añ.g̃.vii. anacardi ſauĩe gẽtiane corticis mãdragore añ.g̃.xi.yreos.g̃.iii.et tertiã ptẽ unius. mel quod ſufficit.datᷣ ĩ modũ auellãe capitalibus passionibus cũ apozimate lilifagi.epaticis cũ decoctione abſinthii uel eupatorii . ſpleneticis cum aqua caparis uel calamẽti.nefreticis granorũ ſolis uel macedõici.accipiatᷣ ſũmo mane. et ieiũet uſq; ad horam nonam patiens.

DIacoſtum dicitur a coſto: quod ibi intrat. ualet proprie ſpleneticis et ydropicis et leucoflãntiẽ . et ypoſaree que fit ſine calore ſũt. proprie ualet ſpleneticĩ. nefreticis et ſtrãguiriosſis optimũ eſt.xii.pars.librᷣ.i. Rec.aniſi apii aſari. añ.ʒ.ii.et.℈.ii.ſquinãti melano piperis mirre.añ. .ʒ.ii.ſ.reubarb.c̃c̃.ariſtol.ro.et lõge añ.ʒ.ii.&.℈.ii coſti .ʒ.i.ſ. cinnamomi caſieli .añ.ʒ.i.et.℈.i.mel quod ſufficit.datᷣ cũ decoctiõe caparis uel ſcolopẽdrie ſero et mane.doſis ẽ.ʒ ii.cum uino calido.

DIadragãtum a dragãto nomen accepit.ſanat omne uitium pectoris et pulmõis quod fit ex calore maxĩe tipſiẽ ethicis pleureticis pipleumonicis.& ad õem tuſſim que fit ex caliditate uel ſiccitate. & ad omnẽ lĩgue & gutturis aſpiratẽ. cũ uero ſumitᷣ tãdiu ĩore teneatᷣ: donec ibi diſſoluatᷣ. medietas eſt librᷣ.ii. Rec. dragg̃. albi.ʒ.ii. gũi arabici al.℥.i.ʒ.ii. amili.ʒ.ſ.liquiricie.ʒ.ii. ſemis

melo.citro. cucur.añ.ʒ.ii. pẽidiaꝝ .ʒ.iii. cãphore .϶.ʃ.ſyrupi gilẽi quod ſufficit. Cõficit̃ ſic ſẽina cũ aqua põãt̃ ſuper zucharũ tantum tñ de aqua ꝙ poſſit zucharꝝ coopiri. & bulliãt uſq; ad diſſolutionem zuchari. poſtea colet̃ ꝑ pãnũ rariſſimũ. & colatũ ad decoctionẽ ſyru. coq̃t̃. poſtea tũdat̃ in mortario bene miſcẽdo puluerẽ ſpecieꝝ.

DIaris dicit̃ ab yreos. ꝓdeſt diſnoicis artariacis tuſſientibus. uocẽ perditã reſtaurat ſi fuerit ex frigiditate. xii. pars eſt libr̃. iii. Rec: yris .ʒ.i. pulegii yſopi liquiricie añ.ʒ.vi. dragḡ amigdal. pineaꝝ cinnamõi zĩzi. piperis. añ.ʒ.iii. caricarũ. carniũ dactilorũ paſſarũ emũdatarũ añ.ʒ.iiii.ʃ. ſtorac̃. ru.ʒ.ii. &. ϶.i. mel quod ſufficit. ſũatur ſero cũ uino calido.

DIacalamẽtũ a calamẽto dictũ eſt. ualet precipue ad omne uitiũ pectoris ex frigiditate: maxĩe hiis qui in ſenili ſũt etate. ualet etiã tuſſientibus ex frĩa cã & quartanariis: ſi ex eo utũt̃ poſt prandiũ: et poſt cenã ĩ ſero cũ uino cũ duobus. ϶. dyagridii & euforbii. vi. ĩ modũ nucis ante duas horas acceſſiõis cum apozimate pigani uel roris marini quod preſtat quotidiãariis. xv. ps ẽ libr̃. ii. Rec. calamenti pulegii yſopi melão piperis ſiſelei petroſelĩi añ.ʒ.iiii. &. ϶.ii. leuiſtic̃.ʒ.i. &. ϶.i. apii. ſeminis. ϶.i. ameos thimi aneti cinamomi zĩzib. añ. ϶.ii. mel quod ſufficit dat̃ poſt prãdiũ ĩ cenã.

12

Diapapauer quod mirabiliter prodest ethicis. thisicis nimiũ uigilãtibus. cõfcã est libr̃.iiii.
Recipe succi liqricie dragg̃.gummi arabici añ.ʒ.x.
semis papaueris albi penidiorum.añ.ʒ.xx.amigdola-
rũ dulciũ mũdatarũ.ʒ.x. amidi seminis citoniorum
portulace añ.ʒ.v.seminis melo.& cucurb.& cucu-
me.lactuce malue añ.ʒ.viii.fac puluerẽ cõfice cũ
succo uiolarum uel sapa.
Hoc nimiũ cõfert ad uentris solutionem.

Diacodiõ dicit᷑ a codia: papauer nigrũ ĩterpre-
tat᷑ quod ibi ĩtrat. ꝓprie dat᷑ omni solutiõi
uẽtris maxĩe discintericis cũ decoctione aque plu-
uialis in qua sit spodium coctũ uel cũ aqua ro.&
lientericis cũ careno.xii.pars.libr̃.ii. Rec. capita
papauerũ nõ nimis uiridiũ nec nimis siccorum nũe-
ro.xii.ro.ʒ.iiii.ſ.ẽẽ.acacie liqri.añ.ʒ.i.boli.ℨ.ſ.ci-
namomi simphiti ypoquistidos balaustie.añ.ʒ.i.
myrtillorum.ℨ.i.coralli ru.& albi.sumac.sãguinis
draconis lacce roris syriaci.añ.Ǝ.ii.ſ.seminis por-
tulace.ʒ.ſ.Conficit᷑ sic.capita papauerũ ponãt᷑ in
tãtundem aque pluuialis quod bñ coperiant᷑.&
ꝑ tres dies ibi dimittãt᷑.& ĩ ipsa aqua usq; ad t̃tiã
partẽ bulliãt.& postea colet᷑.& ĩ colatura põat᷑ libr̃
.i.ſ.mellis myrtĩi.& ĩtali melle supr̃dicto admis-
ceãt᷑.Cõfectio mell.myrtini talis ẽ in duabus libr̃
mellis dispũati ponat᷑ una libr̃ succi myrtilorũ.&
coquat᷑ ad succi cõsũptionẽ.& postea colet᷑. dosis

eius.ʒ.iiii.uel.vi.

Maniacum multū fugat hec diaſene tumultum.

DIaſene dr̄ qa plus de ſene ponitur ibi quā de alia ſpecie. ualet ꝓprie multicis maniacis cardiacis: & triſtibus. tota confectio uenit libr̄.i. Rec.ſene.℥.iii. auellanarū aſſatarū nūero.l.ſerici cōbuſti .ʒ.ii. lapis armenici.ʒ.i.lapis lazuli.ʒ.iii. zuchari.℥.vi.cinamomi.℥.i.gar̄.galāge pipis ſpice ozimi zīzi.folia gariofoli cardamomi croci zedoarie floris roris marini macropipis an̄.ʒ.ii. mellis quod ſuffic̄.detur cū aqua ī qua īfuſum ē ſene ꝑ noctē ſub diuo.Cōficit̄ ſic cū melle auellane bene puluerizate & diſpūato melle ad ignem decoq̄t̄. deīde puluis ſpecieꝝ admiſceat̄.quod ualet quartanaris et magis ſpleneticis.

Diacitoniten.

DIacitoniten dr̄ a citoniis un̄ fit.ualet ad debilitatē ſtōaci ſi fuerit ex frigiditate. appetitū cōfortat ſi nō deficit ex abūdātia hūorū. uomitū abſtinet. uētoſitatē precordiorū emēdat. & bonū colorē facit.& debilitatē ſtōaci reparat. iiētericis ꝓdeſt. ualet etiā his q nimiā ſolutionē hn̄t.facit maxīe delicatis hōibus & nobilibus.yliofis cōfert. bonū odorē & colorē preſtat.nota quod ſi ſtōacus laborat ex debilitate uirtutis digeſtiue dʒ.dari poſt cibū. ſi uero ex debilitate retētiue an̄ cibū. Rec. citoniorū ī aqua elixatorum a cortice exteriori &

anucleis ĩterioribus mũdatorũ libr̃.iii. mellis dis/
pũati.libr̃.iiii.ʒ.supra dicta citonia bñ ut dixĩus
mũdata:et fortiter trita ĩ mortario ĩ caldario cum
predicto melle sup ignem ponãtur. & cum spa/
tula semper agitando bulliant donec inspis/
sari ĩcipiãt. Si uis scire qñ coctũ fuerit: ponat᷑ ali/
quãtulũ super marmor ĩfusũ aqua.ro.si nõ ĩuis/
cat᷑ ut colligere ualeas coctũ ẽ. & tũc ab igne depo/
nat᷑.& puluis hay speciėrũ cũ spatula sẽp agitãdo
supspargat᷑. Rec. cinamõi.ʒ.ʒ.zizi.ʒ.i. galange
piperis.añ.ʒ.ʒ.garo.nucismus.añ.ʒ.iii. spice ligni
aloes mac.cardamõi liqr̃.añ.ʒ.ii.zedoarie añ.ʒ.i.
deĩde sup marmor ĩfusũ aqua.ro. cum aliqtulo
musci distẽpatũ supra marmor spargat᷑.& cũ ĩfri/
gidatũ fuerit cũ cultello frustatĩ ĩcidat᷑.& si laxati/
uũ facere uolueris.ĩ unãqq; libr̃ apponat᷑.ʒ.ʒ.sca/
monee trite.tamẽ cũ fuerit calidũ añq supra mar/
mor ponat᷑ scamonea bñ cõmisceat᷑.laxatiuũ det᷑
cum uino calido ĩ sero.simplex aũt det᷑ mane post
prãdiũ:& post cenã.

Dialacca ualet ad frigiditatẽ stomaci enfraxĩ.
tumorẽ & duritiẽ epĩs & splenis emendat: &
oĩa que ydropicis minãt᷑.pficit nefretic.& calculo/
sis subuenit. & mestruis ĩpat. Rec.liqritie.ʒ.vii.
spice.ʒ.iiii. costi. melanopiperis.añ.ʒ.ii.ʒ. lacce
.cc. zizi.galbani.dauci.siselei.petroselini.añ.ʒ.ii.
calami aro. casie lignee masticis. bdelii carpob.

añ.ʒ.ii.cinamõi. gar̃. amigdolarũ amararũ rute.
añ.ʒ.i.s.aloes epatici mirre. ysopi.fu.meu. came-
piteos.balsãi. thuris masculi. siselei.añ.ʒ.i.reub.
sq̄nanti.polii.añ.ʒ.ii.gentiane aristol. ro. añ.ʒ.s.
mel quod sufficit.det̃ ad modũ auellãe cũ poz̃iate
radicis apii feniculi yris eupatorii apii leuistic̃.ʒ.
.añ.s.

DIacurcuma ualet ad epĩs passionẽ & ad frigi-
ditatẽ stomaci & ad uitium splenis. Rec.
curcũa cĩnami spice asari casie añ.ʒ.i.costi sq̄nãti
mirre añ.ʒ.i.s.mel quod sufficit.dat̃ cũ oxizacara

DIaysopũ. Rec.ysopi yreos thimi melano
pipis.añ.ʒ.xxx.gliconii tymbre. pigãi cĩini
.añ.ʒ.xx.carnis dactilorũ caricarũ passarũ enucle-
atarũ maratri.añ.ʒ.x.z̃izi.anisi.carui.leuistici añ.
.ʒ.v.mel quod sufficit sũat̃ mãe et sero cũ tepida.

DIagalãga q̄ ualet ad nimiã stõaci debilitatẽ
& eius uentositatẽ. digestionem procurat.
stomacum cõfortat.renes frigidos calefac̃.& omne
supfluũ flegma a stõaco dissoluit & expellit.oppi-
lationẽ splenis et epatis apit. sẽsũ acuit.hõinẽ ila-
rẽ reddit. canos añ tẽpus retardat. & õibus frãm
naturã habẽtibus cõuenit. Rec.galãge z̃izi.garo.
spice.cardamõi cinamõi carpob.nucis muscate.
añ.ʒ.s. costi ligni aloes mac̃ masticis dragḡ. succi
liq̄ricie añ.ʒ.i.musci.℈.i.zuchari.℈.xii.

14

ESdra dr̄: qa Esdra ꝓpheta in babylonia in exilio poĩtus eã prio ĩuenit. dat̃ melãcõicis timidis: & qbus ĩẽ malus appetitus ꝓdest. ualet ẽt cõmedẽtibus carbones & tuffos & testas ollarũ: & ad nimiã cerebri frigiditatẽ. ualet ad dolorẽ & putredinẽ auriũ ex reumatica causa: si hoc mõ fuerit aptata. fac liciniũ de panno uel bãbace. & ĩ capite licinii pone parũ olei muscellini. & supponatur esdra. & ĩ aure patiẽte immittat̃. ad difficilem ptũ mulieris satis ualet: si cũ succo artemisie fuerit distẽpata uel sauine utroqꝫ latere ab ũbilico ĩferius ĩũcta. ꝓdest ad tussĩ ueterẽ uel hũidã distẽpata cum succo ptissane uel amidi. ualet ad scissuras labiorũ si exea fuerĩt ĩũcta. ualet cõtra uenenosos morsus animaliũ serpẽtũ ranarũ: & aliorum reptiliũ. & cõtra morsum canis rabidi. ꝓdest toxicatis hõĩbus. si triũ ãnorũ uel. iiii. fuerit data cũ succo mẽte distẽpata supra uulnus inũctũ satis cõfert. .xl. pars cõfecta ẽ libr̃. i. Rec. alipte muscate mirr̃ zuchari foliorũ rute apii seminis camedreos fenu greci. añ. ℥. i. &. ℈. i. &. g̃. i. eboris limature pigami lilifagi golene. balaustie. añ. ℥. i. &. g̃. vii. ſ. et parũ. plus cĩnamõĩ. gar̃. xiloaloes spice zedoare lacce. ro. caparis pulegii abrotãi melanopiperis petroselini ossiũ dactilorũ añ. ℈. ii. ſ. et g̃. iiii. galãge zizi. c̃c̃. ortensis anacardi litodemonis mandragore acori peonie thimi ysopi roris. syriaci basilici dauci feni-

culi altee oliuarũ sẽinis:uini ueteris optimi añ.ʒ.
.ſ.g̃.i.balſãi c̃c.oriẽtalis folii costi gallie calãi.aro.
caſief.mirrb.nardi celtice xilob.dragg̃.coralli albi
et rubei cõfite.ru. caſtorei oppoponac̃.bdelii gal-
bani aſpalti terbẽtine maſtic̃. tyriace adriãi ſpléis
pultrĩ uentris merguli reupont . ariſto.lo. aſari
hermodactili meu.yreos piretri paucedani gẽtiane
epithimi uiol. artẽiſie cimole foliorũ citri laureole
mẽte malabatri quĩq̃ folii carpob.aniſi amõi cĩini
miconis ſẽinis ozimi platocĩini ſẽinis rute ortẽſis
baccarũ lauri ſanguinis draconis lapidis magnetis
lapidis agapitis oſſis de corde cerui muſcelei muſ-
cellini petrolei.añ.ʒ.i.& terciã ptẽ alterius.cãpho-
re ambre margaritarũ pforatarũ & nõ pforatarũ
blacce bizãtie ſãbaci ſtorac̃ cala . ſerapini ſulfuris
uiui antĩonii armoniaci acatie herbe ſyriace floris
oleãdri fu.marubii ſulfurace abſinthii alexandri
euforbii cardamomi ſẽinis aneti amei.git.leuiſtic̃.
ſeminis citri leucopiperis macropipis nigelle uzi-
fur cortic̃.nere. mabathematicon aque uitis.añ.
.ʒ.ſ.& .g̃.ii.litargiri amidi opii iũci radicis cala-
menti iuſqami .añ.g̃.vii.mel quod ſufficit.datur
in ſero ĩ modũ auellane cum uino calido.

E Lectuariũ ducis dicit᷑:qa abbas decuria illud
cõpoſuit ad opus ducis Rogerii filii Roberti
uiſcardi propter ĩdigeſtionẽ & uẽtoſitatẽ ſtomaci
& ĩteſtinorũ:& ilii dolorẽ:& uitiũ lapidis . Rec.

15

ani.ʒ.ii. & g̈.xv. liq̄ricie masticis .an̄.϶.ii.&.g̈.v.
cãedreos zĩzi cĩãõi galã.mara.karui.an̄.϶.i.g̈.xv.
xilocasie calãẽti dauci piretri pip̄is al.& lon. cipi
sq̄nãti yreos amomi folii asari.an̄.϶.i.spice.c̄c̄.
gũi arab.dragḡḡ seminis aneti calami aro.cubebe.
gario.carpob.iũip̄i alexandrĩ sileris pẽtafilõ sẽĩs
sparagi citri acori radicis ameos reub. indi urti-
ce reupõ.nuc̄.miristice ligni aloes basilici milii sol.
saxifrage seminis citrol. melo. cucũeris & cucurb.
scariol . petrosellini been.al. & ru. storac̄. cala.
cardamõi.an̄.g̈.xv.penidiorũ.ʒ.ʃ.&.϶.ii.&.ʃ. mel
quod sufficit datur post prãdiũ:& ad cenam cum
uino calido.si dat̃ cõtra lapidis uitiũ sumat̃ cum
decoctione millisolis uel scolopẽdrie .

ELectuariũ pliris arcoticon pliris ẽ completa
medicina arcoticon p̃icipiũ int̃pretat̃.ualet
tristibus melãcõicis: & ad magnã stõaci debilitatẽ
et cordis.i.sincopi.memoriã reparat. sensũ acuit
epilẽtic̃.aualeticis achataleticis prodest.& omnem
debilitatem cerebri reparat.viii.pars libr̃.i. Rec.
cinamomi gar̃.ligni aloes galãge spice nuc̄.mus.
zĩzi. spodii sq̄nãti ciperi.ro.uiol.an̄.ʒ.i.&.g̈.xv.
folii liq̄ricie mastic̃.storac̄.sansuci balsamite basi-
licõis cardamõi macropip̄is & leucopip̄is mirtilli
cortic̃.citri.an̄.϶.ii.&.g̈.v. gẽmarũ been.al.&.ru.
coralli syrici cõbusti an̄.϶.i.&.g̈.ii.musci.g̈.vii.&.
.ʃ.cãphore grane.v. syrupi ro.quod sufficit.detur

febricitantibus cum aqua mane & sero: non febricitantibis cum uino.

ELectuarium de succo rosa℞ ab eodem succo dictum est. expertum est contra guttam calidam. coleram nig̃. purgat. et conualescentes ex egritudine silicet quotidianariis & tertianariis purgat sine molestia. & reliquias malorum humorum potenter educit que remãserĩt. iii. pars librĩ. ii:

.Recipe zucchari succi rosa℞ ana libram unam & uncias quatuor. sandali albi & rubei & citrĩi. ana drãmas sex. spodii drãmas tres diagridi drãmas duodecim camphore scropulum unum. tempera ad modum electuarii cum syrupo facto de eodem zucharo & succo rosa℞. datur cum aqua calida in mane ad modum castanee.

ELectuarium frigidum secundum Cophoné quod optĩe tercianarios & quotidianarios et erraticas febres purgando sanat. & etiam habentibus stomacum colericum familiare est. tertia pars confecta est librĩ. quatuor. .Reccipe sandalorũ albo℞ & rubeo℞ & spodii dragagãti gũmi arabici amili rasure eboris reubarbari sene rosarũ uiolarum seminis fumiterre berberis sebesté seminis portulace maratri anisi ana drammas tres emblici unciam unam. Conficitur sic: psilii uncie

octo ponantur in sufficienti aqua feruenti in qua bullierit libram mediam polipodii quercini uiri/dis mundati & triti omnes herbe diuretice uiolarũ & pruno.& tamdiu dimittatur donec bene conge/letur deinde coletur fortiter per saccum ad melio/rem uero mucillaginis constrictionem intromit/tatur ĩ saccellum aliquantulum aque feruentissĩe. & colature addantur scamonee uncie sex pulue/riza:te prius tñ cũ aqua frigida inter manus fricate & bene cum eadem mucillagine fricẽtur manibus. deinde apponantur zuchari libre quatuor disso/luti prius cum sufficienti aqua decoctionis poli/podii et cerarum herbarum diuŕ.et colati. deinde/super ignem positum bullire permittatur. cumq; ad mediũ decoctionis peruenerit addantur uncie due tamarindorum et uncie due casie fistule dissolute prius in sufficienti aqua decoctionis prunorum:et predictarum herbarum diuŕ. et per caciam colate usq̃ ad perfectam coctionem bullire permittatŕ.signũ aũt decoctiõis ẽ : si sup marmor positum et infrigidatum aliquantulum uiscosũ fuerit . et digito adheserit:motione tamen baculi ab ipso decoctionis principio non cessante. Cum/que coctumfuerit ab igne deponatur.et in morta/rio posito puluis predictarũ specierꝝ super spar/gatur & cum .

pistello bñ cõterãť usque ad ipius ius cositatis & gummositatis remotionem . deĩde recõdatť : deť colatura casief.ĩ sero uel media nocte.

EMplastrum aplicõ . emplastrum.i.dura cõfectio aplicon .i. superpositum uel supra missũ ĩterpretať.quod tumoribus & ĩflatiõibus ad lucẽ ĩductũ.& sup positũ sãĩẽ excludit. optĩe fac. ad nimiũ ceruicis dolorẽ.ualet ꝓprie ad subtiliãdã cicatricẽ ĩ quacũq; parte corporis fuerit.sagittã uel lãceã uel aliquid aliud tale ĩ mẽbro ĩfixũ sine dolore extrahit.ualet etiã dolori ex decursione ĩnata ĩ ipsa pte ubi añã fuerit uulnus atrahendo hũores & putredinẽ . & ualet dolori renũ . si supponatur .iii.ps cõfecta ẽ ĩ libř.ii. Rec.litargiri.ʒ.vi.cere ru. colofonie añ.ʒ.ii.populei uisci quercini .añ.ʒ.i. armoniaci lapidis calaminaris .añ.ʒ.vi. masticis mumie.añ.ʒ.ſ.terbẽtine galbani bdelii mirre calcucẽenõ sarcocolle lepidos calcis diptami aristo . ro.prassii uiridis opononacis. añ.ʒ.iii.Cõficiť sic oppopõacũ & armõiacũ & galbanũ aliq̃tulũ tõsa ponãt p noctẽ ĩ uino ita ut copiãť . & mãe bulliãt donec liquefiãt.& p catiolã colẽť.& iterũ bulliant ad uini cũsũptionẽ litargirũ ĩ puluerẽ subtilissiũ redactũ cũ sufficiẽti oleo ĩ caldario distẽpereť. & sup ignẽ ponať.& cũ spatula iterũ agiteť tamdiu donec sup lapidẽ poitũ ĩ mõũ cere ĩspisseť.& statĩ addať cera.& liquefcã cera addať colofõia. postea

17

addat̃ mastix. & olibanũ. deĩde mirra põat̃. & fcõ ĩteruallo ponat̃ bdelium. deĩde uiscus quercinus liquefacto uisco ponat̃ terbentina. liquefacta ea caldariũ ĩ terra ponat̃. & tũc ĩ ipso gũmi ponant̃ paulatĩ. & igni iterũ sup ponat̃. & cũ spatula sẽp agitãdo aliquãtulũ pmittãt̃ bullire. postea addat̃ sarcocolla. & lapis calaminaris facto intuallo po-natur flos eris & lepidos calcis post hec calcuceme-nõ. sẽp cũ spatula agitãdo donec ĩcipiat aliquãtu-lũ rubere. ad ultimũ diptamũ & aristol. ro. postea ĩfũdat̃ ĩ aqua frigida. & ab aqua extractũ mãibus exprimendo & malaxãdo ita tractet̃: ut tota aqua ĩde exeat. & ĩũctis manibus oleo laurino magda-liones ĩformentur. & usui reseruẽtur.

EMplastrũ psilliticũ apsillio dictũ ꝓbatum cõtra co. rub. tercianar̃ acute. fe. ẽpie. yctic. õio subuenit. medietas est libr̃. i. Rec. psilii libr̃. iii. & ĩ aqua feruẽti pone p triduũ. postea colet̃. & ĩ colatura admisceant̃ scamonee. ℥. iii. & zucchari libr̃. iii. & p duos dies dĩittãt̃. & postea coquant̃. deponãt̃ ab igne & puluis istaꝝ specieꝝ admisce-at̃ q. Rec. sãdali albi et ru. ro. reub. spo. draganti gũi arabici uiol. berberis. ãñ. ℈. s. sẽinis portulace scariol. ãñ ʒ. iii. in estate detur apud sõpnum: in hyẽe circa mediã noctẽ. i utroq; tpr̃e cũ aq̃ calida ad modũ castanee.

EMplastrũ ceroneũ a cera dictũ. precipue ua-

let ad omnem dolorem spatularũ & pectoris ex frigiditate. & si hũor frĩdus illuc fecerit discursũ mire soluit. splenẽ rẽollit ualet ad ydropisĩ de frã cã epaticis de eadẽ cã. matricis frigigiditati suppoĩtũ multũ resistit. tertia ps cõfcã ẽ libr.ii. Rec. picis naualis bñ colate. cere. añ. ℥. ii. & ʒ. iii. serapini ℥. ii. armoniaci terbẽtine colofonie croci. añ. ℥. i. & ʒ. iii. aloes thuris mirre. añ. ℥. i. opoponacis galbãi storacis calamite mastic. alũis feni greci. añ. ʒ. vi. cõfite. ru. bdelii. añ. ʒ. iii. litargiri. ʒ. i. s. Cõficit͛ sic serapinũ galbanũ armõiacũ opopõacũ aliquãtulũ tũsa ponãt͛ ĩ uino et preparent͛ut ĩ apostolicõ dictũ ẽ. bulliãt ad uini medietatis cõsũptiõẽ. et stagnato sup ignẽ posito: cũ ĩcepit bullire pix naual. bene colata addatur. & cum spatula semper agitetur. liquefacta pice addatur cera. & ea liquefacta ponat͛ colofõia. et postea storax cũ pistello calido trita frustatĩ ĩ stagnato ponat͛. post hanc ponatur mastix et olibãũ. deĩde mirra cũ bdelio. et ĩteruallo facto ponatur terbẽtina. et sequẽter alumẽ: et litargirũ. & ad ultimũ fenũ grecũ. et cũ coctũ fuerit fundat͛ sup aquã tepidam. & extracto ab aqua mãibus exprĩat͛ donec tota aqua ĩde exeat. deĩde puluis aloes sup marmor ĩũctũ cũ oleo laurino malaxet͛. deĩde cũ ẽẽ. puluerizato. & ĩunctis mãibus cũ eodẽ oleo mãgdaleones ĩformẽtur.

EMplastrũ oxicroceũ dicit͛ ab oxi grece latĩe

18

acetum oxicroceũ ex aceto et croco nomen habet. ualet precipue ad fracturas ossiũ & ad mẽbra que dolore aliquo affligũť. apostemata dura ĩ quacũq; parte corporis fuerint remollit & dissoluit. unde antiqui cirugici salernitani ĩ fracturis ossiũ : & cicatricibus attenuandis : & tumoribus nullo alio emplastro utebantur. iii. pars libř. ii. Rec. picis colofonie cere. añ ℥. iiii. terbẽtĩe galbãi armõiaci mirre olibani masticis añ. ℥. i. & ʒ. iii. Cõficiť sic: galbanũ armõiacũ aliquãtulum cõtusa ponantur ĩ sufficiẽti aceto p̱ noctẽ. et mãe mittãť sup̱ ignẽ et eliquenť. & eliquate p̱ catiã colẽť. & iteꝝ coquanť donec ps aceti cõsũeť. tũc pix naual. põať bñ colata. liquata pice addať cera. & ea liquata ponatur colofonia. deĩde terbentina. et facto inter uallo ponať mastix et olibanũ et mirra cũ spatula sẽp agitãdo. ad ultimũ cũ bene fuerit coctũ ĩ aqua frigida ĩfũdatur. & ab aqua extracto manibus exprĩatur. ut aqua ĩde exeat. et sup marmor ĩunctũ oleo aureo laurĩo cũ puluere croci malaxetur & factis magdaliõibus usui reseruetur.

DIloãtropos amicus hõis interpretať. ꝓprie ualet strãguiriosis nefretiċ. calculos ĩ reibus hñtibus & ĩ uesica mirabiliter frãgit. et fractos expellit. ualet etiã ad duritiẽ splenis et epis. dolori ilioꝝ subuenit datũ cũ. ℈. i. ʃ. diagridii. xii. ps libř. i. Rec. folii squinanti cipi asari euforbii thimi

petrosellini macedonici aneti miliisolis lapidis
lyncis an̄.℈.ii.&.ʃ.ciāōi calāi aro.polipodii fisali-
di melāopiperis sēinis leuistici & petrosellini &
urtice semīs citri litospermatis bardane. baccarꝫ
edere.an̄.℈.ii.galāge nardi zedoarie betonice fu.
meu.sparagi cardamōi apii maratri eruce sinapis
orobi.al. & ru.an̄.ʒ.ʃ.gar̄.zizi.casielignee piretri
costi spice celtice mirob.cortic.olibani leucopipis
carpobal.carui cimini baccarū lauri sileris.an̄.ʒ.i.
uel.℈.i.olei nardini pulegii sābucini muscellini.
.an̄.g̈.xx.mel quod sufficit dat̄ cū uīo calido.

Filonium maius.i.nouus amicus.tusses cum
uino datū & mulsa emēdat. piplemoniā cū
ydromelle. sāguinis sputū cū succo poligonie.īdi-
gestionē stōaci & uomitū cūpusca uel ydromelle.
dolori epīs & spleneticis ac uertiginosis cū ossiel-
le subuēit.soliacis cū apozimate pigāi. pleuretic̄.
yliac̄.nefretic̄.& causis uesice cum mulsa. colicis
peculiariter curat uel medet̄.iii. ps.libr̄.i. Rec.
leuco pipis iusqami an̄.ʒ.v.opii.ʒ.ii.ʃ.casief.ʒ.i.
&.ʃ.sēinis apii.ʒ.i.petrosellīi maratri dauci cretici
.an̄.℈.ii.& g̈.v.cc̄.ʒ.ʃ. nardi piretri zedoarie .an̄.
.g̈.xv.alii addunt cīnamōi .ʒ.i.&.ʃ. euforbii costi
an̄.ʒ.i. mel quod sufficit. dat̄ in mōū fabe egyp-
tiace.

Gariofilatū dicitur a gariofilis qui ibi ītrant.
gariofili ore retenti sigultū strīgūt.cocti &

bulliti ĩ aqua & bibiti uomitũ stomaci: & subuer/
sionem mirabiliter reprimit. ualet ꝓprie accide
eructantibus .& digestionẽ optĩe celebrat. pororũ
opilationẽ.& spũaliũ meatuũ apit. viii. ps ẽ libr̃.
.i. Rec.cinamõi gar̃.zĩzi.liqricie rosarꝫ.añ.ʒ.ii.et
.g̃.xv.ligni aloes galange cardi miristici nardi ze/
doarie uiol.añ.ʒ.i.et.g̃ vii.et.ſ.reubarb.macis.cc̃.
alipti costi cipi cardamõi basilici anisi leuistici
eboris limat̃.añ.℈.i.et.ſ.et.g̃.iii.et.ſ.mellis quod
sufficit.dat̃ post prãdiũ ĩ sero cũ uino uel rodosto/
mate post cenã ĩ modũ auellane.

HYgia greca.hygia.i.saluatrix. greca dicit̃ qa
a grecis fuit ĩuẽta.ualet ꝓprie ad reuma gin/
giuarꝫ & dolorem dentium fricata super eos ore
sepe abluto cum aceto calido.& sordidas nebulas
ab oculis aufert.vi.ps ẽ libr̃.i. Rec.iusqami se/
minis .ʒ.ii. &.℈.ii.opii.ʒ.ii. &.℈.i.costi.ʒ.i.&.g̃.
.xv.storac̃.cala.galbani agarici mirre opoponacis
scordeon origani.añ.ʒ.i.&.g̃.x. gentiane pigami
sticados prassii cardamõi .an.℈.ii.&.ſ. balsami
nardi.cc̃.sqnãti thimi amatis armoniaci terbẽtine
casielignee mãdragore yrĩgi radicis rose. eupatorii
eufoꝛbii melano pipis leuistic̃. dauci feniculi tri/
folii semĩs.añ.℈.ii.mel quod sufficit. dat̃ cũ uĩo
calido ĩ modum auellane.

HYdrotopicõ plane subsistit quotidiane.
HYdrotopion olympiacũ.ydrotopĩo .i.potus

cōtra rigorē.olympiacum ab auctore dictum.confert ꝓprie quotidianariis : & quartanariis & note tertiane.sudores etiā ī diebus creticis ꝓuocat:ante horā accessionis ad modū auellane cū tepida data .vi.librī.i. Rec.ciāōi.ʒ.iii.et.℈.i.&.ġ.xvi.croci.ʒ. .ii. et.℈.ii.nardi mirre olibani opii mandragore macropipis anisi ameos selini sileris iusqami añ. .ʒ.i.et.℈.ii.et.ġ.viii.mel quod sufficit.dat' ad modum auellane ante horā accessionis cum calida.
Iustinū multū mingētem reddit uultū.

IVstinum dicit' qa a Iustino īpatore primo fuit inuentum .precipue dat' calculosis: et patiētibus dolorē ilii.ualet strāguirie.et dissurie : et his q mingūt mucos.vi.ps librī.ii. Rec.cīnāōi folii costi nardi casie aristol.lō.et.ro.elēpnii ysopi pulegii artemisie pentafilon leucopiperis orobi petroselini leuistici . oxilatri seminis urtice sēinis granorū solis saxifragie iuniperi sparagi seminis sileris apii aneti pigami sēinis citri sēinis feniculi anisi baccarū lauri añ.ʒ.i.s.mel quod sufficit.det' cū uino ī quo coctū fuerit miliū sol.uel saxistaga.
Sūme katarticum nāq coleram purgaibt utranq;.

KAtarticū ī piale.i.laxatiuum ꝓ impatoribus factū & ꝓ aliis delicatis hōibus.ducit enī sine lesiōe. hec precipue cōfert pīguibus hoībus q sēp sūt cōstipati.ualet multū iliosis iuuat eos q ex uētositate stōaci:& ī testioꝝ laborāt : medietas

20

libr̃.i. Rec. diagridii zucchari añ.ʒ.iiii.ſ. cina/
momi nardi ſaxifragie polipodii añ.ʒ.ii.mirob:
citri hermodactili polipo.añ.ʒ.ii.gar̃.zīzi.celtice
melanopiperis macropipis cardamōi amōi añ.ʒ.
.i.ſ.mel quod ſufficit ſumat̃ cū uío calido uel aq̃
calida mane uel ſero.

Hec lapidē renū ꝓtūdit & inde repellit.

DIrōtripōꝓtundens lapidē īterpretat̃.hoc pro/
prie lapidē frāgit.& expellit ſi inrenibus uel
ueſica fuerint.hac medicina utētes. nec dolorē ili
nec lapidis uitiū īcurrūt ſtrāguiriā.& diſſuriā ſine
mora ſoluit.viii.ꝑs ē libr̃.ii. Rec.nardi zīzi.xilo/
bal. acori cīnamōi peuzedani meu. melanopipis
leucopipis macropipis ſaxifrage añ.ʒ.ii.ſ.opob.
gar̃.coſti reupō.liq̄ricie cipi drag̃. alēxadri.came/
dreos ſemīs apii ſparagi baſiliconis urtice ſeminis
citri añ.ʒ.i.&.g̃.xv.folii.c̄c̄. ſquinanti caſie lignee
bdelii maſticis ſēinis ḡnorū ſol.petroſelini ſēinis
ſinoni cardamōi aneti ſēinis euforbii lapis lincis
olei nardini muſcellini.añ.Ͽ.i.minus.g̃.iiii. mel
quod ſufficit det̃ in ſero cum uino calido.

Multis adeſt datū renibus aptū hoc metridatum

MEtridatum.i.mater oīum antidotoꝝ ſiue
a Metridato rege dictū faciēs ad ōes paſſiōes
capitis uiroꝝ.& mulierum ſi fuerīt ex frigiditate
maxime melācōicis & timidis epilēticis mamacis
fātaſticis.mirabilitet ꝓdeſt cephalargiē.emigrāeis

dolorē cilii patiētibus.& lachrymantibus oculis.&
ad oīa capitis uitia uel auriū subuenit . dētiū do-
loribus & palato: & oībus uitiis oris & maxillaꝝ
medet᷑ si sup locū dolētē ponat᷑.& iteꝝ ad modum
emplastri ponat᷑ ī temporibus unde fit discursio.
sqnātiā soluit.apopleticis cū cerusa acceptū facit.
tussientibus & asmaticis emotoicis pipleumōicis
& oībus doloribus q ītra corpus hūaū fiūt succur-
rit . ciliacis discintericis & lienticis optimum est.
si det᷑ cū decoctione balaustie. extensionē hūeroꝝ
thethanos siue spasmos patiētes . & paliticos sine
mora curat . diafragmati ypocondrii subuenit.
renibus & uesice opitulat᷑ . calculos frangit.men-
strua ꝓuocat.ōiaq; uitia matricis excludit selirosī
patientibus.& podagricis sīgulis presidiū est.pre-
cipue dat᷑ cōtra uēēū īpoītū siue bibitū cū magna
admiratione emendat . & contra morsum rabidi
canis uel alicuius reptilis si di stēperatū fuerit : &
cū succo mēte potet᷑ uel suppōat᷑. quottidiāariis.
& quartanaris etiā añ horā accessionis datū miri-
fice ꝓdest cū uīo tepido.xxvii.ps cōfecta libr̄.iii.
Rec .storac.cal.ℨ.i.&.ʒ.i.gar̄. nardi.xilobal. oro-
bōi lētici drag̃.mastic̄.galbani gumi cedri aspalti
castorei olphei bdelii terre figuli mellilotí laudani
opoponac̄.armōiac̄.opii.sulfuris uiui liqric̄.nitri.
ypoquistidos acatie.ro.camedrei ypicō abrotani
pionie ysopi origāi elempnii rāi cedri. & dāpnicō

21

aristol.lõ.epithimi peucedani centauree rorisma/
rini yringi radicis balaustie cimarum mirre psidie
romei sqlle carpobal.git.anisi. iusqãi cimĩi féicu/
li cardamomi siselei tesapii amei sinoni leuistici
seminis rute séinis micõis apii dauci séinis rape
macropipis ozimi amõi.añ.ʒ.i.acori illafeos cas/
sãi filis. zuccozarie catariaci.añ.϶.ii.bal.cĩna.cc.
costi sqnãti zĩzi.folii.terbẽtine mirre libani casie
agarici spice celtice reupõtici yrei asari diptãi ꝑras/
sii interioris sticados artemisie calamenti scordei
silfu. camepitheos leucopipis melanopipis ozimi
séinis petroselini semis anagodã malabatri cardãi
pentafilon.añ.϶.i.danpnocri tertiam parté.϶.i.&
.g̃.vii.uini uetustissimi.ʒ.i.mel quod sufficit.dat
ĩ sero ĩ mõũ auellãe cũ uio ĩ quo cocta sit saluia.
Musa fac sanum patientem quottidianum .

MVsa enea Musa apitissio philosopho iuéta:
faciés ad ões accessiões ꝑiodice febris .i.quo/
tidiane tertiane quartane si ãte horam accessionis
in modũ auellane cũ uino calido det.& acutarum
angustias tollit.tamé cũ dederis cõsidera uirtutes
eorũ qui patiũt qa statĩ medelam sétiũt .& etiam
si cũ tepida distéperet. & exea ĩ acutis:& ꝑacutis
pulsus & tempora iũgãt.& si sudoré ꝓuocat erit
signũ euasionis: si uero nõ mortis.ĩflationé stõaci
emendat suspiriosis ptisicis. & his q putredinem
screant subuenit.ydropicis spleneticis & colicis

subuenit lapidē ī uesica frāgit. & his qbus penitus uría denegat᷑. Rec. pipis albi. ǧ. xvii. thuris masculi mirre gētiāe iusqami. añ. ʒ. vi. opii. ʒ. iiii. croci . ʒ. iiii. mus. ǧ. vii. euforbii aristol. lon. añ. ʒ. i. & . ℈. i. mandragore. ʒ. i. & . ℈. i. mel quod sufficit det᷑ ut superius in laude diximus.

Tortio qué uétris cogit é mideta iuuamen:

MIdeta. i. expta. ꝓprie ualet ad morroydas & ad uentris tortionem & rugitum lienterie & disintie. & optía é ōi solutioni uentris. medietas é libř. i. Rec. mirob. citri. indoꝝ kebul. mūdatoꝝ assatorū. añ. ʒ. ii. s. nasturcii. ʒ. ii. belleric. éblic. assatorū. ʒ. ii. cīini anisi ameos carui. añ. ʒ. i. & . s. īfusa ī aceto die ac nocte dīittāt᷑. & assata puluerizēt᷑. tūc adde spodiū balaustias sumac. masticé gūmi arab. añ. ʒ. i. & . ǧ. xv. fricent᷑ ōia cū oleo ro. & temperent᷑ ōia cum mirtino syrupo. détur cum aqua pluuiali mane meridie. & sero.

Mel roseū stōaco cōfert nimiū sane sūptū.

MEl rosaceū quod greci rodomel uocāt sic fit. in. x. libř. albissīi. et purissimi mellis dispumati. succi recétium ro. libř. una ponat᷑ in cacabo ad igné poito. & cū bullire īceperit uiridiū rosaꝝ cū forficibus uel cultello īcisarū libř. iiii. addātur. et tam diu bulliant ꝙ ad succi cōsūptioné uéiat.

22

et dum bullierit sēp agitet᷑. et ī fictili uase poīto quan diu magis tenebit᷑ tanto melius erit. stōacū cōfortat et mundificat. cū frā cōfortat et cōstipat. cum calida mundificat. dat᷑ māe et meridie. de eo cōficit᷑ diāargaritō gariofilatū & rubea trocifcata. Eodem mō fit mel uiol. quod ualet tepide febrié tibus cum tepida. corpus hūectat et relaxat. ualet ad siccitatē pectoris cum tepida.

Iliacis ꝓdē lapidemq; frangere solet.

R Efrocatarticum. i. purgans renes. exptum ē iliosis. difficultati uīe si cū apozimate mil lii solis sūat᷑ ī mōū auellane. de rēbus et uesica. lapidē potēter expellit cum apozimate saxifragie sūptū. mēstruis imperat cū decoctione artemisie. colli tumorē sedat. cū decoctione costi. xvi. ps cō fecta libr̄. Rec. lapidem lyncis. ℥. ii. et. ℈. xv. c̄c̄. orientalis. ℥. i. et. ℈. xviii. zizi. euforbii mirre olibāi uesice apri lapidis ī epate uel ī uesica porci īuenti cimini seminis iusqami seminis macedonici citri oīum decem. añ. ℥. i. ℈. vi. nardi squinanti costi piretri casie reupōtici prassii elēpnii sāsuci glicōis roris marini gētiane saxifrage gūmi edere cipressi pullulaꝶ baccarū dāpnidis piperis nigri et albi sēīs rute & iunipi oīū. añ. ℥. s. &. ℈. iiii. bal. storac̄. sanguinis hirci sturci. anseris acori fu. meu aristol. lō. et ro. betōicefisaliadis s dauci petroselini sēinis

eruce oĩum.añ.ǧ.ii.séinis urtice.ℨ.i.et.ǧ.ii.et.ʃ.
ſucci ſparagi et bruſſi.añ.ǧ.v.ʃ. mel quod ſufficit.
doſis eius ſit.ʒ.iii.et cum uino tepido.

¶ Oleum roſatum.

OLeum roſatum uirtutem habet fr̃am & ſtipticã et ideo ad dolores capitis ex febre ſeu ex calore ſolis optimum eſt. ardores autem: & calores q̃ſtõ colib. plenus ſuam uentoſitatem in toto ſeu in parte capitis aufert. doloribus qui fiunt qñdoq; in capite toto uel in parte confert: ſi ex ipſo inungatur caput. confert etiam doloribus exiſtentibus in ſtomaco ſeu in ĩteſtĩis ex acredine humorum mixtũ cum maſticis drãmis duabus.& ſufficienti cera ĩ ipſo ſolutis & poſtea locis ĩũctis. ad eriſipilam eſt utile: quibus in ſuperficie non apparet: & ad alia huiuſmõi multa.& iſtud oleũ ſic fit. In duabus libris olei comunis & ad noſtrã doctrinam abluti libra una & media uiridium roſarum aliquantulum contuſarum ponatur in olla plena in caldario pleno aqua ſuſpenſa. & tandiu bulliant quouſq; ad tertiam partem ueniant. quod demum albo panno lini immiſſum. torculari exprimatur: & liquor reſeruetur. Eodẽ modo fit ſanbucinum. uiolaceum: & myrtinum oleum. Que ſilicet olia ualent in acutis: & peracu-

23

inuncta super epar: pulsus : tempora : & plantas manuum & pedum calorem omnino extinguit.

¶Oleum mandragoratum.

OLeum mandragoratū quod facit ad nimios dolores capitis & freneticis male dormientibus fronti illinitum & naribus iniectum summe opitulatur : pulsibus brachiorum inunctum & plantis pedum illinitum quocunqꝫ modo uigiliis factis cum omni celeritate soporem reddit. Recipe olei libras duas succi malorū: mādragore uncias quatuor iusqami albi succi uncias duas papaueris nigri ortensis capitum succi uncias tres uiol. recentium cimarum succi cicute ambarum ana unciam unam opii storacis ana unciam mediam. Conficitur sic in oleo omnes succi mittantur. & ꝑ decem dies ad solem bene admisceantur. ūdecimo uero die ad consumptionem succi coquantur. Cumqꝫ coctum fuerit ab igne deponatur. & cum infrigidatū fuerit coletur. & in parte ipsius olei opium et storax soluti medicamini supmittātur. et bene commixtum ī uas reconditum usui reseruetur. hoc uero unguentum contra calefactionem epatis sepe inunctum mirifice ualet.

¶Oleum camomellinum.

OLeum camomellinũ salubre ad feruorem: & dolorem capitis: & stomaci. causas ex colera rubea siẽ aliquo calore commotas compellit. articulisq; proficit. & ad alia multa facit. Recipe olei dulcis uncias decem et octo florum camomillemense iulii collectorum libram mediã. Conficitur sic: flores in oleo comuni mittantur ĩ diebus canicularibus in uitreo uase ad solem suspendatur. & bene opturato. & post quadragĩta dies ĩ lento loco ponatur. & usui reseruetur.

Oleum frigidissimum.

OLeum frigidissimum uiride sic fit. Recipe olei comunis albi & abluti libras quatuor cimarum rubi tenerrimarum foliorum uiolarum: uermicularis cĩbalarie semperuiue solatri foliorum papaueris iusquiami mandragore erasule maioris portulace lactuce bardene õium ana uncias tres hec omnia ĩsĩul bene terantur. & ĩ supradicto oleo mittantur per tres dies. post tertium uero diem super ignem ponatur. & usq; ad spissitudinem bulliat. postea coletur. deĩde ĩ fictili uase ponatur super ignem. & bulliat ad succi consumptionem. tunc ab igne deponatur. & permittatur residere. & illud clarius quod super natat colligatur. & usui reseruetur. ualet in acutis & peracutis: fronti &

24

temporibus inunctum . ualet & retro inunctum per dorsum a nucha usq; ad caudam inunctum . & per uentrem similiter. & uole manuum: & plãte pedum eodem modo contra omnem calorem potenter medetur .

Opopira phisis mire pellit paralisim :

OPopira magna. opopira dicitur a succo : & igne. opos enim grece latine succus. pir idest ignis . inde opopira idest ignitus succus. proprie ualet contra guttam que oculum: & linguam: & labium distemperat ut recte sermonem non proferat aut non loquatur. peculiariter curat paralisĩ oris: & gutturis: & manuum: & pedum atq; crurum: & totius corporis optime medetur cum uino ubi cocta sit saluia: & castoreum: & costum in sero ĩ modum auellane . prodest tremulosis cum eadẽ decoctione bibitum contractioni neruorum subuenit. colericis cum decoctione polipodii. epilĩcis multis et maniacis cum dococtione thuris masculi. auxiliatur tussientibus in omnibus doloribus pectoris & stomaci cum decoctione calamenti et cimini. epaticis cum apozimate apii: et eupatorii. spleneticis cum decoctiõe caparis: et absĩtii. pleureticis cum apozimate ysopi : et pulegi

& pulegii. yliosis cũ decoctione yris & macedonici. calcusolis cũ apozimare saxifrage & ozimi tipice. febriẽtibus cũ decoctione pigami nasturcii piretri ꝓdest. & ad multas corporis passiones facit. xv. ꝑs cõfecta libr̃. ii. Recipe opii thebaici. ʒ. ii. &. ϶. i. & g̃. iiii. cĩamomi gar̃ nardi galange c̃c̃ costi zedoarie zĩziberis xilob. reupõ. piretri coralli al. & ru. drag̃. mirre castorei opoponac̃ piperis nigri al. & lon. an̄ ʒ. ii. & g̃. vi. rasure eboris lilifagi herbe paralisis an̄ ʒ. i. & g̃na. xiiii. balsami musci xiloaloes squinãti casiefis. storac̃ cal. masticis cõsite. ru. galbani serapini asari melliloti aristol. ro. dragontee assari ellĩni. meu peonie raphani corticis peucedani acori mãdragore betonice gentiane camedrei pulegii cẽtauree maioris & minoris celtice absĩthii ꝓserpĩace blactei capilloꝝ ue. spõse solis ypicon uincetoxici prassii pigami mille folii cardamomi calamenti carpob. anisi semĩs leuistici iusquiami sẽis lupini & pollinis orobi alexandrini baccaꝝ lauri maratri sileris mõtani an̄. ϶. i. & g̃. xviii. mel quod sufficit. detur ut superius diximus.

Cum calida calidis oxi ualet addere morbis.

OXi dicit̃ ab acetoso succo maloꝝ granatorũ: q ibi põit̃. dat̃ ꝓprie cõtra sinochã & causon & cõtra õẽs acutas & pacutas egritudĩes cũ fr̃a. ꝓdẽ etiã pleuresi ethice febri pũcture epatis. si tñ ethica sit cũ tussi addat̃ cõfectiõi. ʒ. i. liq̃ricie & succi eius

ʒ.ſ.ueteri & non recēti cū ſcamonea cōfecti libr̃.ii.
Recipe prunoꝝ damaſcenoꝝ libr̃.iii.& decoquāt̃ in libr̃.v.aque uſq; ad medietatē. deinde ab aqua extrahāt̃.& ponāt̃ ī cribro & catino ſubter poſito. tādiu manibus fricēt̃ donec pulpa exeat tota.& in aqua ubi cocta ſūt pruna bulliat.ʒ.ſ. uiolarum.& poſtea fiat ſyrupus cum duabus libr̃ zuchari &.ſ. addito ſucco prunoꝝ predicto: bulliat ad ſpiſſitudinē. & poſtea addāt̃.ʒ.iiii. tamarīdoꝝ &.ʒ.ii.caſiefiſ.mundate & diſſolute cum aqua ro.& colate. colatura nāq; ponat̃ in ſyrupo. & cū inceperit inſpiſſari ponātur ibi ſucci utroꝝq; granatoꝝ.ʒ.viii. & quādiu ad perfectā uenerit coctionē agitādo cū ſpatula: ſēp adde puluerē haꝝ ſpēꝝ quod. Recipe puluerē ſandalorū al.& ru.ſpodii an̄.ʒ.iiii.portul. ʒ.vi.ro.drag̃ an̄.ʒii.Si uero laxatiuū facere uolueris ī unaq̄q; libr̃ pōe.ʒ.vii.ſcamonee puluerizate: tūc ;ſ.qn̄ ab igne depōit̃.& diaprūis. ſi laxatiuū facere uolueris eodē modo facias.det̃ māe ſīplex: meridie cum frigida laxatiuū det̃ ſūmo mane cū calida in modum caſtanee.

OXizaccare dr̃ ab oxi quod ē acetū & zucharo dr̃.ualet tertiane.acutis & quartane nō uere. colerā ī ſtōaco exiſtētē purgat. Recipe zuchari libr̃.i.ſucci maloꝝ g̃natoꝝ.ʒ.viii.aceti.ʒ.iiii.ad ignē ī ſtagnato uaſe pōe.& tādiu bulliat cū ſpatula ſēp agitādo donec ad quātitatem zuchari deuēiat: ut ī

pissside portari possit. det̃ ĩ mane cũ calida. ℥. i. &. ʃ.

OXimel sic fit. Recipe mel. dispumati libr̃. i. aceti fortissĩi libr̃. i. &. ʃ. ĩ quo bulliãt radices feniculi. ʒ. ii. radices rafani. ℥. ʃ. radices apii petroselini macedonici ſparagi bruxi frage añ. ℥. iiii. polipodii. ℥. viii. oĩa ista bulliãt ĩ libr̃. ii. aceti. deinde colet̃: & colat̃a supradicto melli addat̃ ĩ stagnato uase semper agitãdo cũ spatula. tãdiu lento igne bulliat donec ad consumptionem succi deueniat. ualet ut oxizaccara: digerit diuidit & flegma mirabiliter purgat. dat̃ in mane cũ calida.

POtio sancti Pauli. dr̃ potio apotando. sancti Pauli: qa scũs Paulus eã cõposuit. hec eadẽ a romãis potio maior uocat̃: qa Paulus magnus interpretat̃. dat̃ ꝓprie epilentic̃ cataléticis analéticis stõaticis cũ uino in quo coctũ sit tus masculũ uel pionia mixta. hec eadẽ cũ exdra dat̃ hyemali tp̃e & uernali q̃rtanariis. & sanat cũ uĩo ĩ quo cocta sit gẽtiana uel saliũca & castoreũ ãte horã accessionis. medet̃ etiã arteriacis & paliticis cũ uĩo ĩ quo cocta sit saluia uel castoreũ. xv. ps ẽ libr̃. i. Recipe nitri ʒ. iii. &. ℈. i. castorei ãtimonii sinoni folii dãpnocri sileris apii petro. maratri dauci stafixagrie añ. ʒ. i. &. ℈. i. calami aromatici mirab. liqricie drag̃. piõie piretri añ. ℈. iii. costi coloquĩtide agarici masticis aristol. lon. & ro. rosaꝝ mabathéaticõ asari lilifagi aaronis diptami basilicõ. branceursine balsamite

26

origani pulegii camedrei uel ysopi saturegie pipis al. & ni. & lō. seminis rute an̄. ℈. i. & g̈. xviii. cardāi turis an̄. ℈. i. & g̈na. iiii. balsami nardi croci sqnāti casie mirre opopōacis sulfuris mandragore gētiāe braccei euforbii amomi sanguinis merguli an̄. ℈. i. ciāōi gar̄. zīziberis anacardi xilob. reupō. peucedāi carpob. storac̄ calamite serapini asari sanguinis draco. coaguli leporis coaguli agni & caprioli & ui/tuli: & fellis ursini sanguinis anatis petrolei an̄ ℈. i. minus g̈. iiii. herbe peralisis. ʒ. vii. g̈na. iiii. mel quod sufficit. dat̄ capitalibus passionibus in sero ad mōū auellane: uel cū decoctiōibus supradictis. Paulinū magne uirtutis est noue tussi.

PAulinum antidotum. Paulinū. i. magnum: ātidotū. i. cōtradatū: qa magnā uirtutem & efficatiam habet. dat̄ proprie ueteri & noue tussi: que fit ex discursiōe reumatis a capite. ualet cōtra uitia pectoris ex frītate: in sero cū uino calido. sed si distempatū accipere nō poterit: fac inde pilulas viiii. uel. xi. facto cum opio. sed si confectū fuerit sine opio: & laxatiuū facere uolueris da. ʒ. ii. cū. ℈. ii. scamonee in pilulis factis. caput & stōm ex fleg/mate & malicia purgat. & oculoꝝ grauedinē tollit. quarta pars est libr̄. i. quia in unaquaqꝫ receptiōe ponunt libr̄. i. &. s. mellis dispūati. Recipe aloes ʒ. xi. & g̈na. xv. c̄c̄ costi anacardi agarici coralli mir/re armoniaci terbentine galbani serapini opopōac̄

cōfite.ru.ſtoracis cal. yrei añ.ʒ.iiii.&.ſ.opii olibāi
maſticis bdelii cor zūbr̄. añ.ʒ.ii. & ḡna .xv. balſāi
folii añ.ʒ.i.&.ſ.melliſſe.ʒ.ii.Cōficiāt ſic.galbanū
ſerapinum armoniacum opoponac. iſte gūme ali-
quātulū terantur & ī albo & odorifero uino ſuffi-
cienter nocte una īponantur .mane uero ſup ignē
ponantur.& bulliant. poſtea adde mellis diſpūati
ʒ.iiii.& dimittant bullire quouſq; īcipiāt īſpiſſari.
tūc ſtorax cal. confite.ru. & cozūbrum cū piſtello
calido optime trita ponantur in caldario ſemper
agitando cum ſpatula donec liquefiant. & poſtea
addat terbentina.&ſi probare uolueris utrū coctū
ſit:pone aliquantulum ſupra marmor.&ſi ſtatim
ad modum mellis ſe coagulauerit: caldario mox
in terra poſito addatur mirra cum bdelio. deinde
maſtix & olibanum. poſtea coſtum anacardum
agaricū coralli yreos opium folium melliſſa. om-
nia ſimul piſtata & puluerizata in caldario mit-
tantur. & hoc totum ſupra marmor inunctum.
prius oleo laurino ponatur. & cum puluere aloes
malaxetur ſimul crocum cum ſpeciebus terunt.&
ad ultimum cum croco orientali magdaliones in
formētur.detur in modū auellane cū uino calido.
Item aliud antidotum.

CAncriſtum antidotum .i. totum criſti ideſt
criſmate unctus.typice febriētibus datum cū
mulſa mirabiliter ſubuenit.cū ydrōelle diſtēpato

27

ſine mora menſtrua prouocat .vi. pars eſt libr̃.i.
Recipe opii thebaici.ʒ.vi.zuchari .ʒ.ii.&.℈.i.&.ſ.
ſiſelei.ʒ.ii. calami. aromatici caſtorei carpob. cardamomi petroſelini an̄.ʒ.i. &.℈.i. zinziberis caſie ſerapini piperis albi iuſquiami ſe.lini ſeminis rute agreſtis maratri an̄.ʒ.℈.ii.anacardi piretri meu euforbii aniſi trifolii acuti dauci cretici an̄ .℈.i.& .ſ. mel quod ſufficit.datur in modum auellane ĩ ſero cum uino calido.

Pigra Galieni.

Pigra Galieni.pigra .i.amara.Galieni ab ĩuẽtore dicit̃. ualet mirabiliter ad omnẽ capitis frigiditatem.& ſtomaci indigeſtionẽ procurat.uomitũ ſtrĩgit.frigiditati matricis ſubuẽit cõceptiõẽ adiuuat . detur in balneo ſi fieri poteſt : uel eunti dormitum cum uino calido.vii.eſt libr̃.i. Recipe aloes optimi.ʒ.xiii.&.ſ. cĩnamomi nardi coſti.c̃c̃. ſquinanti ſilob.caſiefiſ. maſticis aſari ro. amomi abſinthii an̄.ʒ.i. & g̃na.vii. mel quod ſufficit .dat̃ ut ſupra diximus.

Cardiac̃ que ſolet potio muſcata iuuare.

Potio muſcata maior . muſcata a muſco dr̃: eo ꝙ muſcus precioſior eſt & odoroſior ſit aliis ſpeciebus.ualet cardiac̃ ſcotomatic̃. & ad omnem ſtõi debilitatem & corporis confortationem: & ad uitia pulmonis.pars .iii.confecta eſt libr̃ .ii. Recipe ſpice optime piperis lon.zĩziberis zedoarie

confite.ru.confite. muscate gar.xiloaloes ro.uiol. anacardi acori coralli costi leuistici nucis muscate rasure eboris margaritarum integrarum & perforatarum antofali reubarbari amomi ossis de corde cerui cc.piperis al.ossium dactilorum beliculi marini spodii sādalii al.& ru.mac.liquiricie cīnāomi alipte anisi drag.blacte bisātie cardamomi ozimi seminis basilice limature auri & argenti omnium xl.añ.℈.ii.musci camphore ambre omnium trium añ.℈.i.zuchari candi añ.ʒ.ii.syrupus ro.quod sufficit. datur mane & meridie & sero.scotomatic & debilitatis coclearium unum cū uino.patientibus in pulmone cum aqua ordei.

Pilule sine quibus.

Pilule sine quibus esse nolo. pilule a rotunditate dicte. sine quibus esse nolo: propter summam efficaciam quam habent. siue quia superiores purgant humores.ualēt proprie ad cataractas & obscuritates & caligines oculorum. caput mirabiliter a colera flegma & malitia purgāt.ab oībus prauis humoribus uisum custodiunt. iliosis mirabiliter conferunt. aurium dolorem sanant.in sero.x. uel .xiii. sumantur cum ouo uel farinata. medietas est.ʒ.iii. Recipe aloes epatici abluti & odoriferi.ʒ.xiiii.mirob.citri kebulorum belliricorum emblicorum īdorum reubarbari masticis absinthii ro.uiol. sene agarici cuscute añ.ʒ.i. tēperentur cū

2 8

ſucco feniculi ſcamonee bene trite & pulueriżate ʒ.vi. &.ſ. admiſceantur ita tantum ꝙ puluis ſcamonee per pannum cum ipſo ſucco ſit expreſſus. & ſit tanta ſucci quantitas que ſufficiat ad confectionem pilularum . & manibus primo inunctis oleo uiol. uel cōmuni ſecundum noſtrā doctrīam ablucti formentur in modum ciceris.

Pilule auree.

PIlule auree . pilule a rotonditate dicte . auree ab excellētia auri dicūtur. ſicut enim aurum inter cetera metella precioſius habetur : ſic pilule iſte inter alias meliores approbantur. proprie purgant caput . lumen oculorum acuunt. uentoſitatē ſtomaci & ītestinorum expellunt. & ſine moleſtia purgant. medietas eſt libr̄. ii. &.ʒ.ii. Recipe aloes diagridii an̄.ʒ.v.ro. apii ſeminis an̄.ʒ.ii.&.ſ.aniſi ſeminis feniculi an̄.ʒ.ii. & .ſ. c̄c̄. coloquintide interioris maſticis an̄ .ʒ.i. informentur in modum ciceris cum aqua īfuſionis drag̃. dentur in ſero.ix. uel.xi.cum mulſa:aut cum uino.

Pilule diacaſtoree proſunt paraliſi.

PIlule diacaſtoree a caſtoreo dicte ſūt : quod intrat. paralitic̄ mirabiliter proſunt . una uel tres diſtemperate cum aqua calida naribus īiiciāt̄. ita ut ſupinus ipſe patiens iaceat iuxa ignem paruum aliquantulum uertat ſe . & ore aperto ſinat flegma exire. oculos mundificant. & dentes lapſos

confirmant. ſtranguiriam curant. dolorem cilii ex aliquo frigido reumate ſoluūt. iii. pars eſt libr̃. i. & ſ. Recipe caſtorei apii c̃c̃. zīziberis piretri euforbii elacterii nabatematicon leucopiperis nigelle ſtafiſagrie epithimi ellī al. ſpice añ. ʒ. i. Confice cum ſucco blete. & informa in modum ciceris.

Pilule artetic̃ ualent contra artetica & podagrā Recipe hermodactili turbiti agaric̃ an. ʒ. iiii. caſie lignee gariof. xilob. carpob. zinziberis maſtic̃ feniculi aniſi ſalſifrage ſemen ſparagi bruxi roſe granorū ſolis ſal gēme añ. ʒ. ſ. aloes ad pondus oīū Conficitur cum ſucco feniculi.

Pilule optomere.

Pilule optomere ideſt de. viii. ſpeciebus hūores ſpiſſos de capite deponūt. & uiſum clarificant. & cataractas oculorum prohibent. Recipe aloes diagridii añ. ʒ. i. coloquintide interioris epithimi dauci cretici maſticis agar̃ kebul. abſinthii omnium. vii. añ. ʒ. i. terantur. & cum ſucco ſtr̃ngni diſtēperentur & in modum ciceris formentur. dēt̃ ex eis. viiii. mane uel ueſpere cum uino.

Ad uentris fluxum faciunt hæ pilule multum.

Pilule probate contra fluxum uentris. maxīe lienteriam & diſinteriam. Recipe mirtili balauſtiarum pſidie ſimphiti ſanguinis draconis boli acacie ypoqſtidos roſarū tartari ſumac trociſci galie muſcate galle cīnamoni ſpodii maſtic̃ gūmi

arabice añ.ʒ.i.opii thebaici.ʒ.ʃ.cũ ſucco ciaꝝ mirti lentiſci.tempera. & fac pilulas in modum orobi. dentur.ix.uel.xi.cum aqua ro.uel pluuiali.

Pilule de quinq; generibus mirabolanorum. Recipe mirabol.citrinorum chebulorum beliricorum emblicorum indorum agarici dyagridii coloquintide ſene aniſi añ.ʒ.ʃ.turbit aniſi maratri maſticis lapis lazuli añ.ʒ.ii. &.ʃ.& g̃na.vi.aloes.ʒ. i. fiant pilule.ualent arteticis podagricis ſpleneticis. & ad uiſum clarificandum. coleram purgant aduſtam.

Pilule cinogloſſe.multum ſunt utiles ad acr. & tenue reuma.plurimos enĩ ſcio: q̃uis lõgo tempore reumatizãtes his ſubſceptis proculdubio eſſe curatos. Recipe cinogloſſe opii ſeminis iuſquiami omnium trium añ.ʒ.iiii. mirre troclite.ʒ.vi. olibani.ʒ.v. gar.ʒ.ii. cinnamomi.ʒ.ii.& cor.cubri ʒ.ii. temperentur cum rodoſtomate ideſt cum aq̃ ro. & formentur pilule ad modũ ciceris ex qbus dent.v.uel.vii.eunti dormitum.

Pilule ante cibũ:& poſt cibum ad digeſtionem confortandum & uirtutem digeſtiuã. Recipe cinnamomi gariof. galange nuc muſcate mac. zĩzeberis cardamomi xiloaloes ſtoracis calamite añ ʒ.i. reubarbari ad pondus omnium ſupradictorũ aloes ad pondus omniũ ſupradictoꝝ. Confice cũ uino.ſũmant ante cibum.vii.& poſt cibum.v.

PIlule arabice contra omnem dolorē capitis. &si per .c. annos durauerit: purgant mirabiliter omnes humores. & generāt leticiā. & aufert tristiciam. mentē acuūt. uisum reddunt. auditum restaurāt. memoriam tribuūt. scotomiam uertigiē emigneam oculos dentes gingiuas stomacū splenē sōitū auriū oībus hūoribus: etatibus: oībus tpībus sine molestia ī uiris & mulieribus purgāt. Recipe aloes. ℥. iiii. briōie mirob. citri. beliricorum īdorum kebul. ēbli. mastič diagridii asari rose aā. ℥. i. Cōfice cū succo feniculi: uel absītii cc. ʒ. i. castorei. ʒ. iii.

PIlule de elacterio. Recipe aloes. ℥. ii. mastič ℥. i. elacteriō. ℥. iii. Cōficit cum succo siccidis uel cū succo accis uel como. & da. iii. uel. v. suauiter ducunt. & prīcipaliter malitiā & flegma purgāt siue coleram ru.

PIlule cotie. G. pbate ad emigneū dolorē stōi & iliū. Recipe aloes absītii pulpe coloqntide scamonee eqle pōdus mastič dimidiū unius predictorū. Confice cum succo feniculi uel absintii uel solatri. & fac pilulas. dent secūdū q̄titatē uirtutis.

PIlule fetide. Recipe mirabolāoꝝ citrīorū chebuloꝝ beliricoꝝ īdoꝝ ēblicoꝝ dyagridii agarič spice coloqntide aā. ʒ. v. aloes epatici. ʒ. vii. terāt. & cū succo fumiterre īformēt pilule ad mōū ciceris.

PIlule de fumoterre. Recipe mirabolāorum citrinoꝝ chebulorū indoꝝ emblicor. aā. ʒ. v.

30

aloes.ʒ.vii.dyagridii.ʒi.v.cõficiãť cũ succo fẽiculi·

QVadrumerõ.i.de q̃tuor nũeris:uel.iiii.rebus exptũ ẽ ad asmaticos & ex catarro tussiẽtibus ualet ẽt ad dolorẽ & fritatẽ stõi.digestiõẽ ꝓcurat. rẽes debiles releuat.ix ps ẽ librᷓ.i.Recipe elẽpnii.℥.i. ſ.ʒ.iii.sẽis maratri.℥.i.pipis.ʒ.vi.cumini.ʒ.iii.mel quod suffic.datᷓ mane uel uespere cũ uino calido.

ROsata nouella. rosata dᷓ a rosis nouella respectu ueteris: que recipiebat tibar.i. sulfur uiuũ uoĩtũ:& subuersionẽ stõi aufert.debilitatẽ & sitĩ reprĩit.defcis ex lõga ĩfirmitate mire subuenit. sudores diaforeticos cõpescit.xx.ps ẽ librᷓ.ii.Recipe rose zuchari liqᷓ.añ.℥.i.&.ʒ.i.&.℈.ii.&.ſ. ciamõi ʒ.ii.&.℈.ii.g̃.ii.garᷓ.nardi zĩzi.galãge nuc̃ mus.zedoarie storac̃ cardamõi apii añ.℈.i.& g̃na.viii. mel quod sufficit datᷓ mane meridie & sero cũ frigida.

RVbea trociscata dᷓ ab ipso colore:trociscata a trociscis:q ibi põũ ť dc̃a.ualet tercianarᷓ quotidianariis ãte horã accessiõis data cũ rodostõate ad mõũ auellãe.naribus & pulsibus de eadẽ ĩũctis sãitatẽ prestat. reũati ex acco flegmate fc̃o data cũ tipsana subuẽit.viii.ẽ ps librᷓ.i.Recipe liquirᷓ.ciãõi papaueris al.añ.ʒ.iii.&.℈.i.&g̃.v.c̃c̃.iusqãi ro.apii sẽis añ.ʒ.ii.& g̃.xvi.nardi uiol.añ.ʒ.i.& g̃.viii.garᷓ. storac̃.optĩe opii thebaici añ.℈.ſ.trocisci croci magnetis. & ydiocri mirre ãisi añ. g̃.xv.uel syrupi ro. uel todactilis mel quod sufficit.

REqes magna.uel magna medicía.reqes dr̃ eo q̄ reqem patientibus prestat. & sõpnũ maxie typice febrientibus quotidianariis tertianariis q̃rtanariis acutis & pacutis prestat.vi.ps est libr̃.i. Recipe rosa℞ & uiol.añ.ʒ.iii. opii iusqãi miconis papaueris al. mãdragore scariole lactuce sẽis portulace psilii nuc̃ mus.ciãõi & zuchari añ.ʒ.i. &.s. sãdali al.& ru.& citri.spodii dragañ.϶.ii.& g̃.v.da patiẽtibus acutã cũ syru. uiol.iterpolate cũ melle cõfẽa dare possumus. datr̃ q̃rtanariis cũ uio calido acutas & pacutas.& tertiãariis cũ aq̃ calĩa uel syru. reqes ẽ opiata q̃i frã.precipue ualet ad sõpnũ ĩducẽdũ ad mõũ castanee data.cũ aũt est data hoibus q̃i sãis tẽpestiue debẽt multũ cõedere uel cẽare. & postea detr̃ eũti dormitũ q̄si aliqs abhorret sũere distẽpatr̃ cũ succo ro.uel syru.uio.& coletr̃.& postea detr̃.lecet oĩo nõ faciat effectũ.nã multũ ualet ẽt sic data.Itẽ attẽdẽdũ est q̄ ex spẽbus huius medicine. syru. factus bonus ẽ ad sõpnũ ꝓuocãdũ.s. ut spẽs bulliãt ĩ aq̃ trite.& colẽtr̃. & apposito zucharo fiat syru.Itẽ ĩ acutis qbuslz põt dari adsõpnũ ĩducẽdũ.

ROdozacara.i.zucha℞ ro.ualet dolori stõi.& debilitati fẽe ex calore mirabilitr̃.stomacũ cõfortat. ualet etiã ad diariã. & õẽm fluxũ uẽtris ex calore factũ.ualet cardiac̃:q ex calore patiũtur.fit aũt sic ĩ.ii.libr̃ zuchari ponatr̃ libr̃.i. uiridium ro. mĩutatĩ ĩcisa℞.& ĩ mortario postea diutissĩe terãtr̃

& ĩ uase uitreo ad solé p̱.xxx.dies põat̃.& mane ac
sero bñ agitent̃. trãsactis uero.xxx.diebus ĩ terreo
catĩo põat̃.& libr̃.i. zuchari modice triti sĩ posita.
& mãibus bñ cõfc̃a ĩ uase stricte reponãt̃.dat̃ mãe
& meridie cũ rodostomate uel cum frigida.

EOdé mõ fit zuchaꝝ uio.quod facit pleuretic̃
epipleũonic̃ & ethic̃.& q maxĩe cõstipati sũt.
dat̃ istis cũ tipsana mane & meridie cũ fr̃a.pectus
humectat. & uentrem laxat.

COtira magna.i.que ĩterpretat̃ sa uatrix.si cũ
mulsa bibat̃ capitis doloré ãtiquũ tollit.ue-
tere uel siluré frenexĩ placat. epilẽtic̃ & malãcolic̃
subuẽit.oculoꝝ auriũ & détiũ doloré mirabilr̃ sãat
mulieris lac soluit.& p̱ auré ĩiectum auditũ redit.
cũ tepida sũpta disnoic̃ asmatic̃ medet̃.tissĩ ãtiq̃m
& recẽtẽ tollit. stomacũ uomẽté & desĩgultu & do-
lore laborãté sanat piplõiã & pleuresĩ & epatis tẽ-
siões depõit.ycter cos ex abũdãtia fellis ru.purgat.
& ad pristinũ coloré reuocat. sãguĩs sputũ cũ oxi-
melle sũpta uel de coctiõe polligõie uel plãtagĩs si
stit.fluxũ uẽtris cõstrĩgit.brachioꝝ & coxaꝝ doloré
sedat.& his q ꝓ dolore dormire non possunt mire-
sõpnũ ĩduc̃.artec̃ sciatic̃ & podagric̃ necessario dat̃.
ad serpẽtĩos morsus cũ mulsa ꝓpĩata ꝓdé.q̃rtanar̃
ex lõ.ĩfirmitate patiẽtibus si ea utãt̃.vi.ps é libr̃ ii.
Recipe storac̃ optĩe.ʒ iiii.&.ʃ apii.ʒ.iii.&.℈.i.costi
mirre opii petrosel.macedõici añ.ʒ.iii.siseli.ʒ.ii.&

϶.ii.pipis ni.ℨ.ii.&.϶.i.&.ſ:ciãõi nardi añ.ℨ.ii.&϶.ſ.
ſqnãti ſynoni ſynaci.aniſi añ.ℨ.ii. caſtorei.ℨ.i. &.ſ.
reupõ.ℨ.i.&.϶.i. trociſci croci magnetis aſari añ.ℨ.i.
pipis al.϶.ii.&.ſ.ydiocri.ℨ.ſ.amõi pipis lon. añ.϶.i.
alii apponũt cc.ℨ.ii.&.϶.ii.mel quod ſufficit. datur
in modum auellane.

ATomaticõ frm facius:quod ualet cõtra õẽm caloré.ſiti repriit.& patiẽtibus debilitaté ex nimio calore potent ſubuẽit.acutis & pacutis mirifice pdé.
Recipe zuchari libr.i.ſandali al.ru.añ.ℨ.i.&.ſ.ſpodii berberi ſéis portu.ſcariol.ſéis melo.paleſtini ſucci liqr ro.& uio.neufar añ.ℨ.i. cõficit ſic ſupradictũ zuchar põat iſtagnato cũ libr.i.aque ro.& tãdiu bulliat cum ſpatula agitãdo donec ad aquecõſũptiõẽ deuẽiat.deide puluis predcãr ſpẽr bñ cribratus imiſceat cũ ſpatula agitãdo iſtagnato.cũ aũt pbare uolueris utrũ ſit coctũ ſupra marmor gutta piiciat:que ſi coaguletr bñ coctũ ẽ.&ſi coctũ fuerit tc põat ſrmarmor priusabluto & iũcto oleo ro.ũl uio.&tcũ cultello eodẽ mõ oleo iũcto frſtati icidat dũ caliũẽ.dat mãe & meri.cũ fra.

ATõaticõ caliũ ſtõacũ cõfortat.digeſtiuã uirtutẽ adiuuat & iliosis cõfert. Recipe zuchari libr.i. aque libr.i.ciãõi zizi.añ.ℨ.ii. gar galange ãñ.ℨ.i.nuc muſ.ſpice ligni aloes cardãõi mac añ.ℨ.ſ.Cõfice eodẽ mõ ut ſtõaticõ frm. ſi uero laxatiuũ facere uolueris ℨ.i.ſcamonee addatur.

SAl ſacerdotale:quo utebãt ſacerdotes in diebus Helie pphete ppt dolorẽ capitis & caligiẽ oculor &

& stõi & détiũ dolorem tussī & anelitũ emendat. os odoratũ reddit. & corpus humanũ in colume seruat. Recipe salis cois. ℥. xvi. cĩnãõi. ℥. iiii. zĩz. amõi piretri cũini amei. pipis sileris saturegie ysopi origãi pulegii aн̃. ℥. i. que oĩa terẽdo ĩ puluerẽ reddige. & ĩ omni cibo utere. & usui serua.

SIrupus rosaceus sic fit. Recipe ro. recẽtes. & põe ĩ uase & sr̃ sparge aquã feruentẽ. & copi uas ne fumus exeat ĩde. & cũ fr̃ata ẽ aq̃ ꝓiice rosas exprĩẽdo. deĩde aquã eãdẽ bulliẽtẽ sr̃ alias rosas recẽtes. iterꝝ ꝓiice. & supradicto mõ facimus mutando rosas tãdiu donec ipsa aq̃ sit ru. deĩde ĩ. iiii. aque libr̃. iiii. zuchari põe. & cũ bullire inceperit albũ oui. cũ aqua fr̃a põe. & concutias tantũ quousq; spumescat. & spumã illã in syrupũ bulliẽtẽ suꝑ asꝑge. & cũ nigrescere spuma ĩcepit suauiter cũ catia remoueas. & iterũ aliã spumã infunde. & supradicto modo fac quousq; clarius fiat syru. & cũ ceperit q̃si filũ facere: uel sr̃ marmor̃ positas uel supra unguẽ nõ difũdit᷑ coctũ ẽ. ualet siccitati & calori febriũ. sitĩ reprimit. cõfortat & cõstipat.

Syrupus uiolatus eodẽ mõ fit. qui multũ ualet febricitãtibus ptisicis & cõstipatis uẽtrẽ hũectat & laxat. & ut breuiter dicã omnes illi qui fiunt de floribus. & syru. nenufarinus. ualet iste syru. cõtra acutas & pacutas. & prouocat sõpnum.

SIru. cõtra pleuresĩ & ꝑipleõiã ptisic̃ ethic̃ Re. aq̃ lr̃. iiii. & põat᷑ ibi. ℥. ʃ. uio. liqr̃. papa. al. aн̃. ℥. ʃ. sẽis citõi.

& malue mũdate. medulle ſemīs bãbac̃. medulle ſemīs citroli melonis cucumeris cucurbit. mun/datarum: ſeminis portulace dragaganti gummi arabici añ .ʒ.iii. omnia in aqua uel ſacculo bene trita ponantur.℥. & .ſ. & ſacculus in predicta aq̃ põat̃.& bulliat ad medietatẽ.& ſacculo abſtracto ab aq̃ libre.ii.zucchari apponãt̃ .& fiat ſyrup. & clarificetur ut ſupra docuimus.

SYrupus contra acutas et peracutas paſſioẽs Recipe ſucci portulace: mellis peleſtini libr̃ .i.uel cũ aqua decoctioĩs citro.melo.et cucurbite uel capillorum ueneris.herbe epatice politrici adiãci ceterac.in aq̃ iſta.uel in ſucco predicto fac bullire liquiriciam mundatã et tritam.& drag̃.uiol.añ.℥. .i.prunorum numero.v. ſẽpuiue aut cotilidon .ʒ.i. deinde colet̃ & colat̃e adde zucchari libr̃.i.& fiat ſyrup.ut diximus clarificet̃ ſecũdũ ꝗ debet uel ut ſ̃ius docuĩus.deĩde pſiliũ et ſemẽ citoĩorum añ .ʒ. .i.ĩ ſacculo mitte ſãdali al.& ru.& ſpodii berberis roſa.portul .lactuce ſcariole añ .ʒ.ſ. pulueriza.& horum puluerẽ in eodẽ ſacculo pone et ibidẽ reubar̃ pulueriẓati.ʒ.i. hec ſimul bullire facias uſque ad decoctionẽ.datur contra acutas & peracutas ſine apoſtemate cũ aq̃ frigida.

SYrupus contra oẽm fluxũ uentris. Recipe zucchari librã.i. aq̃ ro.uel plu.libr.i.&.ſ.& in aq̃ iſta ponat̃ mirtini.℥.i. roſarum ſumach acacie

balaustie spodii ypoquistidos an̄ .ʒ.mediā sorbarꝝ
mūdatarꝝ.x.nespulorꝝ uiridiū numero.v.cornarꝝ
uel prunorꝝ īmaturorꝝ.x. drag̃. liq̃r gūmi ara.an̄.
.ʒ.s.que sūt terenda terāt̃. et bulliāt ī supradicta
aqua donec ad quātitaté unius libre deueniant.
& colature pōat̃ zuccharꝝ predictū.& fiat syrup.
et clarificet̃ ut diximus.

SYrupus de papauere contra omné uentris solutioné Recipe capita papaueris recētia siue hūida numero.C.l.plātagīs balaustie gallarꝝ prunellarꝝ immaturarꝝ an̄.ʒ.i. Cōficit̃ sic oīa ista in aq̄ plu.ℨ.v.dimitte ꝑ biduū.in tertio uero die coque aquā bene usqꝫ ad cōsūptioné medietatis. postea cola ꝑ pannū fortiter.cū aūt colata fuerit admisce illi colat̃e tertiā ꝑtē mellis.& iterꝝ coque donec ad spissitudiné mellis redigat̃.& tunc cōde ī uase uitreo.et cū opus fuerit ī.ʒ.i.aque syrupi.

SPongia sōnifera Recipe opii thebaici .ʒ.i. iusqꝛmi succi more īmat̃e rubi seīs lactuce succi cicute cocōidii.i.papaueris succi mādragore succi ederearboree an̄.ʒ.i.hec oīa simul ī uase mitte.& ibi spōgiā marinā nouā q̄lis de mare exierit: ut nō tangat eā aqua dulcis. et pone ad solem in canicularibus diebus donec oīa cōsumāt̃. cūque opus fuerit aqua nimis calida illā parū fomenta. & postea naribus patiētis appōe.& cito dormiet. cum aūt excitare uolueris succum radicū feniculi

naribus apponet mox expergiſcet.

TYrupus diureticus Recipe apii petroſilini feniculi aniſi ameos dauci baucie pentafilō alexādri ſpagi bruſci peucedani meu ſcolopēdrie capilli ue. adiantī politrici ſplendilidon caparis tamariſci ſiſelei. ē fimerine gnoꝝ ſolis ſe. meloīs citrol. cucu. & cucur. cretāi ſaxifrage ſe. citri lapis q inuenitur in ſpongia marina puluis cicadarū amomi thimi camepitheos oſſa ceraſoꝝ pomorū & pſicoꝝ cardamomi yreos ſpice nardi gar̄. coſti. & nucis muſ. añ. ʒ. iii. galā. thīi epithīi filipēdula ualde bone pinpinelle ciceris nigri.

TYriaca magna Galieni. tyriaca dicit domīa medicinaꝝ. Galieni: qa ab eo cōpoſita fuit. facit contra grauiſſimas paſſiones totius humani corporis epilenticis cathalenticis appopleticis cephalargicis. ſtomaticis emigranicis. prodē ad raucedinem uocis. & cōſtrictionē pectoris. optīa eſt arteticis aſmatic̄ emothoic̄ yctericis ydropicis peripleumonicis ylioſis: & uulnera in inteſtinis habētibus. nefreticis calculoſis colericis ſubueīt. menſtrua educ̄. et fetū mortuū expellit. lepras & uariolas et frigorem piodicū & ceteras paſſiones inueteratas emendat. precipue contra oīa uenena & ſerpentū morſus et reptiliū ualet. ſed diuerſa eſt eius doſis ꝑ quātitate & q̄litate uniuſcuiuſqꝫ paſſionis que in fine ſcribitur. ōem defectionem

sēsuū releuat. cor cerebrū epar stomacū cōfortat. totū corpus incorruptū ducit & custodit. viiii. ps libr̄. ii. Recipe trociscoꝝ squilliticorum .ʒ. ii. & .℈. ii. piperis lon .ʒ. ii. trociscoꝝ tyri & diacoralli añ. ʒ. i. &. ℈. i. xilobalsami. ℈. i. & g̈. vii. opii agarici yris rose scordei seīs rape siluestris cinamōi opob. añ. ℈. i. & g̈. xiiii. reubar. cere spice costi squināti zīziber̄. cassie lignee storac̄ cala. mirre terbentine turis masculi calamenti diptami sticados pollii radic̄ pentafilon petrosilini piperis al. añ .℈. i. & g̈. vii. folii gūmi arab. acori calcanti usti serapini terre sigillate seu boli succi ypoquistidos celtice camedrei gentiane meu carpobal. amomi apii maratri carui siluestris siselei nasturcii seminis nasturcii anisi ypericon añ .℈. i. mumie castorei oppoponacis aspalti galbani centauree minoris aristol. lō. dauci siluatici añ. ℈. i. mellis dispumati quod sufficit. que terēda sūt tere. & gūmas ī uino liqūfactas cū puluere & melle cōmisce sufficiēti: uel cū speciebus teras. dat̄ in modū auellane cum tepida apopleticis scotomatic̄ cephalargicis emigraīcis ad raucedinē uocis et cōstrictionē pectoris cum melle aut dragaganto ita ut in ore teneatur. asmaticis cum decoctione lilifagi. emotoicis ex pectore & pulmonis uitio cū ptisana. ad ueteratas passiones cū apozīate ysopi. ycter icis cū decoctiōe assari. ydropicis cum oximelle uel oxizaccara.

peripleumonicis cũ iure uel decoctione marubii. iliosis cum apozimate apii. in intestinis uulnera habentibus cũ decoctiõe sumach. nefreticis calculosis & colericis cũ apozimate g̃norum solis apii siluatici uel domestici. arteticis cũ iure uel pigami decoctione. ad uenena & mẽstrua educẽda & fetus cum uino calido: uel mulsa cũ aqua ubi cocta sit menta uel ozimũ. & frigori periodico & cunctis passionibus cũ tepida.

TYriaca diatesereon. tyriaca ut dicit' domina medicinarum. diatesereõ idest de quattuor rebus dicitur. de q̄bus antiquitus conficiebat'. sed alii philosophi postea addiderñt. ualet ꝓprie toxicatis hominibus. & morsibus a canibus rabiosis aut ab aliis aĩalibus uenenosis. dat' cũ succo mẽte ad bibendũ. & super ipsũ uulnus de eadẽ inũgat'. & uenenosa super inuncta. s. bonũ ĩalanũ. quod salernitani scagiam uocant. quartanariis et uere quotidiane data cũ decoctiõe pigami uel gẽtiane subuenit. x. ps est libr̃. ii. Recipe mirre aristo. ro. gentiane baccaꝝ lauri excorticataꝝ añ. ℥. i. &. ℈. ii. minus g̃. xi. fenugreci nigelle zedoarie añ. ʒ. i. & . ℈. ii. diptami camedrei pigami. ʒ. i. &. ℈. ii. & g̃. . vii. gummi edere calcãti usti añ. ʒ. i. esdre magne. . ʒ. i. ossis de corde cerui mumie antefarmaci añ. ʒ. . i. cornu cerui usti. ʒ. iii. mel quod sufficit. datur ĩ modũ auellane.

35

TRifera saracenica.i.iuuenilis iuuenē hoīem
reddit.saracenica quia a saracenis inuenta.
dat᷑ proprie yctericis epaticis et paciētibus dolorē
capitis ex fūositate colere rubee.d it᷑ cōtra duplicē
tertianam.& restaurat uisum āmissū ex calore.&
colorē perditū ad pristinum reuocat. datur mane
cum tepida.viii.ps libr̄.i. Recipe zucchari.ʒ.iii.
mirabol.citri.corticē medulle cassief.& tamarīdoꝝ
an̄.ʒ.i.&.ʃ.kedulorum mundatoꝝ manne an̄ .ʒ.
.vi. et.϶.ii.& g̃.v.indi.uiola. recentium si possūt
īueniri an̄.ʒ.ʃ.ani.maratri an̄ .ʒ.ii.& g̃.xv.masticē
macē an̄.ʒ i. & g̃.vii.&.ʃ. bellirici emblici an̄.ʒ.ʃ.
& g̃.iiii.Conficit᷑ sic in duabus libr̄ aque ponant᷑
.ʒ.iii.uiola.recentium si poterunt inueniri:si non
siccaꝝ.et bulliāt donec deueīat aqua ad purpureū
colorē & uiole sīt remisse. postea leuiter expressū
coletur.de colatura illa ps accipiatur . & cassief.
& tamarindoꝝ per caciā abluāt᷑.& colent᷑ per eādē
in alia aqua libr̄.i.& .ʒ.viii. zucchari īmittantur.
& super ignē ponant᷑.& ad spissitudinē bulliat.&
& cum inceperit inspissari : addat᷑ colata casief.
& tamarīdoꝝ. postea māna.cū uolueris scire utꝝ
sit coctū pōat᷑ gutta sup marmor.& si quasi mel
colligitur coctū erit. tunc ab igne deponatur . &
cū infrigidatū erit:puluis supradictaꝝ specierum
apponatur: semp cum spatula agitando donec
īcorporet᷑. ad ultimū supradictum zucchaꝝ bene

puluerizatũ mitte. datᷣ in modum castanee: si sit distẽperãtia caloris cũ frigida: si sit ex abũdãtia frigidi hũoris cũ calida.

TRifera magna dicitᷣ: quia magnã utilitatem & fructum mulieribus confert. datur contra dolorẽ stomaci uiroꝝ & mulieꝝ cũ aqua in qua cocta sint semina feniculi anisi & mastic̃. datur contra uitiũ matricis ex frigiditate. si distempata bibatᷣ cũ uino in quo cocta sit artemisia. prouocat etiã mẽstrua si fiat cũ artemisia bene trita & oleo muscelino cõmixta. pessariũ ex bombace factum si fuerit ex ea inunctũ & ĩ uuluã mulieris ĩmissũ menstrua ꝓuocat mulieri non concipienti. si detᷣ cũ uino in quo cocta sit mandragora uel sãbucus miro mõ ꝓdest pueris q nõ possũt dormire. & in nocte nimis garriũt distẽperata cũ lacte mulieris in modũ ciceris: & bibita prodest. viii. ps librᷣ. i. Recipe opii. ʒ. ii. cinamomi garᷣ. galange spice zedoare zinziberᷣ. costi storac̃ cala. calami aromatici ciperi yris peucedani acori mãdragore celtice rose piperis anisi apii petroselini macedonici dauci iusqãi feĩculi ozimi cimĩi añ. ʒ. i. mellis quod sufficit. datᷣ in modũ castanee: ut supra diximus.

PRionfilon dicitᷣ a uiridibus foliis rute que in eo ponuntᷣ. ualet proprie quartanariis & uere quotidiane. in hyeme et uere post prandiũ: ĩ sero cũ uino. iiii. librᷣ. i. Recipe piperis albi quod

36

ĩter nigrũ ĩuenit̃.℥.i.piperis nigri.℥.ii.cimini assi .℥.i.zinziber̃.nitri piretri an̄ .ʒ.ii.piperis lon.ʒ.ss. petroselini ameos dauci anisi ebepnu. spice api apii siselei costi an̄.ʒ ss.gar̃.ʒ.i.& g̃.v.&.ss.dactilo/ rũ mũdato℞ numero .xii. folio℞ rute uiridis.℥.i. &.ss.mel quod sufficit.dat̃ ut supra diximus.

TRiasandali dicit̃ a tribus generibus sãdalo℞ que ibi intrant.dat̃ proprie contra calorem epatis & stomaci ptisicis yctericis.medietas ẽ libr̃. .ii. Recipe sandal. al. & ru.& citri rose zucchari an̄.solidos duos reubar̃.spodii succi liquir̃.semĩs portulace an̄.solidũ.i.&.ss.amili gũmi ara. drag̃. se.melo. citrol.cucu.& cucurb.se.scariole an̄.sol. .i.cãphore .℈.i.&.ss.alii quadruplicant põdus ro. syrupi ro.quod sufficit , dat̃ mane & meridie in modũ castanee cũ frigida.

THeodoriton yperiston.thedoriton dicitur a deo datũ.yperistõ.i.bene exptũ ĩterpretat̃. facit enĩ contra emigraneũ doloré & uertiginem capitis.& contra fluxũ flegmatis quod ĩ faucibus & gutture decurrit. Vnde fit homo quãdoq; sine uoce.ualet etiã spleneticis sine febre.coloré bonũ facit si sĩplex det̃.sed si pr̃gationé facere uolueris adhibeas.℈.ii.scamonee et fortius opabit̃.xii. ps libr̃.ii. Recipe aloes epatici.ʒ.iii.& g̃.iii.et tertiã parté unius g̃ni cĩnamõi camedrei acori an̄ .ʒ.iii. croci casie lignee reupõtic̃ an̄.ʒ.ii.& g̃.xvi.agarici

.ʒ.ii.&.ſ.nardi coſti maſticis aſari ſilfii ſqlle aſſe armoniac.bdelii electuarii indi ypericō epithimi polipodii braſice ſucci piperis al.& lon.añ.ʒ.i.& .ſ.ſquinanti zinziber̃ ſmirne mirabo. coloquīti-de ſerapini ſmirne oppoponacis caſtorei abſīthii ariſtologie lon. petroſelini gentiane amomi añ. .℈.ii. diagridi pipis nigri añ.℈.i. mel quod ſuffi-cit.dat̃ mane & ſero cū uino calido.ʒ.iii.

THeodoriton anacardinū ab anacardis dicit̃: qui ibi reperiunt̃.datū mirabiliter mēoriā reparat.uertiginē capitis & maxime poſteriori pte aufert.flegma quod ibi eſt purgat.cauſis matricis mirabiliter confert.ſi eam purgare uolueris .viii. ps confcā ē libr̃.ii. Recipe aloes epatici.℥.i.yrei caſie añ.ʒ.vii.muſ.g̃.xvii.zīzibēr añcardi carpob. añ.ʒ.iiii.&.ſ.folii ſpice mirab.corticē meu epithii añ ʒ.iii.& .℈.i.gar̃.reuponticē maſticis ſquinanti añ.ʒ.i.& g̃.iii.mel quod ſufficit conficit̃ ſic:Accē. corticē radicē feniculi bene triti & abluti librā .i. & pone in duabus libris aceti.& ſtet ibi per .vii. & poſtea tere ipſas radices. & in eodem aceto coque uſq; ad tertiā partē.et cū omni diligentia cola p pannū.et pōe in duabus libris mellis diſpumati. & bulliat uſq; ad aceti conſumptionem cum tali melle confice.ſupradicte aūt radices colligantur ī maio uel iulio:quia ante hoc tpūs humide ſunt: et poſt hoc ſicce ſunt. doſis ē.ʒ.i.uel.ii.cū mulſa

37

ualet.

CRocisci diarodon idest rotunda confectio. trocisci isti in diamargariton intrant. & in diarodon. v. ps est. ʒ. x. & g̃. xii. Recipe c̃c. ℈. ii. & g̃. vii. cāphore g̃. xii. rosaꝝ uiridiū. ʒ. iiii. spodii. ʒ. ii. sandali ru. ʒ. i. s. g̃. vii. sandali al. ʒ. i. & g̃. xii. Conficit̃ sic in marmorea pila recentes rose sine ītermissiōe terant̃. deinde ceterarū subtilissimus puluis specieꝝ suppōat̃. et cū sufficienti rodosto-mate cōficiat̃. ad ultimū adhibeat̃ cāphora. deīde trocisci īformēt̃. et ad ūbrā exsiccēt̃. & usui seruēt̃.

CRocisci diani dicunt̃ a uiolis albis. tertia ps est. vi. ʒ. &. s. Recipe folioꝝ uiolarū albaꝝ uiridiū. ʒ. v. seīs plantaginis. ʒ. i. amili. ʒ. iii. semīs papaueris al. ʒ. ii. &. ℈. i. balsāi. ℈. i. reubarba. ℈. i. rodostomate quod sufficit: confice ad modum precedentiū trociscoꝝ.

CRrocisci ydiocri qa ī rubea & sotira ītrāt. vi. ps ē. ʒ. vi. Recipe amōi cerefolii mirre casie añ. ʒ. s. spice. ℈. i. opobalsami costi squinanti calami aro. xilobalsami asari fu. añ. g̃. vii. mastic̃ maratri añ g̃. x. amarici g̃. v. uini ascalonis quod sufficit. hec omnia tere et cum uino illo trociscos informa. et cū fumo storacis sicca.

CRocisci croci magnetis intrant in rubeā & sotiram Recipe. c̃c. ʒ. iii. ros. ameos mirre añ. ʒ. i. &. s. xiloaloes. ℈. ii. informentur cū aqua

rosata.

CRocisci squillitici sic fiunt. squillã integrã diuide. & inuolue in pasta fermentata. & in furno coque. abstracta de massa et eiectis corticibus eius mediũ tere ĩ mortario. & tantũdẽ farine orobi adde. & inde trociscos informa. & cũ uino aut melle tempera. et in umbra sicca. & si deest orobum tãtundẽ panis assi subtilissime triti põe. exinde trociscos informa. & ĩ loco umbroso sicca.

PRocisci diacoralli. Recipe coralli ru. cĩamõi mirre amomi papaueris añ. ʒ. iiii. squinanti croci añ: ʒ. ii. calami aro. xilobal. casie lignee folii masticis polii. fu. asari pes colũbini añ. ʒ. i. de his omnibus facto puluere cum uino tempera & trociscos pensantes solidos singulos informa. & in umbra sicca.

CRocisci de aniso ualẽtes patis ad ydropisĩ. Recipe ani. eupatorii añ. ʒ. iii. apii absĩthii masticis anisi aneti asari spice amigdal. amararũ añ. ʒ. i. aloes epatici. ʒ. iiii. & . ʃ. informa trociscos ad pondus ʒ. i.

CRocisci de tyro qui in magna tyriaca. Gal. recipiunt: sic fiũt Inuenias tyros ĩ lõgitudĩe unius palmi existẽtes: oculos habentes ru. & lĩguã mobilẽ & cornua in modũ grani frumenti. caput & caudã tribus digitis mẽsuratis abscinde. mediũ quod remanet excoria. & ĩtestinis proiectis optĩe

38

dulci aq̄ laua. & ſic coque donec ſpine a carnibus ſeperēt̃. poſtea ſpinis proiectis carnē ī marmoreo mortario ſatis tere. & cōmixta eiuſdem ponderis farina orobi uel panis aſſi cū iure ſuo tempera. & fac inde trociſcos penſantes ſigulos ſolidos. & in umbra ſicca.

VOmitus noſter dicit̃ a uomendo: eo ꝙ frīos & calidos purgat humores : noſter : quia a nobis compoſitus eſt. purgat proprie coleram ru. & flegma. datur quotidiane uere & tertiane nocte in modum caſtanee cū calida. detur etiā delicatis hominibus cū ſyrupo acetoſo diſtemperato. & p noctē ſub diuo ponat̃. in mane iterum cum aqua calida diſtemperet̃. & coletur per pannum ut tota ſubſtātia remaēat. ſedat uerā tertianā. debilitatē et nauſeā a ſuperfluis et acutis humoribus factā aufert. Recipe tapſie panormitāe uel aragonēſis collecte in mēſe maii ſiue iulii. ℨ. iii. croci affricāi. ʒ. i. ſ. nuē uoīce. ℨ. ſ. aſari. ℨ. i. Confice ſic: ī duabus libris mellis diſpumati adde. ℨ. iiii. ſucci aſari. & bulliat ad ſucci conſumptionē. & ſi ſuccū habere uolueris pone tapſie aſari an̄. ℨ. ii. & . ſ. & dimidiā cataputiarum. & totū depone in aqua marina. et bulliat uſq; ad medietatem. & aqua ponat̃ ī libr̃. ii. mellis diſpumati. et coque uſq; ad aque conſumptionē. & cum tali melle confice. detur mane in modum caſtanee cum tepida: uel oxicera duris

hoībus cū tota substātia: debilibus colat' tantū.

VOmitus patriarche. Recipe tapsie libr.i. croci affricani .ʒ.iiii. cinamōi asari añ.ʒ.ii. catapucie.ʒ.ii. mel quod sufficit. det' cum tepida ante accessionem.

VOmitus ualens tertianariis & quartanariis. sed maxime cōpetit quotidianariis. Recipe tapsie.ʒ.iiii. assari baccar' .ʒ.i. cīamōi.ʒ.i. croci ortulāi .ʒ.i. seīs atriplicis.ʒ.ſ.mel quod sufficit. dat' ī modum castanee cum calida.

VNguentum marciaton magnū a Martiato peritissimo medico dicit' a quo fuit īuētū. quod facit ad dolorē & frītatē capitis & pectoris & stomaci. & ad selirosī splenis & epatis: & ad ilii dolorem ad solem uel ad ignē īunctū statim subueīt. paraliticis sciaticis nefretic̄ podagric̄ ꝓdest. tumores reprimit. & cōtra omnes dolores medet' potēter .iiii. ps ē libr.viiii. Recipe cere al. libr.ii. olei libr .viii. roris marini folioꝝ lauri añ .ʒ.viii. rute .ʒ.vii. amarici .ʒ.vi. elbrii sauine balsamite lilifagi ozimi polii calamenti artemisie enule betonice brāce ursine spergule herbe uēti pīpinelle agrimonie absinthii herbe paralisis herbe sancte marie cimaꝝ sambuci grassule millefolii sēpuiue camedrei centauree fragarie quinqꝫ folii herba tetrait. añ.ʒ.iiii.&.ſ.euisci.radic̄. cimīi mirte añ. .ʒ.iiii. fenugreci .ʒ.i.&.ſ.butiri .ʒ.i.&.ʒ.ii. urtice

39

uiola. papaueris ni. mente saracenice. & alie mēte politrici lapaceoli cardūcelli matris silu emature herbe muscate alleluia lingue ceruine crispule cā phore storacis medulle ceruine añ .ʒ. &. s. adipis ursini gallinacei masticis añ .ʒ. i. thuris .ʒ. s. olei nardini. ʒ. ii. herbe colligantur in medietate mēsis maii. uno die ōes herbe iste colligātur uel duobus si potest ab hora tertia usq; ad meridiem. Cōficit sic: herbas tritas diebus. vii. ī optimo & odorifero uino infunde. octauo uero die ad lentum ignem ponantur. & cū uinū aliquātulū cōsumari: addat supradictū oleū. & bulliāt dōec īcipiāt diminui. deinde studiose colentur. et proiectis herbis iterū super ignem ponantur. & cum inceperit bullire pōe storacē. & cum modicū bullierit pōe butirū & assūgiā aliquantulū tonsā. & oleum nardinū masticē & olibanum: & postea ceram. & cū cera liquefacta fuerit semp cum spatula agitando ab igne deponatur. & cum coagulatū fuerit in uase reserua.

VNguētum aragon. aragon idest adiutoriū. ualet ad dolorem ex frigiditate uiri & mulieris tali modo inunctum: in testa oui primum calefac ad ignē. deinde superinungatur. & postea testa calida superponatur loco patienti. ualet ad spasmū & teranū. & ad dolorē ilii & renum tali ordīe: ut supra diximus. arteticis & sciatīc multū

prodest. quartanariis si spina inungatur āte horā accessionis ut dictū est mirifice prodest .iiii. ps ē li. vi. Recipe rorismarīi maiorāe radiċ iariserpilli rute radiċ siccid. añ. ℥. iii. &. ʃ. folioꝝ lauri saluie sauie añ. ℥. iii. policarie maioris & mi. ℥. ix. brionie. ℥. iii. laureole. ℥. ix. nepite libr̄. ʃ. mastiċ olibāi añ. ℥. vii. piretri euforbii zinziber̄. piperis añ. ℥. i. olei muscellīi. ℥. ʃ. petrolei. ℥. i. adipis ursini olei laurīi añ. ℥. iii. butiri. ℥. iiii. olei cōis libr̄. v. cere li. i. herbaꝝ radiċ hora supradicta colligātur omnes herbe uno uel duobus diebus ut dictū ē supius fortiter contusis ponātur in oleo. p. vii. die. octauo autem die super ignē ponātur & coquantur dōec herbe destruantur. postea per saccum fortiter colentur. & iterū super ignē ponant̄. & cum bullire incepit addatur oleū laurinū butirū adeps ursinus & cera q̄ liquefacta adde petroleū & muscelinū. postea masticē & olibanum zinziber̄. piperis et piretri euforbii. & tunc ab igne deponat̄ et recondat̄.

VNguentū agrippa: quo Agrippa rex iudeoꝝ utebat̄. quod tāte dignitatis erat ꝙ nemini discipulorum tradere uolebat. ualet ydropicis et ōibus tūoribus in quacūq; parte corporis fuerit: et ad neruos indignatos. urinā prouocat. inunctū super uentrem laxat. et dolori renū ex frigida cā optīe facit. iiii. ps est libr̄. v. Recipe brionie libr̄. .ii. radiċ ebuli tribuli marini añ. ℥. ii. radiċ siccid.

libr̃ .i. squille .ʒ.vi. yreos .ʒ.iii. radic̃. filicis.ʒ.ii. ões radices ter uel quater bene abluantur . & in pilo marmoreo terantur . & in quatuor libr̃ olei lentisci ponantur per duos dies .sed si per.vi.uel p.vii.dimittatur plus ualet:quia calorẽ & odorẽ sibi & efficaciam uẽdicat.tertio uero uelut dictũ est ad ignem ponatur . & tamdiu bulliat donec incipiat dimitti . deĩde ponatur in sacco et exprimendo coletur. & cum colatum fuerit super ignẽ ponatur. & cum bullire ĩceperit ponãtur.ʒ.v.cere albissime:& liquefacta cera ab igne deponatur.& cũ frigidatũ fuerit collige & serua.

VNguẽtum dialtea malastic̃. & calaustico. dialtea a radice euisci dicitur . malasticon .i. mollificatum : calasticon idest calefactorium. medietas est libr̃ .iiii. Recipe radic̃ euisci. libr̃. .ii.seminis lini & fenugreci añ.libr̃.i.squille libr̃. .ʃ. olei libr̃.iiii. cere libr̃.i.terbẽtine gummi edere galbãi añ.ʒ.ii. colofoĩe resine añ.libr̃.ʃ.nota ꝙ si ista non ponãtur.s.actis et cidamĩs ualet ad consolidationem uulnerũ ; & quidam addũt butirꝝ. omnes herbe et radices bene abluantur et terant̃. similiter lini se.fenugreci et squilla.et cum bene trita fuerint ponãt̃ in.vii.libr̃. aque per tres dies. quarto autem die ponatur super ignem.et bulliãt donec inspissari.deinde paulatim in sacco ponat̃ et cum exprimere uolueris addatur aliquantulũ

feruẽtis aque ad abſtractiõẽ illius ſucci uiſcoſi. de ſucco iſto accipiãt' libr̃.ii.& põãt' ĩ quatuor libr̃. olei.& bulliant ad ſucci cõſũptionẽ: quod erit cũ nihil ſucci ſupnatauerit.poſtea addat' libr̃.i.cere. & cũ liqueſca fuerit addat' terbẽtina poſtea gũmi edere cõtuſi galbani.& ad ultimũ põatur puluis colofonie reſine.& cũ coctũ fuerit quod erit tunc cũ gutta poita ſup marmor ĩſpiſſabit': depõat' ab igne.& cũ colatũ fuerit: & ĩfrigidatũ diligenter repone. ualet ꝓprie ad dolorẽ pectoris ex fr̃iditate. & pleureſĩ prius in teſta oui calefactũ ad ignẽ: & ſuper pectus ĩũctũ ſanat. õia loca ĩfr̃ata: & deſiccata calefac: mollificat: & humectat.

VNguẽtũ citrinũ: Citrinũ dr̃ qa ĩ pomo citrĩo decoqt'.pulcram reddit faciẽ.lẽtigines de facie tollit nigrediẽ a ſole ĩductã deſtruit.& puſtulas ĩ quacũq; pte corporis ortas ſalſi flẽmatis mirabiliter deſtruit: & aufert.cicatricẽ ĩ corpore ſubtiliat. leꝓſi faciẽ ſi ex eo ungat' multum emũdat.rubori oculoꝝ: pruritui: & pallori: & eriſipile ualet. medietas ẽ libr̃.iii. Rec.borac.ʒ.ii.cãphore.ʒ.i.coralli al.ʒ.ſ.amĩti dulcis.℥.i.umbellici marini dragg. albi amidi criſtalli antali dẽtali olibani albi nitri añ.ʒ.iii marmoris al.ʒ.ii.gerſe ſerpẽtarie.℥.i.ceruſe cõũis.℥.vi.hoc mõ fit. Tere drag.& umbellicos marinos ĩ mortario marmoreo cũ piſtello ferreo ĩſimul.cetera ſigillatĩ ĩ eodẽ mortario terant'. &

41

cũ pãno ſubtili albo cribẽť.& cũ aſſũgia porcina.
nouella albiſſĩa.libř.i.&.ʃ.ſepi pecorini:uel caprĩi
.ʒ.i.et.ʃ.aſſũgie gallinacee.ʒ.i. Cõfice ſic:caldariũ
plenũ aqua ſup ignẽ bulliat.& cacabus cũ aſſũgiis
ĩ caldario pẽdeat ĩ ipſa aqua.& de calore aque liq'
fiãt aſſungie . & liqueſcẽ p ſubtilẽ pãnũ & album
colẽť ĩ catinũ.& mox totus puluis apponať.preter
cãphorã: & boracẽ cũ ſpatula ſẽp agitãdo : ut oĩũ
bõa fiat ĩcorporatõ.hoc fc̃o ĩ uno citro cauato uel
duobus mittať.& põať:& cũ ſpatula ſẽp agitãdo
bulliãt.& cũ ĩcepit bullire.iteꝝ ĩ caldario põatur.
& cũ ſpatula ſẽp agitãdo puluis cãphore:& borac̃.
donec ĩcipiat frigere agiteť ſẽp . & cũ infrigidatũ
fuerit recõdať.Et nota ꝙ ĩ libř.i.pulueris debẽt põi
.viii.libř.aſſũgie.

VNguentũ albũ ad ſalſũ flẽma libř.i. Rec.
Ceruſe.ʒ.ii.litargiri.ʒ.i.olibãi.ʒ.iii. maſtic̃.
.ʒ.ii.unaq̃q; ſpẽs p ſe terať hoc mõ: puluis ceruſe
cũ pauco oleo diu tẽpeť . & poſtea addať litargiꝝ.
deĩde maſtix:& olibãũ cũ piſtello bñ ſẽp agitãdo
paulatĩ aqua ro.põať. & cũ ĩcepit ĩſpiſſari: addať
oleũ:& aqua ro.& tãdiu ducať donec ſit bene in-
corporatum.et recõdať:et non ſit ſpiſſũ multum
neque tenue.

VNguentũ fuſcũ.i.nigrũ.ualet ad õe uulnus.
nã ſup uulnus poitũ attrahit.et attrahendo
mũdificat.deĩde ſanat.medietas ẽ libř.iii. Rec.

olei libr̃.i.et.ſ.cere.℥.iiii.colofonie.ʒ.ii.gũmi ſera-
pini picis naual.colate añ.ʒ.iii.maſtic̃.galbani
terbẽtine añ.ʒ.i.Cõfice ſic:oleũ in olla ſup ignem
mittat̃ et bulliat:tũc apponat̃ cera.deĩde colofõia:
qua liquefc̃a ponat̃ pix naualis:poſtea gũmi ſera-
pini et terbentine:ita tñ ut õia terant̃ prius preter
picẽ naualẽ.terbẽtina puluis maſtic̃.et olibani . et
cũ ſpatula agitãdo ſẽp donec õia liquefiãt et bñ
coctũ ſit.deĩde cũ ĩfrigidatũ fuerit uſui reſeruet̃.

VNguẽtũ populeon dr̃ qa fit de oculis popu-
li.ualet cõtra calorem acute febris.et his qui
dormire nequeũt ĩũctis tẽporibus et pulſibus: et
plantis manuum et pedũ.hoc idẽ cũ oleo ro. uel
uiol. mixtis et ſup epar ĩunctũ mirabiliter calorẽ
tollit.et ſudorẽ ꝓuocat ĩ ũctũ ſuper ũbiculũ.me-
dietas ẽ libr̃.ii. Rec. oculoꝝ populi libr̃.i.et.ſ.
papaueris ru. foliorũ mãdragore cimarũ rubi te-
nerrimaꝝ folioꝝ iuſqami ſolatri uermicularis la-
ctuce ſẽpuiue bardẽe uiole ſcatunceli.i.umbellici
uẽeris añ.℥.iii. aſſũgie nouelle porcĩe ſĩe ſale libr̃.
ii.oculorũ populi perſe bñ piſtẽt̃. et iteꝝ cũ aſſũ-
gia piſtẽtur:ĩ magdaleões ĩformẽtur:per duos dies
dimittãtur.tertio uero die ões herbe ſupradc̃e col-
ligãtur.et p ſe bñ terãt̃.et cũ magdaleonibus iteꝝ
terãt̃:et miſceãt̃.et formatis magdaleõnibus p.ix.
dies reſeruẽt̃.et poſtea uero magdaleões illi fruſta-
tĩ ĩ caldario cũ libr̃.i.odoriferi et optĩi uini põãt̃.

42

et bulliāt usq; ad cōsūptionē uini cū spatula sēp agitādo. & postea per saccū expressū bñ cola. et colatū dimitte īfrigidari. et in uase reconde.

VNguētū ad mollificādū splenē. Rec. fenugreci sēinis lini caricaꝝ tamarici farine ordei aceti olei et cere al. ōia ista tribus diebus stent ad mollificādum et postea coquāť usq; ad cōsūptiōē aceti. et postea colentur: et reseruētur. et ex eis fiat unguentum.

VNguētū laxatiuum dr̃ qa uētrē laxat. cū aūt uolueris īungere post unctionē abstineat. vi. horis. ualet ēt cōstipatis: et lapidosis nefretic. sup pectinē: et uentrē īūctū. medietas ē libr̃. iii. Rec. succi cucurbi. agre. succi īteriōris sqlle succi ciclāīs succi radi. anabule succi radic. ebuli succi mediani cortic sābuci lactis titiālli cāōille. añ. ℥. ii. uiol. succi radicis cucu. agrestis: et succi pomi eiusdē. & succi mercurilial. et succi radic. polipodii succi herbe laureole succi capilloꝝ ueneris catapucie añ. ℥. ii. diagridii añ. ℥. i. & ʒ. nūc uomitis. i. castāeole īdice. ℥. i. euforbii. ℥. i. ōes supradcē herbe & radices in mēse madii colligāť. Cōficiť sic: succos & cataputias tritas cū tribus libr̃. olei. vi. diebus. vii. uero die tādiu coque donec succoꝝ q̄titas cōsūeť. tūc adde cere albe libr̃. i. cū felle taurino. & cū spatula agitādo donec cera & fel liquefiant. & postea addatur puluis terendorum.

VNguētū cōtra serpiginē:& impetiginē : atq; elefātiā. Rec.aloes litargiri arsenič. argēti uiui tartari mastič.olibani cimini picule assungie ueteris.que sūt terenda tere.& tēpera cū aceto & oleo & succo lapaceoli & succo fūiterre quod suffi-cit. & postea iungat ad solem uel ad ignem.

YEralogodion mēphytū.yera.i.sacra logos.i. sermo mēphytū.i.impeditio. curat eni īpe-ditam locutionem ex quacūq; cā.sīplex uel laxati-uū datū purgat melēconiā & flegma mirabiliter cū calida dat.epilentič cum calido sale & mulsa: curat stomaticos & spumātes caducos uertigino-sos & q linguā sibi mordēt.cephalargič. emignič. & qui ita uexāt ex capitis cōmotiōibus ut uideāt q̄i demonium hr̄e. singulis mensibus ut diximus data purgatione palitič.tremulosis medet.pleure-tič. epatič. splenetič. subuenit. & mestrua educ. nefreticos siaticos & arteticos alleuiat.lepras et hernias & uarias maculas emendat.x. ps est.libr. Rec.coloqntide iterioris polipodii añ.℥.ii.eufor-bii.polii cocōidii.añ.ʒ.i.&.ʃ.& ğ.vi.absīthii mirre añ.℥.i.&.ğ.xii.centauree agarici armoniaci timia-matis folii spice sqlle diagridii añ.ʒ.i.aloes thimi cimarū ru.casie camedrei bdelii prassii añ.ʒ.i. & ğ.xiiii. cinamomi opopanac.castorei aristologie lō.pipis al.& ni.& lō.čč.serapīi petrosellini.añ.ʒ. .ʃ.ellī.al.&.ni.añ.ğ.vi.mel quod suffič.dat māe.

43

ſero cũ calida in modum caſtanee.

Yera Rufini. Yera ut dixĩus: Rufĩi ab auctore dr̃. dat̃ ꝓprie ſcabioſis ex flãte ſalſo elefãtioſis ſerpiginoſis. curat utranq; morpheã cũ tepida deſtruit antiquã cephalicã & emigraneã: & monopagiã dolorẽ capitis uel ſtõatic. epilentic. catalentic. & eos qui ex fumo ſtomaci extenebreſcunt ita ut ſubitaneum timorẽ uiderẽt. uel ex uentoſitate ſtomaci tĩnitum auriũ patiũt̃: ut ĩfurias uertant̃. depoĩt̃ cacocimia ſtomaci epatis & ſplenis elefãtic. & podagricis cõfert auxiliũ: & meſtrua educit. ſed ſi purgationem iñ facere uolueris cũ. ℈. i. ſcamonee fiat. xii. eſt. libr̃. ii. Rec. aloes. ℥. i. ellĩ al. & ni. añ. ℥. ſ. diagridii colloqntide ĩterioris añ. ʒ. iii: nitri euforbii polipodii ſal. armoniaci. añ. ʒ. ii. & . g̃. xv. pipis camedrei. c̃c. agaric. maſtic. epithimi añ. ʒ. i. &. ſ. caſie lignee xilobalſami opopanac. git. añ. ℈. ii. &. ſ. mirre. g̃. xv. mel. quod ſufficit dat̃ in ſero cũ calida in modum caſtanee.

Yerapigra. G. Yera. i. ſacra pigra. i. amara que facit ad diuerſas capitis paſſiones. ſiue egritudines aurium oculorũ diſtẽpantiã. ſtomacum quoq; optĩe purgat. cãs epĩs emendat ſplenis durities & diuerſitatem remouet & extenuat. renibus & ueſice ꝓficit. & matric diſtẽpãtiã emundat. x. ps eſt libr̃. i. Rec. cĩnamõi ſpice. c̃c. ſqnanti aſari xilocaſie xilobalſami carpobalſãi uiole abſinthii

agarici ro. turbit. coloqntide masticis añ. ℈. ii. aloes ad põdus õium: spẽℝ. x. ʒ. &. ℈. ii. mel quod suffić. dosis eius. ʒ. iii. cum abstinentia mane cum calida Si uero pilulas ĩformes. da. xv. aut. xvii. cum sufficienti diagridio.

G Erapigra Constantini dicta ẽ ab auctore Cõstãtino q eã cõposuit. ualet ad uisũ recupandũ: & retinẽdum. tota uenit librã. i. et. s. Rec. mirabol. Kbuli indi citrini uiolarũ absinthii añ. ʒ. iiii. bellirici emblici casie fistule epithimi agarici sene cuscute sqnanti reubarbari añ ʒ. ii. xilocasie spice anisi masticis xiloaloes sal. gẽme nitri añ. ʒ. i. mel quod sufficit. detur ĩ sero cũ uino calido.

GErapigra abbatis de curia flã et melenconiã purgat. et ad guttã que sit de frigido & sicco humore unde mẽbra uident̃ cõtracta ualet paraliticis. dat̃ cũ tepida uel uino. medietas ẽ librã. i. Rec. agarici coloqntide turbit epithĩi cuscute añ. ℈. ii. et. g̃. v. sqnãti carpobal. xiloaloes xilocasie croci asari cĩnamõi masticis rose uiol. absinti reu pontici folii lapis lazuli añ. ʒ. ii. diagridii. ʒ. i. & . s. aloes epatić. ʒ. iiii. et. s. mel quod sufficit. Si uero pilulas inde facere uolueris tempa cũ succo absinthii. et da. viiii. uel. xi.

GEra fortissĩi Galieni. facit cephalargicis scotomaticis epilempticis melenconicis apopleticis paraliticis maniacis alopithiacis litargicis

& qui ĩ sõno meditant̃ mortem ad auriũ auditus oculoꝝ passionibus fauces & arterias facit. dentiũ dolorẽ sedat. uocẽ clarã facit. asmaticos orthõoicos & lõgĩquas egritudĩes sanat. pleureticis ydropicis yctericis epaticis & spleneticis ꝓdest artheticum colič. ciliač. desinterič. medet̃ nefreticis: & sciatič. releuat flãmaticũ quartanarios. & emitriteos ad/iuuat. febres õnes auertit. elẽfãtiosos purgat. uẽeĩs obsistit. & cãcrosis ꝑficit uitia enĩ mulieris emẽ/dat. Rec. coloqn. ĩqlle agarici armõiaci ellebori nigri selphii ypicon añ. ℥. v. epithimi bdelii cãedrei basilicon succi casie. añ. ℥. iiii. smirnis sagap. ari/stologie lõge pipis albi & longi cĩnãi opopõacis castorei añ. ℥. iii. & . ʃ. petroselini absĩthii pipis ni. añ. ℥. ii. aloes. ℥. i. & . ʃ. mel quod sufficit. det̃ ex ea . ʒ. ii. uel. iii. mane cum calida.

Zinz ber conditũ sic fit. Rec. yringoꝝ q hñt folia ad mõũ cretãi marii: quod saracẽi seca/cul uocãt. bñ radãt̃ cũ cultello. postea coquãt̃ ĩ aq̃ donec dimittant se strĩgi manibus. postea abstra/hant̃ ab aqua. & a lignis que sũt ĩterius mũdent̃. & cũ cultello frustatim ĩcidant̃. & ĩ mortario mar/moreo bñ pistent̃. & cum manibus exprimant̃: ut aqua iñ exeat. põderent̃ libr̃. iii. & ponant̃ in libr̃. . x. mellis dispumati. et albissimi. et coquãt̃ donec incipiãt rubere. et addat̃ libr̃. ʃ. zĩzi. frustatĩ ĩcisi. et dimitte bullire tam diu ꝙ adhereat digito in

marmore ſuppoĩto. poſtea tolle ab igne. et impõe
puluerẽ iſtaꝝ ſpẽꝝ. Rec. zizi. ℥. iii. galange gar̃.
cĩnamõi nuc̃. muſcate cardamõi an̄. ℥. ſ. pinearum
mundataꝝ. ℥. iii. et piſtaceaꝝ. ℥. iiii. zedoarie. ℥. i.
&. ſ. dactiloꝝ. ℥. iiii. & cũ õibus iſtis cõdiat̃. ſtõacũ
confortat. digeſtiuã uirtutẽ adiuuat. uitio pecto-
ris ex fr̃itate ualet. renes cõfortat. libidinẽ ĩcitat.

ET qa ſufficiẽt̃ de diſpẽſatiõe õiũ cõfectiõũ
emplaſtroꝝ: atq; unguẽtorũ diximus: nc̃ ui-
dẽdũ ẽ de ſpeciebus: & herbis ſecũdũ ꝓpriũ põdus
& menſuras: quod ad oĩũ ſupradc̃aꝝ tã opiatarũ
q̃ laxatiuaꝝ medicinarũ: & electuarioꝝ receptione
ptinet. pondera igit̃ uel menſure que in arte medi-
cinali repiũt̃: hec ſũt que ſubtili ĩgẽio ac ſolerti
ſtudio ſũma ordĩauimus diligẽtia adopus õiũ in
arte medicĩali ſtudere: uolẽtiũ ꝑ quod põderari ões
ſupradc̃e res ab uno. ℈. uſq; ad lib̃r. xii. unciaꝝ per
g̃na frumẽti collecta. Incipiẽdũ eſt igit̃ a ſcropulo.
Scropulus ẽ pondus. xx. g̃. duo ſcropuli ſũt. g̃. xl.
tres ſcropuli ſũt. g̃. lx. q ſiul collecti faciũt. ʒ. i. exa-
giũ habet. g̃. noagĩta: que faciũt. ʒ. i. & dĩidiã. ſed
ex totidem granis cõſtat ſolidũ. uñ exagia ſex uel
ſolidi ſex faciũt. dragma. i. Itẽ. viiii. ʒ. faciunt. ℥. i.
centum & octo. drãme. faciunt libram. i. Quarta
ps lib̃r. ẽ mille &. lxxx. g̃. Item medicinale ſex-
tariũ uini uel olei ſeu aceti quod intrat ĩ unguẽtis
ſeu medicinis ẽ põdus lib̃r. ii. &. dimidie ad recep-

tionem oīum medicinaꝝ supradictatum sufficit. Pondera igitᷣ singulaꝝ spēꝝ pleniter agregādo pōdus ꝓpriū de oībus poderibus unius cuiusq; spēi collectū ordinauimus. & quātū de qualibet spē ad cōfectioné opiataꝝ: & laxatiuarū medicinarū: electuarioꝝ: & ēplastroꝝ: trociscorū: et pilularum sufficiat cōpetenti serie demonstrauimus. et ut scolares medicinarū pondere releuentᷣ. er in qlibet terra corā dignissiis psōis pondera distinguendo et medicinas ualeāt dispensare. et cum dispensādi habeāt copiā: de nūmorum: et amicorū plenitudīe glorientur.

FINIT ANTIDOTARIVM NICOLAI IMPRESSVM VENETIIS PER NICOLAVM IENSON GALLICVM. M.CCCC.LXXI.

INCIPIT TRACTATVLVS QVID PRO QVO.

PRo Ariſtologia rotūda lōga uel pōdus eq̃le zurūbet.i.zedoarie:et t̃tia pōderis de mace: et medietas pōderis ſui de coſto. Et loco lōge poīt̃ medietas ponderis ſui de pipe: et equale pondus zurumbet. Auic.

Pro Abſinthio:abrotanū:uel origanū: uel poliū.

Pro Abrotano:abſinthiū:uel origanū.

Pro Aſſaro:zinziber uel polipodium quercinum. Et ꝑdus ipſius et ſemis acori: et ſexta ponderis eius amomi. Auic.

Pro Acoro ī expellendis uentoſitatibus:et ī iuuamento epatis:& ſplenis equale pondus de cimino cū tertia ponderis ſui de ariſtologia. Auic.

Pro Acacia ſuccus lentiſci: uel ypoquiſtidos.

Pro Aniſo daucius.i.paſtinaca:uel ſāſucus:ideſt maiorana.

Pro Aſpalto pix liq̃da:uel ſemē urtice:uel cruce: uel agni ſpma.

Pro Ameos:aniſum.

Pro Amomo: ameos: uel caſia dupla:uel ſauina in duplum.

Pro Acanto.i.ſpina alba. ſemen licii.

Pro Abrōgi.i.quodā grāo laxatiuo quo caremus ſerapinum.G.

Pro Acāthe ſpermate.i.urtice ſpma lichinida.i.

candelabralis herba.
Pro Auripigmento:ſandaraca.
Pro agarico:epithimum.
Pro Antimonio:plumbum uſtum.
Pro Acoro:radix acanti.
Pro Agarico:epithimum:uel euforbium.
Pro Aſſa fetida:ſerapinũ.
Pro Aloe:ſuccus centauree:uel ſtercus bouis: uel licium.
Pro Apii ſemine:ſemen rape.
Pro Amigdolis amaris: abſinthium: uel nuclei perſicorum.
Pro Amigdolis dulcibus:auellane:uel e cõuerſo.
Pro Affodillorum radice: ſuccus uel radix blete.
Pro Amigdolarũ:lacte lac auellãarũ:& e cõuerſo.
Pro Ambra:ſtorax:calamita in duplum.
Pro Armoniaco maiore:calamus aromaticus.
Pro armoniaco ſale:ſal capadocium:uel ſal fortiter tritum.
Pro Amilo:yris illyrica.
Pro Aſſungia porcina:medulla uituli.
Pro Adipe ceruino:adepſ lupinus.
Pro Adipe urſino uel lupino:uulpinus.
Pro Adipe cocodrili:adeps canis marini.

PRo Balſamo:terbentina diſtillata: uel oleũ laurinum:uel gummi edere.

Pro Balaustia: psidia: uel cupule glādiū: uel cortex mali granati.
Pro Butiro: lac uaccinum.
Pro Boragine: cicorea: uel scariola.
Pro Berberis: ōes sandali: & spodium.
Pro Bizacharam: ponit ziziber. G.
Pro Bolo armeno: sanguis draconis: uel puluis balaustie: uel cupule glandium.

PRo Corallo: simphitum.
Pro Costo: enula
Pro Cocognidio: semen coriandri.
Pro Ciparo: genestra.
Pro Cipari radice: radix tamarisci.
Pro Casia: sauina: & cīnamomū in duplum.
Pro Calamo: siluestri rafanus.
Pro Cimino: semen basiliconis.
Pro Cedria .i. pice liquida: laudanum.
Pro Cardamomo: karui: uel cīnamomum: uel piper longum.
Pro Croco: aloe: uel equale pondus de costo: & quarta ponderis ipsius de corticibus casie lignee Auicenna.
Pro Cicidon: galla laudanum.
Pro Camedreos: uel camepitheos: radix lapacii agrestis.
Pro Cypresso: medietas ponderis eius de cortice

47

granati: & pondus ipſius de ſarcocolla
rubea .Auic.

Pro Cotanis: pira immatura.

Pro Cretano: ſaxifragia: uel grana ſolis.

Pro Colofonia: reſina.

Pro Cotula fetida: camomilla.

Pro Carui: ciminum: uel piper.

Pro Calamento: menta aquatica.

Pro Cubebis: zedoaria.

Pro Carpobalſamo: fructus edere: uel xilobalſãus
equali pondere. S.

Pro Cucurbite ſucco: ſuccus uiolarũ inſipidarũ.

Pro Capillo uenere in aſmate: ponitur pondus ipſius de flore uiole: cũ medietate põderis ipſius
de ſucco liqritie Auic.

Pro Caſiafiſtula: medium pondus de terreniabĩ: & triplum ponderis eius de carne paſſularꝝ. & octaua ponderis ipſius de turbit. & qñq; ponit̃ loco paſſularum liquiritia .Auic.

Pro Cicorea: ſcariola.

Pro Cĩnamomo: cortex caſie lignee: aut duplum
ipſius de cubebis.

Pro Caſtoreo: ruta: uel equale pondus de acoro
& medietas ipſius de pipere .Auicenna.

Pro Cordumeni: alkarmel: & ſqnantum . Auic.

Pro Carcoſi: auellana bacce lauri.

Pro Cucumere agreſti: radix titimalli.

Pro Cypressi fructu:cupule glandiũ.
Pro Cocodrili adipe:adeps canis marini.
Pro Cerui adipe:adeps anserinus.
Pro Cipero:iuniperus.
Pro Calamento: urtica.
Pro Centaurea: polium.
Pro Cathimia:squama ferri.
Pro Cornu ceruino:caprinum:
Pro Careos: bacca lauri.
Pro Cimolea.i.terra hispania:artemisia.

PRo Diptamo:lilisfagus.
Pro Dactilis:ficus.
Pro Dauci semie: semẽ pastinace:uel milaciũ.i. ciminum.
Pro Draguntea:abrotanum.
Pro Doronigis:zurumbet equali pondere eius: aut due tertie ponderis eius de gariofilis. Auic.
Pro Darsesahan.i.arbor dicta aspalium fructus alembut.i.due tertie ponderis ipsius. Et in iuuamento neruorũ pondus ipsius de assaro:& medietas ponderis eius ex doronigi. Auicenna.

PRo Epithio:séen coloquintide:uel cuscute
Pro Emula:centaurea:uel centonicum.
Pro Ebulo:sãbucus:& e conuerso.
Pro Elleboro nigro:satirion.

48

Pro Galbano: serapinum.
Pro Eupatorio: camepitheos: uel pondus eius de
P assaro: & medietas ponderis ipsius de absinthio. Auicenna.
Pro Elephante: sandaraca.
Pro Eelemptanio: rosa.
Pro Erugine: squama ferri.
Pro Euisco: radix caparis.

PRo Folio: spica inda: uel nardi.
Pro Fu.liliitagus: uel spica.
Pro Flore syriaco: radix lapacii.
Pro Fenogreco: semen lini.
Pro Fimo lupino: fimus caprius: uel canis.
Pro Fraxino: sauina.
Pro Ferri squama: spuma ferri.
Pro Felle bouis: fel taurinus.
Pro Foliis oliue: folie plantaginis.
Pro Floribus amigdolarum: uiole.
Pro Felle ursi: fel tauri: uel perdicis:
Pro Fausel: equale pondus sandalorum rubeorũ: & medietas põderis eius ex coriãdro recẽti. Auic.
Pro Filipendula: radix lapacii agrestis.

PRo Galanga herfe: gariofilatũ. Auicenna
Pro Gliconio.i. pulegio: ysopus.
Pro Gisastereos: chimolea.

Pro Gentiana: pondus eius cū dīidio ex asaro: & medietas ponderis eius de radice caparis: uel enula.
Pro Gummi arabico: grana prunorum: uel cerasorum: uel dragagāti.

PRo Hermodactilis ī doloribus iuncturarū: pondus eius de foliis alchane: & medietas ponderis eius de bdelio. Auicenna.
Ro Ireos: thimum.
Ro Leuistico: semen pastinace.

P Pro Lacte ficus: lac mororum.
Pro Libantidos: piretrium.
Pro Litio: poligonia: uel succus arnaglose: uel amigdolarum. sed secundum Auicennam pōdus equale ex faufel: & sādalo aggregatis equaliter.
Pro Lentisci semine: semen pastinace.
Pro Lentisco: radix poligonie.
Pro Leucopipere: nigrum in duplum.
Pre Laudano: pulegium: uel populeon.
Pro Lupi adipe: adeps uulpis.
Pro Lillifago: calamentum.
Pro Lauri bacis: serpilium.
Pro Litargiro: squama ferri.
Pro Libani cortice: libanum in duplum.
Pro Laterides: cocognidium.
Pro Lepore marino: cācer fluuialis.

49

Pro Lini ſemine: iuſquiami.

PRo Mororum lacte: ſuccus edere.

Pro Mirabolanis meu.

Pro Medulla ceruina: ſuccus edere nigre: uel albugo oui.

Pro Mirra: pſilium.

Pro Malua: fenũ grecum.

Pro myrto: ſumac.

Pro Mororum ſucco: folia rubi.

Pro Mãdragora: lachryme oliue: uel aſſari.

Pro Meliloto: pondus eius: &.ſ. de camomilla: & medium de foliis ficus. Auicenna.

Pro Muſco: pondus equale caſtorei.

Pro Maſtice: gũmi pinee: gũmi cipreſſi equalr̃.

Pro Mirra: medietas põderis ipſius de pipe nigro secũdũ Auicennã: ſed ſecunũd Conſtantinum quantum eſt pondus eius de amigdolis amaris: uel calamus aromaticus: uel coſtum amarum.

Pro Melle: ſapam.

Pro Meu: pſilium.

Pro Mororum ſucco: folia rubi.

Pro Maratro: radix ſpagi.

Pro Myrte lacte: ſuccus edere.

PRo Nuce uomica: cataputia.

Pro Nardo ſyriaco: ſquinantum.

Pro Nuce muſcata: ſpica equaliter. Auicenna.

PRo Opio micõio:mãdragora:uel castoreũ.
PRo Opopõace:lac ciclaminis.
Pro Osse sipie:pumex.
Pro Opoponaco:galbanum.
Pro Oleo rosato:oleum de semine absinthii.
Pro Opio papaueris: succus mandragore.
Pro Oxi rodino:uinũ austerũ.
Pro Oleo ueteri: adeps porcinus uetus.
Pro Oliua egyptiaca: adarcem in duplum.
Pro Ozimo: sinsibrium.
PRo Pistachiis: nuclei pinearum.
Pro Pipere: iuniperũ:uel zinziber;
Pro Pampini foliis:folia edere:uel rubi.
Pro Pipe nigro:piper album in duplum.
Pro Politrico:capillus ueneris:uel zinziber.
Pro Passulis:dactili.
Pro Polio in extractione uermiũ: & prouocatiõe urine: & menstruorum: pondus equale de lignis granati uiridibus:& due tertie põderis ipsius de corticibus lignorum casie lignee.
Pro Policarpo:absinthium.
Pro Policarpi semine: semen apii.
Pro Ponfiligono:croci in duplum.
Pro Petrosellino:semen apii,
PRo Reubarbaro: radix myrice:uel duplum reupontici.
Pro Rosis siccis:folia persici sicca;

Pro Ribes:acetosa. Mesue capitulo de rob. ipsius.
Pro Resina:terbentina.
Pro Rore syriaco:radix lapacii.

PRo Spica inda: Gal. Auicenna: & Serapio conueniunt ꝙ loco eius ponatur su. idest ualeriana.

Pro Seteragi:rubea. Auicenna.
Pro Satirion: semen eruce:uel urtice:uel sticus.
Pro Simphito.i.cōsolida maiore:centaurea.
Pro Spodio:antispodia.
Pro Sticados:camedreos.
Pro Stafisagria: piretrum.
Pro Sumac:myrtum.
Pro Scariola:cicorea.
Pro Scamōea:cucumer agrestis:uel lac titimalli. uel euforbium:
Pro Sisamo:semen lini.
Pro Secacul:buzeiden. Auicenna.
Pro Sepo ceruīo:medulla cerui:uel adeps āseris.
Pro Sepo arietino:camedrios.
Pro Sticados:lactuca uiridis.
Pro Salamandra:uiridis lacerta.
Pro Sinsibrio:flos syriacus.i. malue:uel ozimū.
Pro Sinapi:nasturtium.
Pro Squilla:bulbum.
Pro Sipie osse:pumex:uel mastix:
Pro Sidia:syrupus malorū granatorū ī calida cā.

Pro Sepo hyrcino:adeps uulpis.
Pro Sãſuco:ſemen ſaturegie.
Pro Spuinanto:cardamomum.
Pro Syrico:litargirum.
Pro Sandaria: ſulfur uiuum.

PRo Turbit:eſula.
Pro Tamariſco:ſcolopendria.
Pro Tartaro:nitrum.
Pro Terbentina: maſtix.
Pro Thimo:ſaturegia.
Pro Tamarindis:pruna damaſcena.
Pro Titimallis:ſcamonea.
Pro Tucia:oſſa mirabolanorum.
Pro Tapſie ſucco:ſuccus cãedreos:uel cãeleũte.
Pro Tamariſco:radix geneſtre.
Pro Titimallo:cameleũta.

PRo Vrſi adipe:adeps uulpis.
Pro Vua paſſa:dactili.
Pro Vino granatorũ:uinũ auſterũ
Pro Viſco de quercu: ſuccus turbiſci.

PRo Xilobalſão : lignũ edere: uel leucoradix
Pro Xante: flores ſepie.

PRo Ypoquiſtidos:mandragora.

57

Pro Ysopo: thimus: uel sansucus

Pro Ypericon: semen aneti.

Pro Ypoquistidos: medietas ponderis ipsius de cortice oui adusto abluto: & sexta põderis eius de gallis: & decima ponderis eius de gummi arabico; Auicenna.

Ro Zurumbet ĩ uenenosis equale põdus: &.s.de durungi: & due tertie ponderis eius de taraxacõ siluestri: & medietas ponderis eius de granis citri. Auicenna.

Pro Zinzibere piretrum.

EXPLICIT TRACTATVS QVID PRO QVO.

INCIPIVNT SINONIMA.

ARTEMISIA.i. matricaria.
Acatia.i.ſuccus prunellorum ĩmaturatorũ agreſtium.
Achaneũ:orminum : uel ygridia.i.urtica.
Alipiados.i.laureola : & ſemẽ eius coagidium.
Agĩ ilac.ũl mellãtiũ.i.git
Amarioca.i.ſemen rapiſtri.
Acorus.i.gladius.
Adaraſca.i.elleborus albus.
Ambra.i.ſperma ceti
Azarud.i.ſarcocolla.
Adragnis.i.portulaca.
Antifarmacũ.i.uĩcetoxicum
Alogalbra.i. gentiana.
Aumantis.i.ſuccus maiorane.
Agimonia.i.agrimonia.
Aſpaltũ.i.bitũẽ iudaicũ.
Anagodã.i.ſumac.
Adarais.i.caro marina.
Aronis:uel aarõ.i.iarus.
Anacardi.i. fructus cuiuſdã arboris ĩ ĩdia q̃ impiti pediculos elefãtum dicunt.
Aniſũ.i.cimĩum dulce.
Alipta cõſita:i.mixtura.
Antofali:uel auernati.i. gariofoli magni.
Angulus.i.circulus.
Aracõ.i.capillus uẽeris.
Agaricus.i. fungus cuiuſdam arboris.
Amilũ.i.ſuccus frumẽti.
Amiſuctus:uel acodiaco ſtidos.i iuniperum.
Aliſander: uel oliſacrũ.i.petroſel. mace.
Arnogloſſa: uel cantum neruia.i.plantago.
Anagallus:uel ſimphitũ cõſolida minor.
Arica lõ.i.ariſtol.lõ.

Anthera.i.ſemen roſe.
Aſara.i.bacchara:ū̃l uulgus.
Aurigea ſilis herbe uenti minori.
Abrotanum ē ĩ ſepibus cuius mīe utimur.
Apiũ domeſticũ ſemen eius ſeliũ.ſpīa & eius fo.
Apiũ raninum.
Apiũ ēoroieaꝶ ſilc ē rãĩo
Aniſi quia hãt guttas magnas foliis.
Apium etiam eſt qui dr̃ apiũ riſus.
Altea bermalua :euiſcus idem eſt.
Anne utimur foliis:& radice.
Alegia:baſilica: baſilicõ idē ē ſemīe: & fo.
Achãtis .i. urtica pũgēs utimur.
Ancuſa alba fac̃ ſpinas albas :nig̃ nigras.
Atriplex: criſolocana rinoli idem ē:fo.& ſemine utimur.
Albus.i.ornus.
Archeotidē.i.bace iũipi.
Ac̃baliorũ fac̃ folia ut ſãbucus:ſed aſpiora:& minora:cuius radix ſi rũpat̃ ſanguinem cum lacte reddit.
Acuceide ſimilis ē cicute in foliis: & facit ſpinas.
Amphimerina ſimilis ē lilio quãdo primo creſcit & habet haſtam.
Alfita.i.cõfita muſcata.
Ameos: amei: ciminella pepdium idem eſt.
Aſa.i.aſa fetida.
Antimaſis.i.fũoſitas.
Atricũ mel.i.albũ mel.
Alaſa ſiue albuta.i.galla
Accis ideſt ebulus.
Aneum.i.uinum albũ: uel acetum:
Acopum.i.ſine labore.
Apoforeſis ideſt tarda detractõ ſanguinis cum ĩterpoſitione.

Agocanabin.i.cantabrũ.
Aidoli.i.fuligo.
Arſéicũ.i. auripigmétũ.
Ameos.i.murcula uel re/
didomũ
Aſpaltũ.i.géeſtelle radix.
Aliephos.i.peonia
Altea.i.euiſcus.
Adiãtus.i.herba capillaris
uel aboſobia.
Aſaher .i.cõtineruia.
Afrodis uini.i.acorus ũl
gladiolus.
Aſepias.i.dragũtea.
Accitus.i.lapacium.
Aloecis.i.geneſtella.
Ammomei.i.papa/
uer agreſte.
Ampelle.leuca.i.brionia
uel cucurbita agreſtis.
Atripelos leſchi.i.briõia
uel uitis alba.
Argiltres.i.mercurialis.
Anderginaus.i.cappara.
Anagius.i.portulaca.
Atiafax.i.atriplex.
Ayzona.i.ſépuiua
Apidia.i.para.
Alfita.i.farina ordei ĩma/
turi.
Alo.i.ſal.
A nticrocus.i. flos albutii
uel flos gruci.
Amõratia.i.rapiſtrum.
Antinus. i . camamilla
uel baccara .
Acoĩton.i. herba lepora/
lis uel lupatria.
Alpiu.i.ros marinus.
Armõlacu.i.genus mali
g̃nati .
Azaru .i.uulgagia.
Altercus.i.iui quiamus .
uel cauliculus.
Albeſtus.i.calx uiua .
A loſacritus.i . flos ſalis
uel adarces grece.
Acãtis egyptias.i . ſemen
urtice .
A bdios uel tigus.i.barba/
iouis.
Ampeloleucis. i.uitis al/
ba agreſtis.
Agroſpmõ.i.ſemen ſalicis

Affor.i.crocũ.
Agallis .i.ſoliũuel zina.
Acaru.i.pip apium.
Aglafortes.i.pionia.
Auãtu . i. teſta ouorum ũde populi excludũt.
Amaracus .i.maiorana .
Alicacabõ.i.fiſcelina.
Agnus uel agnus caſtus .i.ſemẽ ſalis.
Agaricus.i.fũgus albus cuiuſdam arboris.
Acacia.i.eruce ſuccus.
Agaliſis uel agaloſis. i . ſemen urtice.
Agatis lentici.i.brionia.
Aloſorctus.i.flos ſalis montani.
Arõ.i.ſẽatores uel ſiliſſe
Apupigmẽtariũ.i.gẽtiã.
Aririxaũl atrixa.i.ariſto.
Amurca .i.fel olei.
Alipolus ũl alipoclus.i. camelea.
Achalepes.i.urtica.
Abſtĩgalas uel aſtragu-los.i.pes porcinus.

Alumen rotundũ.i.unde mulieres tingunt.
Ame ſate.ebtilus.
Anahemõ:uel anamon.i. medicamen album.
Aſcella.i.agrimonia: uel ſarcogrion ſtafilon .i.pa-ſtinaca agreſtis.
Amel .i. grana ſolis:
Anagalicũ .i. ſimphicũ.
Adrogmos.i.ĩterphea.
Agus uel actis.i.lẽticula.
Amátus .i.ſaxifragia:
Altionũ.i.ſyrica.
Altioneus .i. ueſptilio auis.
Aſrozarmis.i.rumices.
Aleoruibos.i.caules.
Alfalal.i.cepulla.
Ampellos melonis.i.uitis nigra agreſtis.
Alcoſoiim.i.coriãder.
Alipti.i.rapa.
Afugilla.i.radices.
Alcarad.i.porrus:
Alelica alecca et bidella .i. ſanguiſſuga.

Amiathos.i.alūē ſciſſū.
Arcella .i.agrimonia.
Abſéaliū.i.abſinthium.
Ancuſa .i. lacca.
Alogaligalice.i.gēiana.
Aſecuabiū.i.ſaturegia.
Andarane.i.ſal lucidū.
Arātili.i.ſemen uue uel arilli.
Alfur.i.faba.
Apoquinatus .i.ſorbido de niue.
Arcimonii.i.malus trianeus.
Apozunatus . i . capreolus uitis.

BEn .ru.i.radix quæ ī india inuenitur.
Behem album in egypto reperitur.
Bacce lauri uel dapnocochi:idem eſt.
Bratheos.i.ſauitia.
Burit : herba fullonū :ſoponaria:idem eſt.
Balauſtia fructus cuiuſdā arboris que orit̄ admodū mali granati qué impiti caduca mali ḡnati dicūt.
Baucia . i. paſtinaca domeſtica.
Baſiliſcus: ſerpētaria dragū uel ortulana.
Baurach.i.ſalo.
Btea uel colūbina idē eſt.
Bulbus.i.cepa marina.
Balſamita .i. ſiſimbrium ortenſe.
Bugloſa .i.līgua bouina.
Bacce edere uel carpociſci .i.fructus eiuſdem.
Braſica .i. caulus nō trāſplantatus.
Brionia . i . cucurbita agreſtis.
Branca urſina magna folia hēt & īciſa.& ualet apoſtemati.
Bulma.i.teſta bouis.
Batlura : farfara : ungula equina:idem eſt.
Bufagō.i.faciés appetitū.
Baſale.i.cipola.

Barba iouis.i. herba her-
culis:uel sticados: uel ba-
nades.
Bumocles.i.marina pix.
Badon.i. rubus testinus:
uel mora dõestica.
Beneta.i.ligua canina.
Basasa:ūl bissasa.i. piga-
men:uel ruta.
Basilica.i.regina uel gen-
tiana.
Butani nagion.i.artēisia.
Balanus.i.glāda:ūl mira-
bolā.
Brui.i.saluia.
Benicon: uel beticon.i.
ungula caballina.
Bionie uel bitõie.i.albu-
tii radices.
Bramec:ūl braca:ūl bras-
sia.i.seruicus albe.
Brumus.i.auena.
Bõbix.i. flos arboris lane
similis.
Bisas.i. emolia: uel ruta
agrestis.
Bulbus sisticus:uel ruffus
.i.silla.
Bulbus miconas.i.narcis-
cus.
Bdelliū.i. gūmi quod in
arabia inuenitur.
Bontracion.i.apiū risus:
uel seleracus.
Bultamõ.i.oculus bouis.
Berec:uel beseon.i. fex
cardi ūde coagulat̃ lac.
Bonadxr̃.i.semẽ apii.
Blistone.i.pulegiū.
Bibone.i.betonica.
Beclon:uel bedon.i.casil-
lago alba.
Bamisilla:uel batosilla.i.
cima rubi.
Bulbus studius.i. lupini
flos.

Crocus africanus.i.or-
tensis.
Cardõesa.i.semẽ nast̃cii.
Carpetarios.i.flos nucis.
Cortex nere.i.cuiusdā ar-
boris similis cerase que in
apulia nascit̃: & fructus

eius uocant micum.
Colofonia.i.pix greca.
Carpotarios .i. se.ferule.
Calcecaumenõ:ũl casticũ .i.es ustum.
Casia siriga.i. casiafistu.
Carei pontici.i.dauci.
Casia absolute posita.i. lignea:uel xilocasia rubea & sicca.
Cassamũ:malũ terre:pãis porcinus.
Cinoglosa.i.ligua cãina.
Cuscuta.i.podag̃ lini.
Cicidon:i.galla.
Cadon miristicũ .i. muscata.
Calcãtũ.i.uitriolũ.
Confica rubea .i. storax rubea.
Carcetium cõbustum .i. bõbix.
Calculi.i.cardamõi.
Carice.i.ficus sicce.
Carenũ.i.uinũ coctũ.
Cunella.i.cameos.
Cẽdros libani .i.ros ma.

Custos orci pentadactilis .i.grana solis.
Cimolea.i.terre hispaniensis.
Capellula.i. sanguinaria florẽ facit albũ.
Coriandrũ agreste flores facit purpureos.
Cossiẽ urtica mortua:& ẽ similis pepauo sed pepauus facit flores albos.
Cãeleõta nigra : & cardus asini & cardus maior idẽ est.foliis utimur.
Cameleõta alba & cardus coagula idẽ ẽ.fo.utimur.
Centrix.i.cõsolida media habens testiculos similes enube cãpane:foliis & radice utimur.
Camedreos .i. quercula minor.
Camepitheos .i.quercula maior.
Cẽtaurea maior contingit folia iuxta stipitẽ.
Cẽtaurea mĩor febrifugi:

uel fel terre idem ē.& tota herba utimur.
Canforata domeſtica .i. abrotanū.
Camõilla ſimilis ē cotile fetide: ſed cāomilla r̄dolet cotila fetet.
Craſula maior.i. faba ſilueſtris.
Craſula mīor ſimilis ē ei ſed multo mīor.
Capillus ueneris ſimilis ē politrico: niſi qa facit ramuſculos in ſtipite. herba utimur.
Canaparia ſiīlis ē canapis foliis.
Cametrais.i.ebulus.
Cinogloſſa .i.līgua canis triāgularis dieſſeq radice utimur.
Calamētū.i.nepita . qdā dicūt ꝙ tria ſunt genera: foliis utimur.
Ciminū ethyopicū ſimilis eſt ancucelle. fo. &ſeīe utimur.
Celſus.i.morus.
Catariarori .i. raſura cornu ceruini.
Carei .i. daucus creticus ſeīe utimur.
Calcantū uitriolū dragagātū idem eſt.
Calciteos.i.ſquama ferri.
Cicer eraticus ſimilis eſt teſte bouis in foliis. & fac̄ croceū florem & redolet ſed teſta bouis nō.
Criſpula habet
Celidonia.i.herba petiginaria: uel glātia.
Carpoballſamū .i. ſemen balſami.
Caſtoreū iſtipebi.
Cātabrū.i.furfur.
Caſtaneola ſpēs ē: ī india oritur.
Cathithii.i ſemē ferule.
Carotidis.i.capitales.
Ceſtō.i.betonica.
Cīnabareos.i.miniū.
Ciclamīos.i.orbicularis.
Colla.i.bleuta.

Cecidos.i.galla asiana.
Cissiros.i.pumes.
Cĩocefalicõ .i.caput cãis.
Crustacimonia .i. puluis de terra russa.
Carcrico.i.lacca.
Cocogridium .i. semen laureole.
Cissa.i.edere semen.
Crominiõ .i. cepa caniõ.
Capsitis: uel camiti:idest ebiduss.
Crisinos loiacon.i.lilium album.
Cotilidon .i. cymbalaria.
Cariota.i.pastinaca agrestis.
Cõsinice.i.betonica.
Cutinũ rostas .i. caduca mali granati.
Cõitiale.i.gentiana.
Cersozola.i.camedreos.
Cinocoron.i.
Cĩobatus.i.rubus cãinus.
Cadion .i. papauer agreste.
Cronopos.i.mala citoĩa.
Croculus.i.striginis.
Cadia.i.papaueris flos.
Ceforeos.i.dés caballĩus.
Celsa.i.mora domestica.
Colofonia.i.resina frixa.
Cirifolium .i. cardus siluaticus.
Cariobasicon.i.auellana.
Cacrios.i.ros marĩus:uel semen ferule.
Crisocantes.i.edera arborea.
Camelo : uel camelex .i. cocogridiũ:uel
Clabrum ueneris ulcis rubeum.
Cucuriones .i. raminders uirides.
Centron.i.miliũ.
Ciperum.i. iuncus triangulatus.
Coclia .i.papaueris capita.
Cathinaboto .i.metallũ: uel cuprum.
Castoreum .i. testiculus boueris.
56

Cinetis:uel cimices elefā-
tis .i.anacardi.
Colūbaria.i.uerbena: uel
peristerionon.
Cunnarius.i.cardus.
Cassamū .i. semē balsāi.
Ceruta.i.policaria.
Celtica sialiola.
Cliciza.i.liqricia.
Cicer erraticus .i. serpil
lus.
Calamētis.i.nepita īiruta
Carabet.i. locusta piscis.
Caulia .i. semē cauliculi.
Caugil.i.rapa.
Crades.i.urtica.
Cedria.i.pix liqda.
Cothibi.i.genesta.
Camice supina .i. semen
cicute.
Cantarides.i.genus mus-
carum.
Comaras.i.citonia.
Cariadādras .i. nucaria:
uel arbor nucū.
Chelon.i.testudo.
Corona bella .i. piganū.

Cissa.i.edera nigra:
Catones.i.artiplices.
Cīdos.i.anticrocū.
Cabria.i.brassia.
Cōgelidos.i.rapa.
Cariō.i.dragūtee semen.
Crucoleucoido:i. affodil-
lus.
Cibustri.i.ordeum.
Crini.i. liliū : unde sapo
fit.
Coloquītida .i.cucurbita
saracenica.
Ciclamē.i.malū terre.
Cromon.i.cepa.
Caranadi: cereum:uel ca-
napum:
Cadiniale .i. coriū mali-
granati.
Calitricum.i.pultricum:
uel calidon.
Camepida.i.camedrea.
Casola .i. sigillū salomo-
nis.
Cameleō.i.cetraria.
Carios.i.coriandrū.
Capseuue.i.ebulus.

Calamus.i.canna.
Cisus melas .i. edera nigra: uel arborea.
Cīnalis.i.adriana.
Ciriogō.i.ḡna solis.
Chīnas.i.mastix.
Cirio .i.lentiscus.
Cībalaria .i.flos geneste.
Cībalatriū.i.edera.
Crascu.i.crucus.
Cranū.i.fructus cornee.
Clicon.i.pulegiū.
Cinco.i.anetū.
Conissa.i.coriandrū.
Calamo.i.mentastrum.
Carastato.i.anulū.
Cruta sinolea .i. succus caruse.
Calitricū.i.politricū.
Carinoleon .i. cardus benedictus.
Colistan.i.fel tauri.
Cholisartias.i.fel ursi.
Cidopédria.i.saxifraga.
Calciten.i.flos calcis.
Crustulibar.i.castoreū.
Climasteca.i.litargirū.

Crinibet.i.caulus.

DEmelacum .i. sanguis draconis.
Dehercit: elcheyr.i.farina ordei.
Du.iū belsē.i. balsamus.
Derisequalis iūcus triangulatus.i.ciperi.
Diamerozi combustū .i. bleta.
Dāpnidonus.i.laurus.
Dampneleon .i. oleum laurinū.
Diapté.i.polipodiū.
Diagridiū.i.scamonea.
Damechā: uel mulis crodarcū.i.sāguis draconis.
Dēdrolibanū: ros marius idē est. flos eius sibanoci dos antos quo utimur.
Diptamus sīlis ē fraxino ī foliis: & ē quasi frutex. radice eius utimur.
Daucus creticus .i. pastinaca domestica.
Dialomata.i.glādula.

Doronice.i.uenix.
Dris.i.quercus.
Darmi.i.manipuli.
Dorcadis.i.capreolus.
Dipsia.i.sciticula.
Dinula : uel diamula .i. pulegium.
Dapce : uel lepruce dētis .i.lac crudum.
Dicea.i.herba uaccina.
Dragūtea.i.asclepia.
Den.i.galla cruda.
Disitis :uel drisitis .i.camedreos.
Dampnis.i.laurus.
Diris.i.rubus.
Dicea.i.apolonaris.
Ditamē.i.ꝑpoleos.
Diacoregium .i. stercus caprinum.
Diacopna:uel dicopagia .i.cōfectio lactis quod ex lapidibus fluuialibus coquitur.
Diaxibō.i.ceperum.
Deptellium.i.ulmus:uel bulbus.
Des.i.pulegiū agreste.
Deptamē .i. peucedanū.
Dauci semen.i.pastinace semen.
Diaquilō.i.succus fenugreci.
Dafulful.i.pip lōgū.
Deeb.i.aurū.
Digege.i.gallina.

ELenella.i.galāga.
Esbriū.i.flos saluie.
Epitimū.i.supracimum.
Eupatorium .i. saluia agrestis.
Elemiiū.i.enula.
Elleborū albū .i. nartrū.
Esula similis est minori titimallo.
Elleborum nigrum.i. radicula hermodactili habet folia similia nasosco: & habēt cepullas quibus utimur.
Enula ortulana & cāpana differūt: ortulana maior: cāpana mīor.

Epatica crescit in saxis. ut plõnaria : & uidetur quasi fistula membrane habentia: foliis utimur.
Eleotripia : sponsa solis: solsequia: cicorea intiba: idem est. foliis utimur & semine.
Eliga. i. arilli uitis.
Elmõ. i. apiũ.
Elilifagũ. i. saluia.
Egiro. i. populus arbor.
Euiscus. i. bismalua : uel maluauiscus.
Erisafice. i. gladiolus.
Eritrodõ: uel eritherodõ. i. rubea unde tingit᷑.
Eptafilos. i. septẽ folia: uel plãtago.
Egineus. i. caprificus.
Erion. i. carica.
Epiricum. i. scopa regia.
Eliadĩ rodion. i. oleũ ro.
Eria. i. lana.
Erpilon. i. serpillũ.
Emptidos. i. cardus.
Elcisma. i. plũbũ ustũ.
Esbrin. i. brionia.
Erba rustica. i. rosa saluatica.
Erebentis: uel arbentis. i. cicer.
Euscinum. i. semen oleastri.
Eliciscapo. i. semen ilicis arboris.
Eucimus. i. eruca.
Eradea. i. sisibriũ.
Erũgiũ. i. cẽtũ capita.
Eretuginus. i. faba ortensis.
Erifilon. i. decliua : uel ruta.
Euchinus. i. erucinus: uel eritius.
Eristo. i. calcãtũ.
Erice. i. tamariacũ.
Eleeipleum. i. oleum uetus.
Elnus. i. lumbricus : uel paritaria.
Ergauicion. i. ungula caballina.
Eletes. i. oliua.

Eneston.i.fenũ.
Elehine : uel elchedine .i.paritaria.
Erinon.i.semen lini.
Eeruzomon .i. cicer erraticus.
Esopa cerotis .i. sudor ouium.
Epah.i.lana.
Ettraneũ.i.calx.
Elificũ.i.lenticula.
Eucinus.i.lapa.
Erinicas.i.lũbricus.
Elirica.i.gladiolus.
Eosman .i. serpens unde fit tyriaca.
Erugine campana.i.pressiũ de ramo.
Elinentos.i.cicer.
Erigo.i.g̃na solis.
Emadion.i. sanguis draconis.
Eruron.i.affronitrũ.
Ericeparõ.i.iuncus triangulatus.
Elbair.i.oua.
Etheũ.i.aleũ.
Elmelle.i.sal.
Elmia.i.cozũbrũ.
Elmac.i:g̃num.
Egebel.i.mons.
Eliubẽ.i.caseus.
Eleben.i.lac.
Esemũ.i.butirũ.

FIlis.i.caparis.
Flosmus.i. tassus barbassus.cuius g̃na sũt duo mas.& fe.
Fel terre febrifuga.i.centaurea mĩor.
Fufulabiat.i.pip nigrũ.
Flos siriacus .i. flos malue.
Fisalidos.i.filipẽdula.
Fu:ualeriana: maturella: benedicta idem est.
Fenũ grecũ sĩile ẽ melliloto:sed tamẽ mĩores fac̃ uaginas.& grossius habet semẽ quo utimur.
Fenicularis:uel feniculus porcinus idem est. radice utimur.

Fenda.i.amarasca.
Flamula longam facit hastã ut uolubilis rotũdam: masticata linguam comburit. & est siilis uiti albe: nisi qa nõ habet folia incisa sicut uitis alba.
Fasigalicũ.i.celtica.
Finicus .i. dactilus : uel fenitia.
Fedis.i.fe. nini.
Frictis.i.resina frixa.
Filtra.i.ilia.
Fifalidos .i. herba tuscago.
Fecor.i.succus.
Fuctial.i.peucedanũ.
Felicon.i.foliũ.
Fassigalicus.i. elis fagus: uel salium.
Figia .i. feniculus : uel maratrum.
Femmice.i. palma.
Ficus .i. carica : uel cabdos.
Figos : uel figor .i. alga marina.
Flosgnici.i.anticrocũ.
Fila indica.i.pĩpinella.
Filibon.i.genesta.
Fubapirũ.i. sulfur uiuũ.
Fisca solida .i. aliscacabo citrino: uel rũfea: uel yposelium.
Fuful abati.i.pip albũ.
Feigel.i.ruta.
Fugil.i.radices.
Fuli.i.faba.
Flectios.i.pes colũbinus.

GAllicorum citonie .i. flos citonie.
Gallia muscata.i.trocisci de musco cõfecti.
Gummi cedri .i. gummi iuniperi.
Gliconiũ.i.pulegiũ.
Goletia.i.origanũ.
Gelena : uel cucurbita alexãdrina.i.coloqntida.
Grisolocãna.i.atriplex.
Gisarestenos: uel bulbus .i.cera rubea: que ĩ armenia reperit.

Gipſāpinas : uel geſeſta-
rios.i.terra argentarea.
Glicōſe.i.liqricie.
Grandin ſimilis ē ī foliis
ypericō : niſi quia maior
ē ypericō.
Gariofilata.i.ſana mūdi.
Grana ſolis milium ſolis
idem ē.
Gemion.i.fermētū.
Geſaſteria.i.creta.
Glicus.i.ſappa.
Glaucia.i.celidonia.
Gimpreti.i.mellantium:
uel niella .
Gleuco.i.mirſtū.
Gligiſci: uel glitis.i.rapa
uel ſinap.
Glicolus.i.pulegiū.
Germon . i . lilium : uel
lirius.
Glicis.i.policonia.
Grana armonia.i. ſtafiſa-
gria.
Gri:uel gli.i.balſamū.
Gigeatis .i. terra argētea:
Gagada .i. ēē . centaurea
maior .
Gliquiritia uel quiriliza
.i.radix ūl pionia pōtica .
Galanga.i.fructus maris.
Gagatēmos.i.iuſqamus .
Gemotilis:i.mercurialis:
uel paritaria.
Geris:uel gieris.i.iuiuba.
Geroboni.i.plātago.
Glatiū.i.mola.
Gladiolus.i.yreos.
Glaueruitici.i.celidonia.
Gētiana .i. anagalica:uel
comitialis.
Grudo ſperma .i.ſemen
urtice.
Gligidis.i.pionia.
Gingidiū .i. cerefolium.
Gillela:uel gelea .i. colo-
quintida.
Gali.i.muſtella.
Glaſīococa.i.bacce lauri .
Gabētitē.i.titimallū.
Gira pirō.i.ſulfur.
Glox.i.terra tenax.
Glix.i.lappa:uel animal.
Galgania.i.iunci radix.

Geromio .i. herba muscata.
Gidio.i.atriplex.
Gineq; .i.calx.
Ganeti.i.peccora.
Gaxit.i.apiū.

HErba sancti petri herba palisis panis.
Herba sancti ioannis herba psorata.
Hypericon : scopa regia idē est.
Hyrcina .i. tetrahit.fetet ut hyrcus.
Het siilis ē matri silue.& dicitur iudaica. & foliis utimur.
Hiscus.i.uiscus.
Hidorhibrium.i. aqua pluuialis.
Horineo.i.caprificus.
Higirōtus.i.senation.
Hirigiū.i.cardus marius: uel benedictus.
Hipericum .i. cauda caballina.
Hidria: uel itheas.i.salis.
Hidragiros .i. argentum uiuum.
Hinciprū.i.flos cipri.
Hibercū.i maluauiscū.
Helorodōa.i.rosa agrstis.
Hirobotamē.i.uerbenca: uel colūbaria.
Hediosinū.i.mēta:
Hicatis: uel igis .i. sābucus.
Hicolitis melano.i.edera nigra.
Harte.i. cortex mali granati.
Herba pirestam .i. colūbaria.
Habelcarastis .i. apii semen.
Hiscas.i.papauer.
Harusca.i.mādragora.
Habellalu.i.anisū.
Humanus.i.cicer.
Hatis.i.leticule.
Hrahamen .i. stercus columbinum.
Harabayl.i.stercus cāinū.

Haranuez .i. stercus caprinum.
Haragane.i.stercus pecorinum.
Huraheymar .i. stercus asininum.
Harafaras .i. stercus caballinũ.
Hamilum .i. succus frumenti.
Hazir.i.porcus.
Hump.i.uua.
Hasel.i.me.
Hal.i.acetũ.

ILafeos bardana .i. lapa inuersa.
Iantis flos .i. flos uue agrestis.
Iu.i.uiola alba.
Iusquiamus casilago siphoriaca.
uerutaria canicularis idem é.
Iarus:barba aron' idem ẽ. radice utimur.
Ipolia cresões cresẽtiões dũirẽ.
Isculi sunt uermes terranei na.
Iraber pes cionie idẽ est.
Idiosmiũ.i.menta.
Intuba.i.cicorea.
Iris illyrica .i. lilium saluaticum.
Ipoqstidos .i.succus lane ouium.
Ioculle.i. gutta aque pissine.
Idios.i.gladiolus.
Istiascorpo .i. semen salicis.
Icax.i.uiscum.
Igropissa.i.pix liqda.
Istringus.i.solatrũ.
Icropuldũ.i.bu. agrestis.
Inãtes.i. flores qui silfio uocãt.
Icinis cardo.i. coma liuistici.
Inanates .i.flos solificii.
Iausir.i.oppoponacũ.
Iemar.i.pressiũ de aceto.
Ierebaterio.i.sãguinaria.

Iarrus.i.flos roris marini.
Irobemel .i. uinum cum melle.
Indicū .i. opiū thebaicū.
Illebut.i.terbentina.
Iuniperi.i.zeneuer.

KIitrie .i. dragagātum.
Kkatoriocō .i. rasura de cornu ceruino.
Kecabre .i. gēus uernicis.
Kalēdula.i.solqa nostra.
Kacrios.i. ros marinus.
Kipum.i. iunci radix.
Karaminon.i.cepe.
Kareos.i.semen ferule.
Kaunalep.i. farina fabe.
Kiparisus.i.cipressus.
Kestu.i.betonica.
Karpobalsamū.i. fructus balsami.
Kolophonia .i. resina capinata.
Krisolacana.i. atriplex.
Kaldāus.i.cicer erraticus.
Koccimella.i.prunella.
Kopus.i.stercus ūl fimus.
Kiliatricum.i. herba sanguina uel pes colūbinus.
Kambris.i.brasia.
Kiamus.i.saba.
Kitisus folia sūt diuretica
Kirice.i.ordeum.
Kibria.i.sulfur.
Krimon.i.lilium.
Kiromidion.i.cepe.
Kufendasū.i. ciamomū.
Karasis.i.apium.
Kilbu.i.canis.
Kine.i.galbanum.
Katria.i.cedia.

LApis iudaicus.i. lapis agapis.
Lapis lyncis fit de urina lupi ceruini.
Lilifagus .i. saluia agrestis. floribus & foliis utimur.
Lapis magnetis.i.giro uel calaminaris.
Lepidos lyncis.i.batitura eris.
Lycosperma .i. semen

ſaxifrage: uel gña ſolis.
Lépŕneas: arſenicum . i . auripigmentũ .
Leporina priapiſcus .i. ſatyrion .
Litodemon . i . lapis nig̃ qui de india ueīt .
Letapodiõ .i. plāta leõis: floré habet rubeũ.
Laureola alipiados an gula ſemen eius cogidiũ conſimilis lauro in foliis & cortice. ſeīe utimur.
Latīdes .i. cataputati: uel ſemen eius genus ciceris .
Labula .i. genus titimali maioris : cuius lac expellit ſerpentes.
Lactuca dõeſtica: foliis & ſeīe utimur.
Lactuca agreſtis: uel acetoſa dāp. quoſdam.
Leuiſtici ſeīe utimur :
Leuiſticum agreſte arbor eſt.
Laurus .i. dampnis. tamē danne .i. eius bacce . &
dapneleum.
Ligua ceruīa ſcolopēdria ſplenetica idē ē.
Labrum ueneris cardo ſiīlis: ſed ꝓfũdius inciſũ pũgés eo utimur.
Lapa caprina ſiīlis ũgule caprine ī foliis: ſed tamē folia eius multo mīora.
Lapa īuerſa .i. bardana.
Leucopiper albũ pip. īde leucoſſantia .i. de albo flore facta.
Lana ſuccida .i. mollificata. & ab animali recéter educta.
Libarutidos .i. ros marinus.
Linozoſtis .i. mercurialis.
Lebeumareos .i. tus maſculum.
Libanos manne .i. puluis turis maſculi .
Linichiti .i. gladiolus.
Lecopulgubrũ .i. laehet: uel ſaluia.
Liptotaria .i. lenta febris.

Litridos.i.cucũer amarus
Leuticiprino.i. uiola.
Litargirũ .i. spũa argẽti.
Lapa.i.mẽta.
L notesagria.i.mercuria-
lis.
Licon.i.pulegiũ.
Leuci.i.arbor populus.
Luptisna.i.castanea.
Lapatiũ.i.rumex.
Libana.i.lagana.
Lyris .i. auena.
Lobia.i.faseolus.
Lagus.i.lepos.
Lotus.i.trifoliũ.
Leucucugio : uel leuchĩo
.i.uiola alba.
Litron.i nitrũ.
Lyncĩ.i.limus de petra.
Linius.i.panicũ.
Litono.i.uerbena.
Lagustũ.ĩ. cyprũ.
Liperũ.i.iũci radix.
Lapara.i.caparĩa herba.
Lamolea.i.cardus.
Liamus.i.faba.
Litrialepra.i.farĩa fabe.

Luben.i.libanũ.
Lipti.i.rapa.

MVmia.i.collectio spẽꝝ
que ĩueniũt ĩ sepulcris
mortuorũ.
Malabatrũ.i.foliũ albũ:
uel nigrũ.
Mabatematicon.i.succus
cauliculi agrestis.
Marmis .i.olibanum mi-
nutum.
Miliũ solis : uel g̃na solis
.i.cauda pecorina.
Milisofali . i . uẽter apis.
Melilotum corona regis
.i.pratellis.
Mul fenugrecũ agreste.
Malua syriaca:molochia
.i.flos.
Meuis syriacus fo.flo.ra.
utimur.
Melissa.i. melago:uel ce-
traria.
Meu.i.sist. uel sinoni ra-
dix:radice utimur.
Millefolium ambrosia:

62

ſupciliū ueneris idem ē. folius utimur.
Muſcata maior facit ac̄. ſed redolet.
Marſilion.i.faba lupina. fere ſimilis eſt electuario nigro.
Mandragora ſimilis eſt conſolide maiori in foliis niſi quia mandragora hēt groſſiora folia & ſpiſſiora & quaſi pūgentia.
Morgellia dōeſtica albos facit flores.
Morgellina ſilueſtris rubeos.
Mirice.i.geneſta.
Miconis.i.papaueris.
Melidina.i.plūbū uſtū.
Matriſiluia: pclidimona caprifoliū idē ē.
Macropiper.i.
Melanopiper .i. nigrum piper.
Meláconia.i.colera nig̃.
Macedonicū.i.petroſillū alexandrinū.
Mirtili.i.ſemē mirte.
Mel atticum.i.ſilueſtre.
Melagina .i. mollificatiuum.
Melactica.i.calefactiua.
Malfano.i.debilitatio.
Maratrū.i.feīculū.
Menſtrua .i. fluxus ſanguinis.
Micōos niger.i.papauer. ortenſe.
Molochia.i.malua.
Menamphilos .i. dragagantum.
Melbellachū .i. līgua ceruina.
Mellatia.i.nigella:
Mellanos .i. ſerpillum maius.
Melacinagria.i.apiſto:ūl malua agreſtis.
Meculas.i. papauer agreſte.
Mertion.i.millefoliū.
Menino.i.oleſter.
Muſine.i.mirte folia.
Maſtichia.i.alba.

Mirticus.i.folia ferule.
Militiũ.i.sinapis.
Menanachus.i. semen de meu.
Minthi.i.nepita.
Milehe.i.malus.
Molipclotũ.i.fex argẽti: uel plũbũ ustũ.
Mis.i.mus:uel muscus.
Macer.i. cortex mali granati.
Misores.i.caniculares.
Macton.i.catapula fenugreci:que cõficit cum seĩe lini.
Miriũ.i.formica.
Melicõ.i.fraxinus.
Mellandrus.i.sorbus.
Melisse.i.apis.
Moiosox.i.glix.
Marubiũ.
Melimiõ.i.sisibriũ.
Muzũgi.i.liliũ.
Miliatrũ.i.sinapi.
Miltoitorgo .i. sanguis hyrcinus.
Miltodragum .i. sanguis draconis
Millicratum .i. mel :& uinum.
Mirpofilõ.i.millefoliũ.
Maxibatrum .i. cauda porcina.
Mellannis .i. mel de apidibus.
Misliciti.i.foliũ.
Magnetis.i.calãita.
Moclonos.i. artemisia.
Mezere.i.ruta.
Muriula.i.ameos.
Mecio.i.lẽticula.
Mialos.i.uiolas.
Mascellus.i.ãtofalus.
Muchul.i.bdelliũ secũdũ saracenos.

NEufar.i.flos nymphee
Nux ĩdica.i.mag̃ que ab ĩdia uenit.
Nux uomica.i. castãeola indica.
Nux miristica:uel caridis miristicus.i.nux muscata
Napeũ.i.sinapis.

Narciſcus ſi̅lis ē petroſil. in foliis. ſeīe utimur.
Naſturtiū ſemē eius cardumū. quo utimur.
Nitrū. i. ſal gemme.
Nauſea. i. ſubuerſio ſtōi cū uolūtate uomēdi.
Nardo ſtachium : ſpica nigra.
Neſion: i. centaurea.
Nixa. i. ceraſa matura : & ſiccata.
Nepita. i. calamētū.
Narcus. i. ferula.
Nardus celtica. i. ſaliūca: uel ſpica celtica.
Narcas. i. botria ſaliunca ul faſſg.
Nocticoras. i. bubo auis.
Nicceris. i. ueſptilio.
Nar. i. focus arditus.
Nanorachi. i. piculū cuius ſemen eſt ſemen apii & ſapor ut pip.
Nixa. i. carea: uel putredo ligni.
Naſcader. i. armoniacū.
Niciflos. i. betonica.
Nebia. i. uinum.
Napta. i. ſulfur : uel oliuarꝝ cū.
Namurca ſua : uel herba piloſa que naſcit̄ in cāpis uel quedā cōfectio.

OXiachātū. i. berberis.
Oxicitronilli. i. ſucci citrāguli.
Opoſcitū: uel ofei. i. gūmi edere.
Opobalſamum. i. ſuccus balſami.
Orobani lētiſci. i. lacca.
Oxifenicō: uel fenicia īdi. i. tamarindi.
Oximū. i. baſilicō.
Oxireū. i. forte acetū.
Oſinudi ſi̅lis ē filici.
Oculus chriſti ſi̅lis ē oculo conſulis : ſed hēt latiora folia iuxta ſtipitem: & ſuperius rotūda. & habet florē citrinū.
Origanū. i. golena ſi̅lis ē

calamēto: ſed calamentū habet folia piloſa . foliis utimur.
Oculus conſulis ſīılis eſt mentaſtro.
Opos.i.ſuccus .
Olibanum .i. tus .
Obtamicum .i.ſternutatorium.
Ortomia.i.rectus haneli/tus: uel orthoīa quando tantum aerem ſumit q̄tū emittit cum difficultate tamen .
Opiū.i.lac papaueris.
Ozigātū.i.oppoponacū.
Onfantium .i. muſtum uue amare.
Opomirfine .i. ſuccus mirte.
Oxis .i. acetū ſiluaticum
Onichas.i.diagridium.
Orodis.i.roſa canina.
Olea.i.oliua.
Opium oxicanaum.i. laſer: uel ochilios marinus.
Opium indicum.i.odore graue.
Odicus.i.ebulus.
Onichos.i.ungula.
Oleum onfatinum .i. uiride: uel ꝙ gr̄mıale dr̄.
Oleū ſuccinū.i.liliacum.
Oſis.i.agnus.
Oleum ſuccionium de cucumere agreſti.
Oleum mantinum de floribus uuarum.
Oleum miſinum.i. miliatium uel mirtinum .
Opoponace.i. ſuccus panacis.
Orimus uel oriza.i. ſimilia ordei.
Oriona.i aurum.
Orirodonum .i. acetum & bleum roſaceum.
Onfacū mellis .i. muſtū uue amare & mel .
Ocrodis.i.ſerū de lacte.
Opiū thebaicū.i.laſaerti.
Oleum ſuccinum .i. quirilionfacus.
Oliſacrum.i.petroſelliū.

macedonicum.
Oximiliũ.i.cerusa.
Otridirina.i. matrisilua.
Oléga.i.galanga:
Oxamiũ.i.acetũ cũ sale.
Oxizacara.i.acetum cum zucaro.

POnsilicon .i. batitura ferri: uel fuligo de fornace eris.
Peristereõ.i.uerbena.
Peridemenon .i. matrisilua:
Percenotidos .i. mercurialis.
Perdiacratos:uitreola:paritaria.i.herba mirabilis.
Pistace sunt fructus qui ueniunt de damasco.
Pigamun. semen rute agrestis idem est.
Propoleũ.i.cera alba.
Pétafilon.i. qnquefoliũ.
Prassiũ.i.marubiũ albũ.
Prassiũ uiride.i.flos eris.
Peucedanum: feniculum agreste:cauda porciua: & masmaꝝ idem est.
Proserpinaca: policonia: centinodia: & corrigiola idem est.
Pelios.i.poliũ montanũ.
Pepones.i.melones.
Psinuthii.i.cerusa.
Platociminum.i. montanum.
Psiseleos semine utimur.
Politaria minor filis est maiori in foliis multum redolet & foliis utimur.
Pãsiligo.i.barbasus.
Pĩpinella & scopastella. idem est.
Planta christi guttas facit nigras ĩ foliis quã qdã dicunt satirion esse & nõ ẽ.
Polium montanum est odoriferum & est filis canuscelle nisi qa spissiora folia habet & diuretica. quibus utimur.
Pilusella pilos habet in foliis.
Polipodium .i. feliscula

dulcemulia.radice utĩur.
Pulpõaria ẽ minuta uersa
Papauer album semẽ eius
codiũ quo utimur.
Papauer ruffum.
Papauer nigrũ ũde fit di-
acodion.
Pes milui silis est iaro in-
foliis: nisi qa iarus habet
cornuta folia & pes mil-
ui uaria.
Prouãca & timeca idẽ ẽ.
Pulegiũ.i.gliconium.
Pes colũbinus .i. spagia.
Pes milui.i.cetrac.
Portulaca: ãdragius: pes
pulli idem est.
Pentadactylis custos orti:
Propuleos .i. fauus sine
cera.
Panax .i. herba que facit
oppoponacum.
Peroti .i. auricularis:
Ptiuitas .i. lipitudo.
Piganũ: ruta: agiõ idẽ ẽ.
Parocides malũ circa au-
res.

Periclimenon: matrisilua
auenula idem est.
Porrũ.i.secciuum.
Propte.i.nymphea.
Politricum.i.addiãtum.
Pepen.i.pepanos.
Poligoĩa.i.sãguinaria.
Psillion.i. policaria.
Panacofriza . i . ferula a-
grestis uel panacus.
Pentebon.i.pionia.
Perdicaber.i.paritaria.
Peonigratum.i.celidoĩa.
Pissaria.i.pix liquida.
Pentea.i.silex.petris nas-
citur: uel pion.
Peragilon.i. balanun uel
mirobalanum.
Parumallus.i.granatum.
Personatia.i.bardanum.
Paluirus.i.pampinus.
Pepicularis.i.stafisagria.
Pyturegiũ.i.ypicon.
Politria.i.capillus uẽeris.
Pysaxara.i.pix dura.
Piponagsi.i.coloqntida.
Pentalon.i.bacteos.

Psidia.i. flos mali grana-
ti domestici ū̄l alia arbor.
Ponadratia.i. aristolis.
Pitogoni radix.i. tute.
Palla.i.genestelle radix.
Prassi.i.succus porri.
Poneide.i.rosata.
Partericon.i.artemisia.
Posonluagos.i. fominus
uel balsamū.
Parasioruia.i. emula ca-
pana uel.
Plantago.i. arnoglossa.
Pissa.i.pix ulcera uirgīs.
Psopus.i.personatia: uel
dardanū: uel millefoliū.
Piperapū.i.acorum.
Plumideria.i.eleborum.
Picula.i.resina pini.

QVercula maior.i. ca-
mepitheos.
Quiamus.i.faba.
Quercula minor.i.came
dreos.
Quīq; neruia.i.lanceola.
Quinorapi.i.nuclei pini.
Quirica.i. hasta tribuli
marini.
Quinorodampni.i. rosa
canina.
Quassa.i.aqua.
Queameos.i.sylla.
Quiricus.i.semen lini.
Quiagolus.i.coagulum.
Qualnuties.i.lac.
Quiconin.i.pulegium.
Quelanea.i.iusqamus.
Quiconus.i.papauer.
Quoroto.i.cucumer.
Quatila.i.lactuca.
Quilionfagus.i. oleum
siccionum.
Qrion.i. triangulus uel
iunci radix.
ROmeō.i.raphanum.
Radix euisci.i.altea.
Ramicedri.i. iuniperi li-
gnum.
Rannus.i. spica alba uel
benedicta.
Rodoxiron.i.oleum rosa-
tum & acetum.
Ros syriacus.i. flos orni-

uel nucis ſiluatice : ſilis é roſe.
Roſa: ſemẽ eius antera eis utimur.
Roraſtrum folia habet ut uiċticella: ſed undiq; pũ-gentia .
Ros marinus filos̃ eius ã-thos:
Robella q̃ſi piſa uiridia .
Rapiſtrũ.i. armoniacũ .
Radagia.i.ſiſſura.
Rafanus.i.radix cutica.
Radicula . i . linaria uel ſtutius .
Rifa i.radix.
Rodõſiron.i. roſa ſicca .
Reſina.i.gũmi abietis.
Reuponticũ .i. barbarũ .
Ruffus.i.celſus.
Reſina pina.i.picula.
Rodius uel rodia .i. cor-tex mali granati.
Rapa.i.congelida.
Ros marinus .i. libanoti-dos.
Reſía t'bentina.i. gũma .

Rodon.i.roſa.
Raricus.i.anetum.
Rubricã.i.ſynopide.
Rodoleon.i. oleũ roſeũ .
Riqritia.i. herba dulcis .
Rodoſtoma . i . aqua ro-ſata.
Regia .i.cauda caballina.
Radiatũ.i.iuſquiamũ .
Raſia .i.ariſtolis: uel ma-rubium .
Riſapanace.i.peucedanũ
Racceuece.i. feniculum .
Ramilla.i.camomilla .
Reactis.i.petroſellinũ .
Rumex .i. lapatium acu-tum.
Radiolus.i.yreos.
Raſalacana.i.capitellum unde ſapo fit.
Ragurius.i.g̃na ſolis .
Racardus.i.cardamomũ.
Rodonagira uel rana . i . roſa.
Ralba agreſtis.
SLerio .i. pes colũbíus .
Salíũca.i.ſpica celtica

66

Sanſucus amaricus uel
ſpma.i.maiorana.
Seccacul.i. yringi.
Strobilea.i.pinea.
Stuma .i. caulus agreſtis
groſſe cepe.
Semen bulbi..i.ſemē do-
meſtice & groſſe cepe.
Seca.i.yſopus.
Scordeo.i.alumē agreſte.
Stafiſagria herba pedicu-
laris.i.caput purgium.
Siſtrum uel anetū agreſte
.i.meu.
Stipterea.i.alumen.
Sinonum .i. petroſellum
agreſte.
Smirus .i.
Sandaraca quoddam ge-
nus uernicis.
Septemer.i. ſerapinum.
Sebanum .i. ſemen apii
uel ſelini.
Simbra.i.ſaturegia.
Sticados : barba .i. poliū
marinum.
Sandicus ē confectio que
in
Smirue:baſilicō.i.mirca.
Splemō.i.ſcolopendria.
Stagnirotundus. i.abſin-
thium nigrum
Satirion.i.priapiſcus:uel
teſticuli leporis.
Stafiſalidos.i.paſtinaca.
Sticcide: ſagria. i. cucu-
mer agreſtis.
Sſiccaros.i.ſiſibriū.
Stilla.i.bulbus.
Sambuci : medianus cor-
te uocatur. & quādoq;
cortice & radice utimur.
Scanapis flos eius āthos.
Senaton: cardus benedic-
tus:& carducellus idē eſt.
Scifola habet folia luci-
da & pīguia tota utimur.
Sigillū ſancte marie facit
haſtam rectā & aliqtulum
longam & altam. & folia
rara & aſpera.radice uti-
mur.
Sigillum ſalomonis facit
haſtā flexā ī arcu & multa

folia sursum trahentia. & flores albos plures sub arcu haste sue deorsum trahentes semine & radice utimur.
Spondalidon radice utimur. silis est sinono: sed rotundiora habet folia sinonum & acutiora & lucidiora magis a stipite remota. semē eius ut semē petrosell.
Scrofúlaria q̄si lactucella habens testiculos.
Serpillus .i. saturegia agrestis. herba utimur.
Symphitū cōsolida maior: anagalicum idem ē. radice utimur.
Sqlla. i. cepa maior.
Spatula fetida spatula solubris idem est.
Sisimbrium. i. balsamita aquatica uel absinthium ponticum.
Sempuiua. i. arzon.
Scariola: ēdiuiua: trosisma idem ē foliis & radice utimur.
Sponsa solis eleutropia: solseqa: ciorea: intuba idē est. foliis et seīe utimur.
Sīape agrestis habet lata folia & rotunda.
Sauina. i. bratheos.
Sentris. i. rubus q facit mora.
Sambucus arbor est silis degalee in foliis.
Sariofoas. i. sarcocolla.
Saponaria: borit: herba fullonis idem est.
Saliunca. i. spica celtica.
Storax liqda. i. sagia.
Strobilia. i. semen pinee.
Siccides fu .i. cucumer agrestis.
Sinopide. i. terra rubea.
Samū. i. fructus iūiperi.
Siccidos. i. galla asiana.
Sqbala. i. dura stercora.
Simila .i. folla uel medium furfur.
Semicupimē. i. tīamedia.

67

Siſelios.i.ſiler mõtanus.
Sterione.i.gaua.
Stiracos.i.ſtorax.
Sileos.i.policaria.
Soluinſia.i.cidamum.
Siſafora.i. contra orientalis.
Sãdix.i. auripigmẽtum.
Scinus.i.lentiſcus.
Simphonica: iuſqamus: caĩcularis: latrecula idẽ ẽ.
Silfui.i.cariofilis.
Seatuncellus.i. umbelicus ueneris.
Scorfilidos.i. reſina uel corces.
Spedace.i.ceruſa.
Sicaminun.i.celſa mora.
Sarcocolla.i. agrimonia.
Scẽdaminun.i.acrifoliũ.
Senacis.i.ſpica celtica.
Scarade.i.ſaluia.
Scuta.i.lacerta.
Scolopendria.i. lingua ceruina.
Seperos.i. bacca lauri.
Siſama.i.ſemen papaueris agreſtis. ſiſama etiam ſunt quedã ĝna dragḡ.
Spaguum.i.ſaluia.
Siſamus.i. paſtillus uel ſemẽ balſami.
Scarius.i.ficus.
Spaltea.i.palma.
Spondagos.i.lagimo que in roſa ſiluatica ſolet eſſe.
Sylla.i.ceraſa.
Sylomachar.i. radix uel cortex ceraſi.
Siſipiũ.i.ciprium.
Sui.i.ſinapis.
Sale.i.auena.
Scupio ferrigena.i. petra argenti.
Scafemanice.i.ſuccus papaueris.
Scalia.i.caſia.
Salpadatie.i. affonitrũ.
Salcadr͞ne.i. ſal lucidũ.
Sapa.i.muſtum coctum.
Sanſicca.i. baſilicon.
Sacrapax.i. atriplices.
Seldago.i.yris illyrica.
Sinõ elauer.i.agrimoĩa.

Sumbul.i.ſpica.
Sabar.i.aloe.
Sota.i.iunci radix.
Siſan.i.yreos.
Seris.i.ſcariola.
Sumac.i.macer.
Stargil.i.citonia.
Scibeſber.i.alumen.
Sedenigi.i.bacebiſãtie.

TIbaiarū.i.ſulfur uiuū.
Trociſci .i. rotūda cō-
fectio.
Tus.i. olibanum longū.
Tuniana.i.cozumbrū.
Trifolii ſemen.i. trifoliū
acutum.
Terra ſigillis .i. argilla:
uel creta.
Teſapium.i.ſinapis alba
Trozuua uel endia.i. ſca-
riola.
Turiones.i.ſumitates.
Trifagus .i. trifolium a-
cutum.
Trigon.i.ſonus gutturis.
Thora ut toxicū ualet.

Timbra.i.ſaturegia.
Tapſus maſculus .i. floſ-
nus foliis utimur.
Til uel fibri .i. fenum
grecum.
Tribula.i.laccinder.
Trianneti.i.petroſell.
Tridax.i. lactuca.
Titimalus.i.galatites.
Tencādreſta.i.piretrum.
Teruneō.i.pētafilon.
Trigaſo maior .i. came-
dreos.
Truſagnire.i. ſulfur ſup
ignem.
Traiſenochum .i. camo-
milla.
Tridica agria .i. lactuca
ſiluatica.
Tapſia ſuccus ferule.
Tetriga.i.tribulus.
Tybir.i.ros marinus.
Tatites.i.artemiſia.
Tergio.i.filex.
Triocutes.i.betonica.
Triſafice.i.gladiolus.
Tronecaria.i.piſtereon.

Tertis.i.orobus ũl cicercu-
la.
Torobos.i.aqua lactis.
Taras.i.aqua marina.
Tartarꝫ.i.greupa.
Tacumo.i.ebulus.
Tecãti.i.euforbium.
Torra rubea .i. bolus ar-
menicus.
Tici.i.sulfur.
Teremerbin.i.manna.

Vlga.i.asara baccara.
Vnfar.i. cinapriũ uel
miniun.
Virgia.i.lilium.
Viola. floribus & foliis
utimur.
Vua lupina.i.striguum.
Vmbilicus ueneris coti-
lidones.
Vscatuncelli: cimbalaria
idem est: foliis utimur.
Ventimaior.i.anagall.
Ventimedia.i.bugla.
Vẽtimĩor: cõ solidamĩor
Vermicularis maior: re-
trosellit idem est.
Vermicularis minor silis
est ei.herba utimur.
Virga pastoris .i. lupi
pecten.
Verminaca.i.militaris
Vche.i.uitreola quã equi
comedunt.
Vngula.i. pes leonis que
dicitur ungula caballina.
Vnfation.i.flos uitis.
Vatus .i. mora siluatica.
Victoriapolicõ.i. buglos-
sa.
Vitũen.i.sulfur iudaicũ.
Vlixatrum.i.petrosell.
Villarũ .i. liliũ uirgĩane.
Vtridos.i.lac quod urine
simile est.
Vzifur.i.sinopide.

Xillataria.i.lignum cor-
nutũ: uel silicpua.
Xilobalsamũ.i.lignũ bal-
sami.
Xilo.i.lignum.
Xilõacor.i.cortex celsi.

Xiloaloes.i.lignū aloes.
Xilomirra.i.lignū mirre.
Xia.i.ſenationes.
Xilia.i.caſia.
Xiſibriū.i.balſamita.
Xelinon.i.apium.
Xiria.i.unguēta.

YPoqſtidos.i.ſuccus cuiuſdā herbe que naſcitur ad pedē herbecanie.
Ygia.i.ſtorax liqda.
Ydor.i.aqua.
Yriana.i.lambruſca.
Yēctus.i.yreos.
Ympoqſtidos.
Yposceliū: oliſatiū iella.
Ypericus.i. falaſtiū: uel herba ſcē marie.
Yoroceros.i. argētū uiuū
Ypoſtaſis.i.nebula urīe.
Yithimū.i. capillaria.
Yrigerontas.i.ſenatones.
Yſcidioſino.i.ſerpillū.
Yripoton.i. medulla ceruina.
Ypos.i.uiſcago de quercu uel de qualibet arbore.
Ypcrois.i.cauda caballīa.
Ydroargiros.i. argentum uiuum.
Ydroleun.i. oleum quod ſupnatat in balneis ſulfureis.
Ypericon: herba ſancti iohannis: herba perforata: ſcopa regia: triſcalamus idem eſt. ſemine & foliis utimur.
Yris illyrica genus gladioli ē: cuius radice utimur.
Yflos purpureus.i. admodum laculi.
Yreos herba ē habēs radicē odoriferā & florem inter albun & citrinum: tamē album. radice utimur.

ZVcarum.i.pſilium.
Zonamon.i. ſemperuiua.
Zomus.i.fermentum.
Zucozaria.i. agnus caſtus: uel ſalices marini.

Zema.i.ſuccus.
Zizania.i.louū.
Zion.i.ſempuiua.
Zinirna.i.mirra.
Zipi.i.galla.
Zogi.i.forcipes.
Zábacea.i.rara unde oleum fit.flos eius albus & odoriferus.
Zaſtra.i.crocus oriētalis.
Zeunia.i. polígania uel centinodia.
Zīziber.i.radix zīziberis: uel piretri.
Zauco.i.argentū uiuū.
Zarma.i.auripigmētū.
Zerte.i.oleum.
Zerteeria.i.oleū laurinū
Zerte eclirii.i.oleū lētiſcinum.
Zulbe.i.orobus: ūl cicercula.
Ziginara.i. praſſiū raminum.

FINIS ANTIDOTARII NICOLAI: ET QVORVNDAM ALIORVM TRACTATVVM IMPRESSORVM VENETIIS PER NICOLAVM IENSON GALLICVM. M. CCCC. LXXI.

(a) The *Practica* of Ferrari was also printed in 1471 at Pavia. see "Une chaire de Medecine au XV siecle" by Ferrari Paris 1899. p 61.

(b) Possibly the first part was printed before this date, but no copy is known.

I missed a copy at Rosenthal's Sept 09. That voracious monster Pierpont Morgan had bought it! W.O.

refers to (a) above

lot 882 = no. 7316 date?

"In 1468 six more make their appearance (in Rome, Sweynheym & Pannartz), one classical, three patristic one theological, & one medical!"

[illegible] Bibliographica III. 35

1470 Padua. Avicenna fol. J Herbort (see [illegible] [illegible]

[illegible] says "beautiful bold margins"

See Rolandus [illegible]

DD.64.

1467

Bodley

Antidotarium. Nicholaus Prepositus

Digby MSS. 29 f 244. XIV. saec. Incipit Nicholaus de compositis medicinis. Ego Nicholaus rogatus. In Catalogue gives "sive Nicholai de Horbresham (hodie Horsham). angl. antidotarium. Has not the Synonima or the quid pro quo.

Ms add. A. 10. Ego Nicholaus rogatus a quibusdam &c. begins f 64r ends f 79r. decoctione latifuge.

Ms add A. 7 Ego Nicholaus rogatus de quibusdam

✓ Ms Canon Misc 344 f 1. Incipit Antidotarium Nicholai Ego Nicholaus rogatus Fine ms. litt, earlier than the others. has the antidotes

Ms Canon Misc. Ital. 284 f 36. Incipit antidotari de nicholai – liber [illegible]

Ms Ashm. 1470 f 280 Incipit antidotarius Nicholai compilatus ab antidotario Arabico. Ego Nicholaus rogatus

Rawlinson C 184 John Platearii. Glossae in Nichol. Prepos. antidotar. Followed by Circa instans negotium

7467

<u>Memo.</u>

The lettering on the back of this (Rivière) binding was altered, 25 Aug., 1926, from

FALCUCCIUS N. to

NICOLAUS SALERN.

G.W.F.